

961-411

7/22/2009

1/1



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Avenue, N.W.
Washington, D.C. 20460

EPA Reg. Number: 961-411

Date of Issuance: JUL 22 2009

Term of Issuance: Conditional

Name of Pesticide Product: Lebanon Permethrin 0.5 Lawn insect Control with Fertilizer

NOTICE OF PESTICIDE:

- X Registration
Reregistration

(Under FIFRA as amended)

Name and Address of Registrant (include ZIP Code):

Lebanon seaboard Corporation
1600 East Cumberland Street
Lebanon, PA 17042

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c) (7) (A), provided that you:

- 1. You will submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c) (5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. You will make the following label changes before you release the product for shipment:
a. Revise the EPA Registration Number to read "EPA Registration Number 961-411."
b. Under First Aid delete "In case of accidental..." and "Immediately..."

Signature of Approving Official:

Handwritten signature: Leah A. DeLuina for Robert Gebken

Date:

Handwritten date: July 22, 2009

page 2

EPA Reg. No. 961-411

c. Under First Aid change "Contact with skin or clothing" to "If On Skin or Clothing".

d. Under First Aid change "Swallowing" to "If swallowed".

e. Under First Aid change "Contact with Eyes" to "If In Eyes".

f. Change "Note" to "Hot Line Number and enclose it in a box.

g. Under Directions for Use add" add "Applications is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow this product to enter any drain during or after application."

3. Please submit two (2) copies of your final printed labeling before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact Linda A. DeLuise of my team at (703) 305-5428.

2/7

LEBANON PERMETHRIN 0.5 LAWN INSECT CONTROL WITH FERTILIZER

OPTIONAL MARKETING CLAIMS

[For Outdoor Use on Home Lawns • Kills Listed Insects in Lawn • Lawn Insect Control • Treats [Covers] up To 2,500; 5,000; 10,000; 15,000 Sq.Ft. • Controls Home Invading Pests • 10 pounds treats [covers] 5,000 Sq.Ft. • Controls Surface and Foliage Feeding Pests • For use on All Grass Varieties and Dichondra Lawns • Contains Permethrin • Ready To Use • Kills [Controls]: Ants, Armyworms (inc. Fall, Yellow-striped, etc.) Bear Ticks, Bermudagrass mites, Billbugs (adult), Black Legged Ticks, Boxelder Bugs, Brown Dog Ticks, Centipedes, Chiggers, Chinch Bugs, Clover mites, Cutworms, Darkling Ground Beetles, Deer Ticks (*Ixodes dammini*), Digger wasps, European Crane Fly Larvae, Field Crickets, Fire Ants, Fleas, Grasshoppers, Hyperodes (Turfgrass Weevil), Lawn Moths, Leafhoppers, Lone Start Ticks, Scorpions, Sod Webworms, Sowbugs, Spiders [including Black Widow], Spittlebugs, Springtails, Ticks, Western Black Legged Ticks (*Ixodes pacificus*) • Also Kills Sod webworms, Fire Ants, Digger Wasps and other destructive insects as listed for up to 6 weeks • Provides Contact and Residual Control For up to 6 Weeks • Kills On Contact • Keeps Killing up to 6 weeks • Kills these bugs (graphic of each bug) and many others listed • Kills [Controls] [over 35] Lawn Insects • Kills [Controls] Lawn Insects [& Feeds Your Lawn] • Kills Lawn Damaging and Nuisance Insects including Ants, Armyworms, Fire Ants, Fleas, Ticks, Sod Webworms and Spiders • Kills over 35 insects including Ants, Fleas, Ticks, Sod Webworms, Chinch Bugs and many other Nuisance and Lawn Damaging Insects For Up to 6 Weeks. • Apply When Insects First Appear] • Kills Bugs While Feeding Your Lawn • Kills over 35 Nuisance and Lawn Damaging Insects for up to 6 Weeks].

Optional Fertilizer claims:

[*Contains Polyon® Timed Release [Nitrogen] for Extended Feeding [Greening]. • Thick Green Growth Without The Burn • Feeds Up to ___ Months] • Delivers a long-lasting feeding without burning, for a stronger, greener lawn]

Active Ingredient:

Permethrin..... 0.5%
 [*]Other Ingredients: 99.5%
 TOTAL..... 100.0%

[*Other ingredients in this product are fertilizer and clay as the carrier of the insecticide.]

**KEEP OUT OF REACH OF CHILDREN
 CAUTION**

See additional precautionary statements on back of bag.
 NET WT. 5, 10, 20, 30 LBS (2.2 KG, 4.5 KG, 9.0 KG)

[OPTIONAL USE TIP BOX]

"To Do" List

- > Measure lawn
- > Subtract Non-Lawn Areas
- > Apply at recommended rate
- > Water in as indicated.

**REGISTERED
 WITH THE U.S. ENVIRONMENTAL PROTECTION AGENCY
 FOR EPA LAWN BRAND**

JUL 22 2009

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

Guaranteed Analysis	
Total Nitrogen (N).....	x.x%
x.x% Ammoniacal Nitrogen	
x.x% Urea Nitrogen*	
Available Phosphate (P ₂ O ₅).....	x.x%
Soluble Potash (K ₂ O).....	x.x%
Derived From: Urea, Diammonium Phosphate and Muriate of Potash	

961-911

[*CTR™, Composite Timed Release is your Guarantee that a QUICK and LONG LASTING FEEDING will be systematically delivered to your lawn.

*CTR is the name for the coated urea in this product.]

STOP. READ ENTIRE LABEL BEFORE USE. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor use around the home only.

- This product is recommended for the control of lawn insects, fleas and ticks in outdoor residential areas.
- Lawn treatments can be made to ornamental and turfgrass areas and under shrubbery with a fertilizer spreader.
 - Spot treatments can be made to ant mounds and digger wasp nests.

Important: It is best to use all of the product in accordance with label directions.

[Bracketed Text] = Optional language

1/10

GENERAL USE DIRECTIONS

1. Determine size of area to be treated – measure length and width in feet, then multiply to determine coverage area in sq.ft.[length x width]
2. Use the spreader setting chart to determine appropriate setting.
3. Treat as directed – thorough coverage is important. Water in as indicated on the label.
4. Keep children and pets off treated areas until this material is washed into turf and grass is dry.
5. Do not use food utensils such as spoons or measuring cups for food purposes after use in measuring pesticides.
6. Do not allow adults, children, or pets to enter the treated area until dusts have settled.
7. Apply this product directly to the lawn. Water treated area as directed on this label.
8. Do not make application during rain.

LAWN TREATMENT FOR GRASS AND DICHONDRA LAWNS

To control:

Ants	Armyworms (inc. Fall, Yellow-striped, etc)	Bermudagrass mites
Billbugs (adult)	Boxelder Bugs	Centipedes
Chiggers	Chinch Bugs	Clover mites
Cutworms	Darkling Ground Beetles	Digger wasps
European Crane Fly Larvae	Field Crickets	Grasshoppers
Hyperodes (Turfgrass Weevil)	Lawn Moth	Leafhopper
Scorpions	Sod Webworms	Sowbugs
Spiders (inc. Black Widow)	Spittlebugs	Springtails

- Apply this product uniformly to home lawns, under shrubbery, and other ornamental or recreational turfgrass areas.
- Apply when insects first appear using granules at the rate of 2 pounds per 1,000 sq. ft.
- For thicker lawns (such as St. Augustine grass) apply at a rate of 3 pounds per 1,000 sq. ft.
- Always use a fertilizer spreader.
- See spreader setting chart below.
- Immediately after application, water the lawn with ¼ to ½ inches of water after application.

- If necessary reapply in 4 to 6 weeks.

European Crane Fly Larvae (Leatherjackets) – the best time to apply is in May or June when the insects are young.

Chinch Bugs – Begin application when temperatures reach 80°F or above. A second application may be necessary in 6 weeks if insect activity continues.

Flea And Tick Control (In Lawns) - In summer months, fleas and ticks frequently thrive in lawns and outdoor pet resting areas around the home.

FLEAS AND TICKS (including but not limited)

Bear Ticks	Black-legged Ticks	Brown Dog Ticks
Deer Ticks (<i>Ixodes dammini</i>)	Lone Star Ticks	Western Black-legged Ticks
Wood Ticks		

For best control a regular treatment program should be followed.

- Apply when pests first appear in late spring (May-June)
- Then apply every 3 months until late summer (September – October)
- Apply at the of 2 lbs. per 1,000 sq. ft.
- Fall temperatures below 50°F decrease pest activity. Eliminating weeds around the home and mowing lawns frequently reduces the hiding places for these pests.

Note: For optimal results treat dogs, cats, their kennel or bedding area with appropriately labeled products to achieve satisfactory control. If pets and the outdoor and indoor areas they frequent are not treated, pests will continue to infest the entire premises.

SPOT TREATMENT

OUTDOOR ANT MOUNDS

This product may be used outdoors for the control of ants including:

Big Headed, Cornfield, Field, Harvester, Little Black, Pavement, and Pyramid Ants.

It is best to locate the mound and treat it first. Mounds will usually be found in the ground but may be concealed under stones, boards and slabs, in stumps or in logs.

- Apply 1 to 2 teaspoons of product to thoroughly cover the mound.
- Sprinkle lightly with water.

DIGGER WASPS

Apply 1 to 2 teaspoons of product in and around each individual ground nest opening. Make the application at dusk when the wasps are not active.

IMPORTED FIRE ANTS

For small to medium size mounds apply ½ to 1 cup over and 2 feet around each fire ant mound. For medium to large size mounds apply 1 to 1 ½ cups over and 2 feet

5/5

around each fire ant mound. Immediately after application, water the granules into the soil gently with a light sprinkling to avoid disturbing the colony.

For a small to medium size mound use at least ½ gallon of water per mound, but not more than 1 gallon. For a medium to large size mound use at least 1 gallon of water per mound, but not more than 2 gallons.

Note: Use of high pressure watering equipment may disturb the colony and cause migration of the ants, thus reducing the effectiveness of the treatment. Apply in cool weather (65-80° F) or in early morning or late evening for best results. Apply to new mounds as they appear.

SPREADER SETTINGS

ROTARY SPREADERS	2# PER 1,000 SQ.FT.	3# PER 1,000 SQ.FT
Ev-N-Spread		
Ortho		
Quaker		
Scotts Easy Green		
Scotts Speedy Green		
True Temper		
DROP SPREADERS		
Ortho		
Precision		
Scotts (PF)		
Scotts Even Green		

HOW TO APPLY

1. Calibrate your spreader according to the spreader manufacturer's directions. Adjust settings as needed to apply the recommended product.
2. Using a drop-type or rotary spreader, apply granules evening over grass, avoiding streaking, skips or overlaps. Avoid using spreaders that apply product in narrow or concentrated bands.
3. Check calibration of spreader frequently to ensure spreader is functioning properly and applying product evenly.

IMPORTANT

It is important to follow directions as indicated on this quality lawn care product as over application may cause injury to your lawn. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Be sure to check spreader before beginning, adjusting if necessary. **NEVER APPLY BY HAND.**

Optional Spreader Tip:

[To avoid gaps and streaks, first spread border of lawn and then fill in center with uniform, parallel passes. Walk at a steady pace so as to apply evenly throughout the lawn. 9Graphic of pattern)]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store product in original container in a cool, dry, locked place out of reach of children and pets.

Pesticide Disposal and Container Handling: Nonrefillable Container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

- Harmful if swallowed
- Harmful if absorbed through skin
- Avoid contact with skin, eyes or clothing
- Causes moderate eye irritation
- Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.
- Remove and wash contaminated clothing before reuse.

FIRST AID

The table below describes the first aid procedures for incidents involving Permethrin 0.5% Lawn Insect Control with Fertilizer

<i>In the case of accidental...</i>	<i>Immediately....</i>
Contact with skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes • Call a Poison Control Center or doctor for further treatment advice
Swallowing	<ul style="list-style-type: none"> • Call Poison Control Center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow • Do not induce vomiting unless told to do so by the Poison Control Center or doctor • Do not give anything by mouth to an unconscious person
Contact with Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then

5/1

	continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice.
--	---

Note: Have this product container or label with you when calling a Poison Control Center or doctor, or going for treatment. Active Ingredient: Permethrin, CAS #52645-53-1.

ENVIRONMENTAL HAZARDS

~~This product is extremely toxic to fish. Drifts and runoff from treated areas may be hazardous to aquatic organisms in treated areas.~~ This pesticide is extremely toxic to aquatic organisms, including fish and invertebrate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather will help ensure that wind does not blow pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

[Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.]

[Optional Lebanon Warranty

**WARRANTY
IMPORTANT: READ BEFORE USE**

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Lebanon Seaboard Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, LEBANON SEABOARD CORPORATION MAKES NO OTHER WARRANTIES,

EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Lebanon Seaboard Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Lebanon Seaboard Corporation **DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.**

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT LEBANON SEABOARD CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.]

When applied as directed, this product meets the guidelines for metals adopted by the Association of American Plant Food Control Officials.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-lebsea.com>.

Visit us on the internet at www.LebanonTurf.com [or call our Customer Satisfaction Hotline at 1-800-561-1333.]

[*CTR™ is a trademark of United Industries, Inc. and is the name for the coated Urea in this product.]

If you apply Permethrin 0.5 Lawn Insect Control with Fertilizer as directed and are not completely satisfied, send proof of purchase from this package and the original cash register receipt to the address below. We will refund the purchase price.

Manufactured by:
 Lebanon Seaboard Corporation
 1600 East Cumberland Street
 Lebanon, PA 17042
 Made in the U.S.A.

EPA Reg. No. 961-URR
 (L) (D)
 EPA Est. No. 961-PA-01:961-IL-01
 Superscript used is first letter of lot number.
 © 2009

[Optional Marketing Statements (for Supplemental Distributor):

1/5

- 25% Nitrogen provides leaf growth and makes the grass green; 3% Phosphate Promotes root development and 3% Potash Helps plants resist drought and disease.

- 4 Stage Lawn Care Program.

- (Subregistrant) 4 Stage Lawn Program makes it easier to have a lush, green lawn. Our 4 simple applications eliminate the guesswork and give you professional lawn care results. Each stage combines just the right amount of fertilizer with the right amount of control and prevention. Just match each stage to the correct season and you'll prevent crabgrass, control weeds and insects and prepare your lawn for the winter. It's what your lawn needs for strong growth.

-Added Headings that may be present on the label
Why does your lawn need ACE Green Turf Lawn Insect Control with Fertilizer?
QUALITY RESULTS; USE INSTRUCTIONS; SUGGESTED SPREADER
SETTINGS; CARE & HANDLING; FERTILIZER

- (Sub-registrant) Guarantees Satisfaction if for any reason you are not fully satisfied with the performance of this product, we want you to know, just bring the item back to the store and we will exchange it or issue a refund.

-ACE Green Turf Lawn Insect Control with Fertilizer is specifically formulated to kill over 35 nuisance and lawn damaging insects and give your grass the primary nutrients it needs for thick growth. Our time-released formula keeps your grass greener longer and helps build strong, hardy root systems.

-The Ace® Promise If this Ace product when used for its intended purpose, fails to give you complete satisfaction, return the item to the Ace Hardware store where purchased for free replacement of the same or similar item.

-Questions or Comments Call 1-800-917-5423

-Placeholder pictogram telephone

- Placeholder for Proof of purchase]

V/W