



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Jeanette A. Covert, Agent
Lebanon Seaboard Corporation
c/o Product & Regulatory Associates, L.L.C.
P.O. Box 1683
Voorhees, NJ 08043

OCT 25 2010

Subject: Label Amendment – Revising and Reformatting Marketing Claims
Product Name: Turf Fertilizer Plus Trimec DMB Weed Control
EPA Registration Number: 961-413
Submission Date: July 21, 2010
Decision Number: 438301

The label amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided you address the following:


- 1) NOTE: Check the formatting and placement of the percentage signs (%) in the boxes on page 7-8.
- 2) NOTE: While no additional data is being requested at this time, marketing claims made on the pesticide label must be substantiated by data maintained in your files. If data supporting marketing claims made on the product label is not available then those claims must be removed.
- 3) NOTE: Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.
- 4) NOTE: The "No phosphate..." and "Zero phosphate..." claims may only be used if the product contains zero percent (0%) phosphate. If the product contains phosphate, then these claims must be removed from the label.

SEE NEXT PAGE

Page 2 of 2
Label Amendment – Revising and Reformatting Marketing Claims
Product Name: Turf Fertilizer Plus Trimec DMB Weed Control
EPA Registration Number: 961-413
Submission Date: July 21, 2010
Decision Number: 438301

Products shipped after 18 months from the date on this notice or the next printing of the label whichever occurs first, must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA. Your release for shipment of this product constitutes acceptance of these conditions. This label supersedes all previously accepted labels. You must submit one copy of the final printed label before the product is released for shipment. One copy of the label stamped "Accepted with Comments" is enclosed for your records. If you have any questions, please contact Michael Walsh by phone at (703) 308-2972 or via email at walsh.michael@epa.gov.

Sincerely,



Kathryn V. Montague
Product Manager (23)
Herbicide Branch
Registration Division (7505P)

Enclosure

TURF Fertilizer Plus Trimec® DMB Weed Control

ACTIVE INGREDIENTS:

| | |
|---|-------|
| 2,4-dichlorophenoxyacetic acid..... | 0.69% |
| (+)-(R)-2-(4-chloro-2-methylphenoxy) propionic acid | 0.15% |
| Dicamba: 3,6-dichlor-2-methoxybenzoic acid..... | 0.06% |

| | |
|---------------------------------|----------------|
| OTHER INGREDIENTS: | 99.10% |
| TOTAL | 100.00% |

THIS PRODUCT CONTAINS:

- 13.8 lbs. 2,4-dichlorophenoxyacetic acid equivalent per ton
- 3.0 lbs. (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton
- 1.2 lbs. 3,6-dichloro-o-anisic acid equivalent per ton

Isomer Specific by AOAC Methods.
 Contains the single isomer form of Mecoprop-p.
 TRIMEC is a registered trademark of PBI/GORDON CORPORATION.
 CAS Number 1982-69-0 (sodium salt of dicamba)

| GUARANTEED ANALYSIS XX-X-X | |
|--|-----|
| Total Nitrogen (N) | XX% |
| x.x% ammoniacal nitrogen | |
| x.x% water insoluble nitrogen* | |
| x.x% urea nitrogen* | |
| x.x% other water soluble nitrogen* | |
| Available Phosphate (P2O5) | X% |
| Soluble Potash (K2O) | X% |
| Sulfur (S) | X% |
| x.x% free sulfur (S) | |
| Derived from: polymer-coated sulfur-coated urea, urea, methylene urea, ammonium phosphate, ammonium sulfate, and muriate of potash. | |
| *A portion of the urea has been coated to provide x.x% coated slow-release nitrogen. | |
| *x.x% slowly available nitrogen from sulfur coated urea. | |
| * x.x% slowly available nitrogen from methylene urea. | |
| This product and/or its manufacture is covered by one or more of the following U.S. patents and international counterparts thereof: US Patent Numbers: xxxxxx | |
| Note: Fertilizer grades with nutrient contents expressed as the percentages of N, P2O5 and K2O may include the following: 23-3-7 or x-x-x. The fertilizer grade analyses may contain macronutrients and micronutrients. The nutrient contents expressed will vary among states, and the analyses will differ between supplemental registrations. | |

KEEP OUT OF REACH OF CHILDREN CAUTION

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

See back panel for First Aid and Precautionary Statements.

EPA Reg. No. 961-413
 (L) (D)
 EPA Est. No. 961-PA-01, 961-IL-01
 Superscript used is first letter of lot number

[MANUFACTURED BY:] [Distributed by:] [Produced for:]
 LEBANON SEABOARD CORPORATION
 1600 EAST CUMBERLAND STREET
 LEBANON, PA 17042
 Made in the USA.

**ACCEPTED
with COMMENTS**
 In EPA Letter Dated:
OCT 25 2010

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended, for the pesticide
 registered under EPA Reg. No.

961-413

4/21

Covers [X,XXX] Square Feet [SQUARE FEET] [SQ. FT.] [Sq. Ft.]
Net Weight: [Net Wt.:] xx lbs.[LBS.] [POUNDS] (xx.x kg) [(XX.X KG)]
Treats: XX,XXX Sq.Ft. [SQ.FT.] [Square Feet] [SQUARE FEET]

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wear long-sleeved shirt, long pants, shoes, socks, chemical resistant gloves made of any waterproof material. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

| First Aid | |
|---|--|
| If on skin or clothing: | <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice. |
| If inhaled: | <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or and ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice. |
| If in eyes: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice. |
| If swallowed: | <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. <p>Do not give anything by mouth to an unconscious person.</p> |
| Have the product container or label with you when calling a poison control center or doctor or going for treatment. For Emergency Medical Treatment Information call (888)208-1368. | |

ENVIRONMENTAL HAZARDS Drift or runoff may adversely affect nontarget plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For Outdoor Residential Use.

Do not allow people or pets to enter the treated area until dusts have settled.

[Optional Heading: **INSTRUCTIONS**] [Use Instructions] [Application Instructions] [Application Directions]
[TURF Fertilizer Plus Trimec DMB Weed Control or this product] contains Trimec® herbicide. Trimec® controls a wide range of lawn weeds, including dandelion, chickweed, plantain, henbit, spurge and many others

commonly found in home lawns. In addition, a (X-X-X analysis of fertilizer grade) fertilizer provides a supply of lawn food. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days. Treated areas may be seeded 3 to 4 weeks after application.

USE PRECAUTIONS

Do not use on dichondra, carpetgrass, closely mowed bentgrass putting greens or St. Augustinegrass. Do not use this product where desirable clovers are present or allow the material to drift onto flowers, vegetables or ornamental shrubbery. Do not spread over exposed roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of tree and other ornamental species. Apply when the air is calm. Application of this product to newly seeded areas should be delayed until the third mowing. Do not contaminate domestic or irrigation waters.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn or garden, and sweep up any product landing on the driveway, sidewalk, gutter, or street back onto the treated area, To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply a when raining or when rain is expected that day.

[Labeling Requirements: Optional headers: [Application Instructions]:

The maximum broadcast application rate is 4.0 pounds of product per 1,000 sq. ft. per application (1.2 lbs. 2,4-D acid equivalent, 0.27 lb. MCP-P acid equivalent and 0.11 lb. dicamba acid equivalent per acre per application). The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 8.0 pound of product per 1,000 sq. ft. (2.4 lbs. 2,4-D acid equivalent, 0.54 lb. MCP-P acid equivalent and 0.22 lb. dicamba acid equivalent per acre.

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
3. Apply when weeds are young and actively growing, preferably in the morning when the dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto nontarget plants.
4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

[Optional Heading:] [Spreader Settings]

[Note: Registrant/Subregistrant may insert appropriate spreader setting information based on desired spreaders and specified use rates as listed in this label.]

[See the back of the label for a list of spreaders settings]


| | |
|----------------------------|---|
| Drop Spreaders | Application Rate [TURF Fertilizer Plus Trimec DMB Weed Control] 3.0 lbs./1,000 sq. ft. |
| | |
| Broadcast Spreaders | Application Rate [TURF Fertilizer Plus Trimec DMB Weed Control] 3.0 lbs./1,000 sq. ft. |
| | |

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

Optional [Application Equipment and Instructions] [Spreader Directions]:

Determining Your Lawn's Square Footage


To determine how much of this product to apply, you must determine the square footage of your lawn. An easy way to do this is to walk the length of your lawn, figuring that one pace equals about 3 feet. Do the same with the width of the lawn. Then multiply the length by the width to arrive at the total. Make sure you subtract the square footage of your home and driveway when calculating the total square footage of your lawn. If your lawn has an irregular shape, try dividing it up into a number of square areas. Calculate the square footage for each area, then add the figures together to reach your total lawn size.




Spreader Tips

The two main types of spreaders are the Drop Spreader, which drops the material straight down the width of the spreader as you push, and the Broadcast Spreader (also known as a rotary), which throws the material from the spreader.

Drop Spreader: First make two passes along the top of the area you'll be covering. Then make two passes along the bottom area. Then move back and forth along the long part of the lawn. On each pass, as you reach the strips at the top and bottom of the area to be covered, shut off the spreader. It's also important to shut off the spreader when you are stopped.



Broadcast Spreader: Apply in a single pass by starting on the outside border and apply in a circular path working toward the center.



[Optional Spreader Language:]

The above spreader settings are approximate. To check your spreader: XX lb. of material should cover approximately XXX sq. ft. (X lbs. of material per XXXX sq. ft.)

Note: if spreader model does not appear above please call [toll free] XXX-XXX-XXXX, X am - Xpm [ET] [CT] [MT] [PT], [Monday – Friday] [Monday – Sunday] [Anytime] [24/7] for additional model settings.

| - WEEDS - | | |
|-------------|---------------|----------------|
| Bedstraw | Knotweed | Ragweed |
| Black medic | Lambsquarters | Sheep sorrel |
| Buckhorn | Lespedeza | Shepherdspurse |
| Burdock | Mallow | Speedwell |
| Chickweed | Morningglory | Spurge |
| Chicory | Oxalis | Thistle |
| Clover | Peppergrass | Wild carrot |
| Dandelion | Pigweed | Wild garlic |
| Dock | Plantain | Wild lettuce |
| Ground ivy | Poison ivy | Wild onion |
| Healall | Poison oak | Yarrow |
| Henbit | Purslane | |

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.
Pesticide Storage: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.
Pesticide Disposal and Container Handling: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY
IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of [Lebanon Seaboard Corporation] [Company name]. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, [LEBANON SEABOARD CORPORATION] [COMPANY NAME] MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of [Lebanon Seaboard Corporation] [Company name] is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, [Lebanon Seaboard Corporation] [Company name] DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT [LEBANON SEABOARD CORPORATION'S] [Company's name] ELECTION, THE REPLACEMENT OF PRODUCT.

APPENDIX

1. Previously Approved Fertilizer Grades:

Fertilizer grades with nutrient contents expressed as the percentages of N,P₂O₅, and K₂O include the following:

| | | | | | | |
|----------|---------|---------|----------|---------|---------|---------|
| 10-0-10 | 18-0-9 | 20-4-4 | 22-3-16 | 24-3-7 | 26-4-4 | 30-2-4 |
| 10-6-4 | 18-0-12 | 20-4-6 | 22-3-17 | 24-4-8 | 26-4-6 | 30-3-3 |
| 10-16-20 | 18-2-9 | 20-4-8 | 22-4-4 | 24-5-14 | 26-4-13 | 30-3-4 |
| 10-18-10 | 18-3-5 | 20-4-10 | 22-4-11 | 25-0-3 | 26-5-3 | 30-3-5 |
| 12-4-8 | 18-3-10 | 20-5-5 | 22-6-6 | 25-0-4 | 26-6-4 | 30-3-10 |
| 12-5-5 | 18-3-12 | 20-10-0 | 22-7-7 | 25-0-8 | 27-0-8 | 30-4-4 |
| 12-5-10 | 18-4-6 | 20-10-1 | 22-10-10 | 25-3-3 | 27-3-6 | 30-4-8 |
| 13-2-3 | 18-4-8 | 20-10-4 | 23-0-3 | 25-3-5 | 27-4-6 | 31-3-8 |
| 13-3-9 | 18-5-9 | 20-10-5 | 23-0-7 | 25-3-8 | 28-0-3 | 31-4-4 |
| 15-0-7 | 18-5-10 | 21-0-18 | 23-0-10 | 25-3-9 | 28-0-4 | 32-0-4 |
| 15-0-15 | 18-6-12 | 21-1-18 | 23-2-10 | 25-4-8 | 28-0-8 | 32-3-3 |
| 15-5-7 | 18-7-6 | 21-5-7 | 23-3-3 | 25-5-5 | 28-2-3 | 32-4-8 |
| 15-5-8 | 18-8-0 | 21-7-14 | 23-3-7 | 26-0-3 | 28-2-4 | |
| 15-5-10 | 18-8-12 | 19-0-4 | 23-4-5 | 26-0-4 | 28-2-8 | |
| 16-0-5 | 19-0-2 | 22-0-4 | 23-7-7 | 26-0-11 | 28-2-12 | |
| 16-0-6 | 19-0-6 | 22-0-5 | 24-0-4 | 26-2-8 | 28-3-3 | |
| 16-0-8 | 19-3-5 | 22-0-7 | 24-0-6 | 26-2-12 | 28-3-7 | |
| 16-0-9 | 19-3-6 | 22-0-8 | 24-0-12 | 26-3-3 | 28-3-8 | |
| 16-1-5 | 19-4-8 | 22-0-10 | 24-2-8 | 26-3-4 | 29-3-3 | |
| 16-2-3 | 19-6-8 | 22-0-11 | 24-2-12 | 26-3-5 | 29-3-4 | |
| 16-3-5 | 20-0-0 | 22-3-3 | 24-3-3 | 26-3-6 | 30-0-3 | |
| 16-4-8 | 20-0-5 | 22-3-6 | | | | |
| 16-6-8 | 20-0-6 | 22-3-14 | | | | |
| 16-6-9 | 20-0-7 | | | | | |
| 17-0-6 | 20-0-8 | | | | | |
| 18-0-3 | 20-0-10 | | | | | |
| | 20-1-5 | | | | | |
| | 20-3-3 | | | | | |
| | 20-3-5 | | | | | |
| | 20-3-10 | | | | | |
| | 20-3-12 | | | | | |

The fertilizer grade guaranteed analyses may contain macronutrients and micronutrients. The nutrient contents expressed will vary among states, and the analyses will differ between supplemental registrations. The following is an example of guaranteed analyses presentations.

| 19-0-4 Guaranteed Analysis | |
|---|----|
| Total Nitrogen (N) | 19 |
| 19% Urea Nitrogen* | % |
| Available Phosphate (P205) | 0% |
| Soluble Potash (K2O) | 4% |
| Derived from: Sulfur Coated Urea, Urea and Muriate of Potash. *3.8% Slowly available nitrogen from sulfur coated urea. | |
| 19-0-4 Guaranteed Analysis | |
| Total Nitrogen (N) | 19 |
| 1.7% Ammoniacal Nitrogen | % |
| 1.2% Water Insoluble Nitrogen* | |
| 14.3% Urea Nitrogen | |
| 1.8% Other Water Soluble Nitrogen* | |
| Available Phosphate (P205) | 0% |
| Soluble Potash (K2O) | 4% |
| Derived from: Methylene ureas, urea and muriate of potash. *3.0% Slowly available nitrogen from methylene ureas. | |
| 22-0-4 Guaranteed Analysis | |
| Total Nitrogen (N) | 22 |
| 22% Urea Nitrogen* | % |
| Available Phosphate (P205) | 0% |
| Soluble Potash (K2O) | 4% |
| Derived from: Sulfur Coated Urea, Urea and Muriate of Potash. *4.4% Slowly available nitrogen from sulfur coated urea. | |
| 22-0-4 Guaranteed Analysis | |
| Total Nitrogen (N) | 22 |
| 2.0% Ammoniacal Nitrogen | % |
| 1.2% Water Insoluble Nitrogen* | |
| 16.7% Urea Nitrogen | |
| 2.1% Other Water Soluble Nitrogen* | |
| Available Phosphate (P205) | 0% |

| | |
|---|-----|
| Soluble Potash (K ₂ O) | 4% |
| Derived from: Methylene ureas, urea and muriate of potash. *4.1% Slowly available nitrogen from methylene ureas. | |
| 22-0-10 Guaranteed Analysis | |
| Total Nitrogen (N) | 22 |
| 22% Urea Nitrogen* | % |
| Available Phosphate (P ₂ O ₅) | 0% |
| Soluble Potash (K ₂ O) | 10% |
| Derived from: Sulfur Coated Urea, Urea and Muriate of Potash. *6.6% Slowly available nitrogen from sulfur coated urea. | |

| 24-4-8 GUARANTEED ANALYSIS | |
|---|-----|
| Total Nitrogen (N)..... | 24% |
| Water Insoluble Nitrogen | 5% |
| Available Phosphate (P ₂ O ₅)..... | 4% |
| Soluble Potash (K ₂ O)..... | 8% |

Note to Supplemental Registrants: Fertilizer sources may vary in micronutrient composition, and iron may discolor or stain concrete. For fertilizers containing iron: Sweep all fertilizer from concrete surfaces immediately after application. Do not wash this product from concrete surfaces because fertilizers which contain iron may cause discoloration upon oxidation.

Note to Supplemental Registrants: Guarantees for plant nutrients other than nitrogen, phosphorous, and potassium may be permitted or required by regulation by the _____. The guarantees for such other nutrients shall be expressed in the form of the element. The source (oxides, salts, chelates, etc.) of such other nutrients may be required to be stated and may be included on the label.

[Optional Label Claims]

Claims – Miscellaneous

1. [Bar code] [product number]
2. [Item number]
3. [Not] Proof of Purchase
4. If the fertilizer guarantee contains iron, the following statement must appear:
 [Note:] [Notice:] This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.
5. The following statement must appear (relevant to the fertilizer guarantee):
 [Note:] Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-lebsea.com>.
6. The following statement may appear when the application rate applies less than 1 pound of nitrogen per 1,000 sq. ft.:
 [Note:] Supplemental applications of lawn fertilizer are needed to achieve a minimum of 1 pound nitrogen per 1,000 sq. ft.
7. The following statement may appear if application rate instructions specify different rates based on different regions in Florida:
 [Optional fertilizer text for state of Florida when applicable:] Florida Applications: [X] annual feedings [with the exception of [listed turfgrass species (X feedings in the north and X feedings in the central and south).] This package applies X.X lbs of product per 1,000 sq. ft.]
8. For products sold in the state of Florida, the following statement may appear:
 [Optional text for state of Florida] Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street, back onto your lawn/garden.
9. Apply once for the whole season
10. For use on cool and warm season turfgrass
11. Questions or Comments? Call 1-xxx-xxx-xxxx. (insert phone graphic)
12. This Bag Treats Up to _____ Square Feet

Claims regarding Weed Control Properties

1. 3 month [12 week] weed grass control
2. Controls (Number) weeds! (Listing of weeds may include the following.) (Note: 201 listed weeds)
3. Controls [Kills] dandelion, chickweed, knotweed, plantain, henbit, spurge and many other broadleaf weeds[:] [some of which are listed on the back panel]
4. Controls [Kills] dandelion, plantain, and other weeds.
5. Controls most annual broadleaf weeds
6. Controls new weeds for 3 months [12 weeks]
7. Kills [Controls] XXX [Plus] [Listed] [Broadleaf] Weeds [As Listed]
8. Kills [xxx] [200] weeds including dandelion, clover and other common lawn weeds
9. Kills clover, chickweed, spurge and many other broadleaf weeds

- 10. Kills dandelion, chickweed, clover and most common lawn [turf] weeds.
- 11. Kills even the toughest weeds
- 12. Kills over [xxx] [200] of the toughest weeds
- 13. Kills over [xxx] [200] weed types
- 14. Kills weeds now for few weeds in spring
- 15. Kills weeds on contact
- 16. Kills weeds to the root



- 17. Trimec logo
- 18. Weed images (select any listed weed)

Claims regarding Combination Weed Control and Fertilizer

- 1. [TURF Fertilizer Plus Trimec DMB Weed Control] kills unsightly weeds such as dandelion, chickweed and clover while it nourishes your lawn [turf].
- 2. Controls [Kills] over 30 varieties of weeds while feeding your lawn [turf].
- 3. Greens lawns [turf] and develops deep roots while controlling weeds.
- 4. Kills weeds and builds a thick, green [Fall] lawn [turf].
- 5. Kills weeds and feeds your lawn for up to 3 months [12 weeks]

Claims regarding Fertilizer Properties

- 1. [TURF Fertilizer Plus Trimec DMB Weed Control] – All the fertilizer nutrients your lawn [turf] needs for spring
- 2. [TURF Fertilizer Plus Trimec DMB Weed Control] –Providing the Nutrients Needed for a Beautiful Lawn.
- 3. Builds strong, deep roots, for a thick, green lawn [turf]
- 4. Fertilizes to provide rich color [and vigorous growth]
- 5. Improves soil fertility
- 6. Larger Roots / Greener Lawn
- 7. No phosphate [helps protect our waterways] (for use when fertilizer analysis has “0” phosphate)
- 8. Promotes rapid root growth
- 9. Promotes root growth for a thicker, greener lawn [turf]
- 10. Protects & [and] strengthens for a better spring lawn [turf]
- 11. Provides your soil with nutrients
- 12. Restores nutrients to your soil
- 13. Restores nutrients to your soil for a quick spring green up [green-up]
- 14. Zero phosphate [helps protect our waterways] (for use when fertilizer analysis has “0” phosphate)

Claims regarding Slow Release Fertilizer Properties

- 1. [TURF Fertilizer Plus Trimec DMB Weed Control or This product] feeds and greens with [slow release] fertilizer [for up to 3 months] [for up to 12 weeks].
- 2. Feeds [greens] [strengthens] [thickens] your lawn for up to 3 months [12 weeks]
- 3. Feeds your lawn [turf] up to 12 weeks
- 4. Greens up to 3 months [12 weeks]
- 5. MESA® is a registered trademark of Lebanon Seaboard Corporation.
- 6. Patented, controlled release nitrogen for continuous feeding
- 7. Quick and continuous greening for up to 3 months [12 weeks]

| XX | XX | XX |
|---|---|---|
| Nitrogen (N) | Phosphorous (P) | Potassium (K) |
| Contains Timed-Release Nitrogen for growing a thick green lawn [Stimulates growth and encourages a thick. green lawn] | Improves Root [Improves root growth and Plant Storage Capacity] | Improves Plant Hardiness & Drought Resistance |

Claims regarding GreenSmart™ Fertilizer Properties

1. GreenSmart™ Enhanced Efficiency Fertilizer for a Green Lawn
2. [contains] [with] GreenSmart™
3. GreenSmart™
4. GreenSmart™ (logos)



GREEN SMART
 FOR A GREEN LAWN
 ENHANCED EFFICIENCY FERTILIZER



- 5. GreenSmart™ is a trademark of Lebanon Seaboard Corporation
- 6. 20% less nutrients required for the same great lawn [turf] results [with GreenSmart™ Enhanced Efficiency Fertilizer]
- 7. Enables lawns [turf] to use nutrients more efficiently
- 8. Enhanced Efficiency Fertilizer

- 9. Enhances nutrient absorption
- 10. Enriches soil to promote a vibrant, hardy lawn [turf]
- 11. GreenSmart™ enhances poor soil, creating an environment in which lawns [turf] can thrive. GreenSmart produces thick, green lawns [turf].
- 12. GreenSmart™ nourished lawns [turf] are more robust because their root systems are larger, deeper and better developed. Vigorous roots mean[s] the lawn [turf] is hardier and better able to tolerate the stress that comes with heat and drought.
- 13. GreenSmart™ produces thick, green lawns [turf]
- 14. Helps lawns [turf] retain water to protect against heat & [and] drought
- 15. Helps unlock nutrients already in the soil
- 16. Improved Nitrogen Efficiency - Reduces Leaching
- 17. [GreenSmart™ Enhanced Efficiency Fertilizer -] Improved nutrient release and absorption into the lawn [turf] allows 20% less nutrients to be applied while still providing [a] quality lawn [turf]
- 18. Improves drought resistance
- 19. Improves lawn's [turf's] ability to absorb water & [and] nutrients
- 20. Increase nutrient up-take in grass [lawns] [turf] up to 20% [with GreenSmart™ Enhanced Efficiency Fertilizer]
- 21. Lawn[s] [turf] [and plants] nourished with [company name's] GreenSmart™ are [is] able to tolerate the stress from heat and drought. GreenSmart produces large, deep, and well developed root systems that can retain water. This enables lawns [turf] [and plants] to withstand stressful conditions.
- 22. Less watering needed
- 23. Less watering needed, drought resistant [lawn] [turf]
- 24. Makes it easier for lawns [turf] to absorb soil nutrients
- 25. N-P-K with GreenSmart™ [Enhanced Efficiency Fertilizer for a Green Lawn]
- 26. Plants [lawns] [turf] use[s] nitrogen more efficiently so you need less
- 27. Poor soil may have fewer of the nutrients needed to promote a vigorous lawn [turf]. GreenSmart™ works by enriching your soil with nutrients. GreenSmart revitalizes the soil, which aids in the development of a larger, deeper and better root system. The enhanced habitat is proven to produce a green, thick, vigorous lawn [turf], and reduces the need for watering.
- 28. Promotes rapid root growth [for a thick green] [lawn] [turf]
- 29. Recharges your soil with nutrients!
- 30. Reduces plant [lawn] [turf] stress related to drought
- 31. Reduces stress on lawns [turf], protects from drought & heat
- 32. Speeds root growth to improve nutrient absorption
- 33. Unlocks the nutrients in soil, enhancing nutrient absorption, so you can grow a thicker, greener lawn [turf] with less water
- 34. Unlocks the nutrients in your soil

GreenView® Brand of Products Optional Marketing Claims

- 1. [GreenView®] [Company name] guarantees you will be satisfied with the performance of this product when used as directed. If you are not satisfied, return to a[n] [Company name] store with proof of purchase for a replacement product or full refund of the purchase price. Or you can mail proof of purchase to the address listed below for a full refund. [Company name and address]

- 2. [GreenView®] [Company name] guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem and simply send proof of purchase to [Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042] [Company name and address].
- 3. For more information on our complete line of [GreenView®] [Company Name] [Brand Name] Lawn and Garden Products, visit our website at [www.lebsea.com] [www.greenviewfertilizer.com] [www.xyz.com] [Insert product images]



- 4. GreenView® (logo)
- 5. GreenView® is a registered trademark of Lebanon Seaboard Corporation.
- 6. GreenView® yard wide guarantee [green leaf graphic] [GreenView® logo]

Preen® Brand of Products Optional Marketing Claims

- 1. [Company name] guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to: [Company name and address]



- 2. Preen® logo
- 3. Preen® Guarantee
- 4. Preen® is a registered trademark of Lebanon Seaboard Corporation.
- 5. www.preen.com

ACE® Brand of Products Optional Marketing Claims

- 1. ACE® is a registered trademark of ACE Hardware Corp.
- 2. Green Turf® is a registered trademark of [Company Name]
- 3. Made in the USA for ACE Hardware Corp., Oak Brook, Illinois, 60523, USA
- 4. Questions or Comments Call 1-XXX-XXX-XXXX



- 5. Satisfaction Guaranteed ACE® Promise [circle graphic]
- 6. Telephone graphic
- 7. The ACE® Promise. If this ACE product when used for its intended purpose, fails to give you complete satisfaction, return the item to the ACE Hardware store where purchased for free replacement of the same or similar item.

Sta-Green® Brand of Products Optional Marketing Claims

- 1. Computer and phone graphics
- 2. If you use [TURF Fertilizer Plus Trimec DMB Weed Control] as directed and are not completely satisfied, send proof of purchase from this package and the original cash register receipt to the address below. We will refund the purchase price you paid.

- 3. LOOK! For other quality Sta-Green® lawn & garden products. For more information, visit us on our website at www.sta-green.com [www.xyz.com] or call our Consumer Service [Customer Service] Hotline [Number] at 1-xxx-xxx-xxxx.
- 4. Money Back Guarantee [optional graphic]
- 5. Sta-Green® is a registered trademark of [Company name]



- 6. Sta-Green® logo
- 7. The Sta-Green® Promise
- 8. Your satisfaction guaranteed or your money back!

Private Label Customer Brand of Products Optional Marketing Claims

- 1. [Company name] guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to: [Company name and address]
- 2. [Private label] is a registered trademark of [Company name]
- 3. [Private label] logo
- 4. Computer and phone graphics
- 5. If you use [TURF Fertilizer Plus Trimec DMB Weed Control] as directed and are not completely satisfied, send proof of purchase from this package and the original cash register receipt to the address below. We will refund the purchase price you paid.
- 6. LOOK! For other quality [Private label] lawn & garden products. For more information, visit us on our website at [www.xyz.com] or call our Consumer Service [Customer Service] Hotline [Number] at 1-xxx-xxx-xxxx.
- 7. Money Back Guarantee [optional graphic]
- 8. Your satisfaction guaranteed or your money back!

Agway Brand of Product Optional Marketing Claims

- 1. 25% Nitrogen provides leaf growth and makes the grass green; 3% Phosphate promotes root development and 3% Potash Helps plants resist drought and disease.
- 2. If for any reason you are not fully satisfied with the performance of this product, we want to know. Just bring the item back to the store and we will exchange it or issue a refund.
- 3. Agway® and Stage® are registered trademarks of Southern States Cooperative, Inc.
- 4. Manufactured for and distributed by Southern States Cooperative, Inc. 6606 West Broad Street, Richmond, VA 23230
- 5. Agway Guarantees Satisfaction
- 6. To find a store near you visit www.agway.com
- 7. NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.
- 8. [Agway (Subregistrant)] 4 Stage Lawn Program makes it easier to have a lush, green lawn. Our 4 simple applications eliminate the guesswork and give you professional lawn care results. Each stage combines just the right amount of fertilizer with the right amount of control and prevention. Just match each stage to the correct season and you'll prevent crabgrass, control weeds and insects and prepare your lawn for the winter. It's what your lawn needs for strong growth.
- 9. Guaranteed Satisfaction
- 10. (Subregistrant) Guarantees Satisfaction
- 11. 4 Stage Lawn Care Program.[Pictogram numbers 1-4] [pictogram for 4 Step Program]
 - o March 1 – April 30
 - o April 15 – June 15

- o August 1- September 30
- 12. 4 Stage Lawn Care Program
- 13. No crabgrass [Pictogram crabgrass circle with slash through it]
- 14. Stage 1 [Pictogram crabgrass with slash through it]
- 15. AGWAY'S Greenlawn products are the quality choice in complete lawn care. You determine your lawn needs, and you'll find a Greenlawn product to help you. Fertilizers, lawn starters, crabgrass prevention, weed and insect control, winterizers - everything your lawn needs for a lush, green lawn and year-round protection. Each one is easy to apply and guaranteed to produce quick, long-lasting results.
- 16. Notice: Read the entire label. Use only according to label directions. Before buying this product, read the Warranty Section elsewhere on this label. If terms are not acceptable, return the unopened container at once.
- 17. Notice: Read the entire label. Use only according to label directions. Before buying this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitations of Remedies at end of label. If terms are not acceptable, return the unopened container at once.
- 18. AGWAY Guarantees Satisfaction
If for any reason you are not fully satisfied with the performance of this product, we want to know. Just bring the item back to the store and we will exchange it or issue a refund.
- 19. For best results, use an Agway spreader.

Appendix II

List of Weeds controlled by [TURF Fertilizer Plus Trimec DMB Weed Control]

Controls (Number) weeds! (Listing of weeds may include the following.)

| | | | | |
|---|--------|------------------|---------------------|------------------------|
| [TURF Fertilizer Plus Trimec DMB Weed Control][Kills][200][more than 200] weeds! (List of weeds may include the following): | | | | |
| - WEEDS - | | | | |
| Annual sweetclover | yellow | Clover, white | Mustard | Spiny cocklebur |
| Aster | | Cockle | Narrowleaf plantain | Spiny sowthistle |
| Austrian fieldcress | | Cocklebur | Narrowleaf vetch | Spotted catsear |
| Bedstraw | | Common mullein | Nettle | Spotted spurge |
| Beggarticks | | Creeping Charlie | Orange hawkweed | Spurweed |
| Betony, Florida | | Creeping jenny | Oriental cocklebur | Stinging nettle |
| Bindweed, field | | Cudweed | Oxalis | Strawberry, India mock |
| Bird vetch | | Curly dock | Parsley-piert | Tall nettle |
| Bitter wintercress | | Daisy, English | Parsnip | Tall vervain |
| Bittercress, hairy | | Daisy fleabane | Pearlwort | Tansy ragwort |
| Bitterweed | | Daisy, oxeye | Pennycress | Tansy mustard |
| Black-eyed Susan | | Dandelion | Pepperweed | Tanweed |
| Black medic | | Dichondra | Pigweed | Thistle |
| Black mustard | | Dogfennel | Pineywoods bedstraw | Trailing crownvetch |
| Blackseed plantain | | Dollarweed | Plains coreopsis | Tumble mustard |
| Blessed thistle | | False dandelion | Plantain | Tumble pigweed |
| Bloodflower milkweed | | Falseflax | Poison ivy | Velvetleaf |
| Blue lettuce | | False sunflower | Poison oak | Venice mallow |
| Blue vervain | | Fiddleneck | Pokeweed | Virginia buttonweed |
| Bracted plantain | | Florida pusley | Poorjoe | Virginia creeper |
| Bristly oxtongue | | Frenchweed | Prairie sunflower | Virginia pepperweed |
| | | Galinsoga | Prickly lettuce | Wavyleaf bullthistle |

| | | | |
|---------------------|-------------------|-----------------------|------------------------------|
| Broadleaf dock | Goldenrod | Prickly sida | Western clematis |
| Broadleaf plantain | Ground ivy | Prostrate knotweed | Western salsify |
| Broomweed | Gumweed | Prostrate pigweed | White mustard |
| Buckhorn | Hairy fleabane | Prostrate spurge | Wild aster |
| Buckhorn plantain | Hawkweed | Prostrate vervain | Wild buckwheat |
| Bulbous buttercup | Healall | Puncturevine | Wild carrot |
| Bull thistle | Heartleaf drymary | Purslane, common | Wild four-o'clock |
| Bullnettle | Heath aster | Ragweed | Wild garlic |
| Burclover | Hedge bindweed | Red sorrel | Wild geranium |
| Burdock | Hedge mustard | Redroot pigweed | Wild lettuce |
| Burning nettle | Henbit | Redstem filaree | Wild marigold |
| Burweed | Hoary cress | Rough cinquefoil | Wild mustard |
| Buttercup | Hoary plantain | Rough fleabane | Wild onion |
| Buttonweed | Hoary vervain | Russian pigweed | Wild parsnip |
| Canada thistle | Horsenettle | Russian thistle | Wild radish |
| Carolina geranium | Jimsonweed | Scarlet pimpernel | Wild rape |
| Carpetweed | Knawel | Scotch thistle | Wild strawberry |
| Catchweed bedstraw | Knotweed | Sheep sorrel | Wild sweet potato |
| Catnip | Kochia | Shepherdspurse | Wild vetch |
| Catsear | Lambsquarters | Slender plantain | Woodsorrel |
| Chickweed, common | Lespedeza | Smallflower galinsoga | Woolly croton |
| Chickweed, mouseear | Mallow | Smooth dock | Woolly morningglory |
| Chicory | Matchweed | Smooth pigweed | Woolly plantain |
| Cinquefoil | Mexicanweed | Sorrel | Wormseed |
| Clover, crimson | Milk vetch | Sowthistle | Yarrow |
| Clover, hop | Morningglory | Spanishneedles | Yellow rocket |
| Clover, red | Mouseear hawkweed | Speedwell | Yellowflower |
| Clover, strawberry | Mugwort | Spiny amaranth | pepperweed |
| Clover, sweet | Musk thistle | | and other broadleaf weeds |

Spreader Models for Spreader Setting Table:

| Drop Spreaders | Application Rate [TURF Fertilizer Plus Trimec DMB Weed Control] 3.0 lbs./1,000 sq. ft. |
|---|---|
| Agri-Fab Agway Earthway Easy Green Ferti-Lome Glorion Greenview® Spred III Greenview® Spred® XP1 Greenview® Show N Tell Jonathan Green K-Mart K-Grow Lawncrafter 45-0311-3 Ortho Precision Red Devil Drop Republic Drop Scotts AccuGreen® 1000 Scotts AccuGreen® 2000 Scotts AccuGreen® 3000 Scotts Easy Gro Scotts PF-1 Scotts PF-3 Scotts Precision Sears Lawn Crafter SpredDevil Sta-Green Statesman I Statesman II TrueServe Green Thumb 7300 Vigoro | XXX |
| Broadcast Spreaders | Application Rate [TURF Fertilizer Plus Trimec DMB Weed Control] 3.0 lbs./1,000 sq. ft. |
| Ace Rotary | XXX |
| Agri-Fab 45-0187 | |
| Agway | |
| Ames 24-626 Commercial | |

| | |
|-----------------------------|--|
| Cyclone Model B1-80 | |
| Earthway EV-N-Spred 2600 | |
| Ferti-Lome | |
| Franks | |
| Glorion | |
| Green Line | |
| Greenview® Jet-Spred II | |
| Greenview® Jet-Spred III | |
| Greenview® Jet-Spred SS1 | |
| Jonathan Green | |
| Lawnrafter | |
| Ortho 545 EZGro | |
| Pennington 2050SU | |
| Precise Fit | |
| Precision Pro | |
| Precision | |
| Precision Pro | |
| Precision Products | |
| PrizeLAWN LiL' FOOT (LF-1) | |
| Red Devil | |
| Republic 545 EZGro | |
| Republic EZ Broadcast 75450 | |
| Republic EZ Grow | |
| Republic | |
| Roto-Jet | |
| Scotts Basic | |
| Scotts Deluxe™ EdgeGuard® | |
| Scotts EasyGreen | |
| Scotts EdgeGuard | |
| Scotts SpeedyGreen® 1000™ | |
| Scotts SpeedyGreen® 2000™ | |
| Scotts SpeedyGreen® 3000™ | |
| Scotts Standard | |
| Sears 671-19261 | |
| Sears Craftsman 24322 85lb | |
| Sta-Green | |
| Statesman Pull Behind | |
| Stinger Rotary | |
| TrueServe Green Thumb 2000A | |
| Vigoro | |