

961-417

2/8/2011

10431
Jacket



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

FEB - 8 2011

Mr. John F. Wright
Agent for Lebanon Seaboard Corporation
P.O. Box 1683
Vorhees, NJ 08053-9998

Subject: Notification
EPA Reg. no. 961-417
Turf Fertilizer Plus Dimension Weed Control

Dear Mr. Wright:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 1/7/11 for **EPA Registration 961-417**. The Registration Division (RD) has conducted a review of this request for applicability under PRN 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact me at 703-305-1243.

Sincerely,

A handwritten signature in black ink, appearing to read "Kathryn V. Montague".

Kathryn V. Montague
Product Manager 23
Herbicide Branch
Registration Division (7505P)
Office of Pesticide Programs

20431



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 961-417	2. EPA Product Manager Kathryn V. Montague	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Turf Fertilizer Plus Dimension Weed Control	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Lebanon Seaboard Corporation 1600 East Cumberland Street Lebanon, PA 17042 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of correction in typographical errors and removal of redundant statements as identified in cover letter per PR Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted					
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input checked="" type="checkbox"/> Container	4. Size(s) Retail Container 13 to 50 lbs.	5. Location of Label Directions <input checked="" type="checkbox"/> On container			
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name John F. Wright		Title Authorized Representative		Telephone No. (Include Area Code) 856.424.1528	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.				6. Date Application Received (Stamped)	
2. Signature 		3. Title Authorized Representative			
4. Typed Name John F. Wright		5. Date 1/7/11			

3 of 31

Ms. Kathryn V. Montague (PM-23)
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Dear Ms. Montague:

To complete this amended registration application, enclosed please find:

- Application for Pesticide Registration (EPA Form 8750-1)
- Cover letter
- Copy of proposed label with highlights
- Copies of proposed label (~~five~~² copies)
- E-Label Disk 000961-000417.20110107.TurfFertilizerwithDimension0.19%.pdf
- Certification with Respect to Label Integrity

Sincerely,

John F. Wright
Authorized Representative of Lebanon Seaboard Corporation

cc: Sylvia Whitman, Lebanon Seaboard Corporation

P.O. Box 1683

Voorhees, NJ 08053-9998
Telephone 856 424-1528

TURF Fertilizer Plus Dimension® Weed Control

For control of crabgrass and control or suppression many other annual grass and broadleaf weeds in ornamental landscape areas, established lawns and ornamental turf.

Active Ingredient:

dithiopyr0.19%

Other Ingredients:99.81%

Total100.00%

Dimension is a registered trade mark of Dow AgroSciences

NOTIFICATION
FEB 08 2011

Guaranteed Fertilizer Analysis: XX-XX-XX[†]

Water-Insoluble Nitrogen XX%

Total Nitrogen (N) XX%

Ammoniacal Nitrogen XX%

Water Insoluble Nitrogen*XX%

Urea Nitrogen XX%

Other Water Soluble Nitrogen*XX%

Available Phosphate(P₂O₅)..... XX%

Soluble Potash (K₂O) XX%

Sulfur (S).....XX%

Calcium (Ca)..... XX%

Magnesium (Mg) XX%

Copper (Cu) XX%

Iron (Fe) XX%

Manganese (Mn)..... XX%

Zinc (Zn) XX%

[†] This product may be formulated with one or more of the following fertilizer materials: polymer-coated sulfur-coated urea, urea, methylene urea, sulfur coated urea, ammonium phosphate, ammonium sulfate, sulfate of potash, muriate of potash, copper sulfate, iron oxide, manganese sulfate, zinc oxide, dolomite or limestone.

Note: Fertilizer grades with nutrient contents expressed as the percentage of N, P₂O₅ and K₂O (X-X-X) may contain macronutrients and micronutrients.

In the state of New York, do not exceed 6.0 lb./1000 sq. ft. per year (equivalent to 0.5 pounds of active ingredient per acre). In Nassau and Suffolk Counties, do not exceed 3.0 lb./1000 sq. ft. per year (equivalent to 0.25 pounds of active per acre).

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back panel for additional Precautionary Statements.

NOTICE: Read the entire label. Use only according to label directions. Before buying this product, read the Warranty Section elsewhere on this label. If terms are not acceptable, return the unopened container at once.

EPA Reg. No. 961-URT

(L) (D)

EPA Est. No. 961-PA-01, 961-IL-01

Superscript used is first letter of lot number

[MANUFACTURED BY:] [Distributed by:] [Produced for:]

LEBANON SEABOARD CORPORATION

1600 EAST CUMBERLAND STREET

LEBANON, PA 17042

Made in the USA.

[www.lebsea.com] [www.greenviewfertilizer.com] [www.xxxx.com]

Covers [X,XXX] Square Feet [SQUARE FEET] [SQ. FT.] [Sq. Ft.]

Net Weight: [Net Wt.:] xx lbs. [LBS.] [POUNDS] (xx.x kg) [(XX.X KG)]

Treats: XX,XXX Sq.Ft. [SQ.FT.] [Square Feet] [SQUARE FEET]

Xxx lb. covers up to xxx sq. ft. [of turfgrass]

[Optional Heading: Care & Handling]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes Eye Irritation. Harmful If Inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact while handling this material may cause allergic reaction in some individuals.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Treatment Information call (888)208-1368.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply when weather conditions favor drift from treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather will help to ensure that wind does not blow pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn will help to prevent run off to water bodies and drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
For Outdoor Residential Use.

Read all Directions for Use carefully before applying.

How This Product Works

[TURF Fertilizer Plus Dimension® Weed Control or This product] can be applied up to 4 weeks later than other crabgrass preventers and provides up to 4 months of crabgrass control.

[TURF Fertilizer Plus Dimension® Weed Control or This product] provides preemergence control of crabgrass and control or suppression of other listed weeds when applied prior to their germination. In addition, this product provides postemergence control of seedling crabgrass after germination and emergence. Postemergence control is limited to crabgrass only, but is effective up to 4 weeks after crabgrass has germinated. This generally corresponds to the time when crabgrass seedlings first become visible in the established turfgrass. Do not apply this product later than 4 weeks after crabgrass germination.

Apply this product only to turfgrass species listed on this label. The following turfgrass species are tolerant to this product when applied as directed:

Cool-Season Grasses	Warm-Season Grasses
Bentgrass, creeping	Bahiagrass
Bluegrass, Kentucky	Bermudagrass
Fescue, fine	Buffalograss
Fescue, tall	Carpetgrass
Ryegrass, perennial	Centipedegrass
	St. Augustinegrass
	Zoysiagrass

Use Precautions [for Turf]

[TURF Fertilizer Plus Dimension® Weed Control or This product] must be applied only to lawns and ornamental turfgrasses that are well established. For newly established lawns, use the initial application of this product only after turfgrasses have developed a vigorous root system, uniform stand, and received at least two mowings following seeding, sodding, or sprigging. Exception: In newly established lawns of Kentucky bluegrass, perennial ryegrass and/or tall fescue, this product may be applied two weeks after the first sign of germination.

Do not use on turf grown for agricultural or commercial purposes (turf farms), or for grass seed production.

- Use of this product on lawns and ornamental turfgrasses that are not well established, or weakened by stress due to mechanical operations, pests, excessive temperatures, or lack of moisture may result in turfgrass injury.
- For best results, cultural practices that disturb the soil, such as core-, spike-, or hydro-aerification, and verticutting, should be done before application of this product. Do not apply this product until turfgrass has recovered from the mechanical injury caused by these cultural practices.
- Reseeding, Overseeding, or Sprigging: Reseeding, overseeding, or sprigging of areas treated with this product within 10 weeks after a single application of this product or within 16 weeks after a split application program totaling 6.0 lb./1000 sq. ft. (0.5 lb. active ingredient per acre) or more may inhibit the establishment of desirable turfgrasses. When reseeding, overseeding follow proper cultural practices for seedbed preparation, seeding, irrigation and fertilization.
- Do not use clippings from treated turf for mulching around vegetables or fruit trees.
- Do not allow people or pets to enter treated area until dust has settled.

Weeds Controlled or Suppressed

[TURF Fertilizer Plus Dimension® Weed Control] will provide control of crabgrass and control or suppression of other listed grass and broadleaf weeds when applied prior their germination.

Grasses

barley
barnyardgrass
bluegrass, annual
brome
crabgrass, large
crabgrass, smooth
crabgrass, Southern
crowfootgrass[†]
dallisgrass
goosegrass
foxtail, green
foxtail, yellow
kikuyugrass[†]
oats, wild
ryegrass (annual & perennial)
sandbur
smutgrass

Broadleaf Weeds

bittercress[†]
carpetweed
chickweed[†]
geranium, Carolina[†]
henbit
knotweed, prostrate
lespedeza, common[†]
maretail
medic, black
mustard
oxalis, buttercup
pineappleweed
pigweed, redroot
parsley-piert[†]
purslane, common
rocket, London
shepherdspurse
speedwell, corn[†]
spurge, garden
spurge, prostrate
spurge, spotted
woodsorrel, creeping
woodsorrel, yellow

[†] Suppression only

How to Apply

To optimize product performance apply this product within a few days after mowing and delay mowing again for a few days after the application. Most effective weed control will be obtained when [TURF Fertilizer Plus Dimension® Weed Control or this product] is activated by rainfall or irrigation. Performance is improved if application is followed by ½ inch of rainfall or irrigation. Erratic weed control may result if not activated by rainfall or irrigation within 30 days after application.

Optional Heading: SPREADER SETTINGS


[Note: Registrant/Subregistrant may insert appropriate spreader setting information based on desired spreaders and specified use rates as listed. See spreader examples at the end of the label.]

Drop Spreaders	Calibration Settings at Specified Rate (lb./1000 sq. ft.)					
	1.5	2.1	2.3	2.7	3.1	6.0
XXXXXXXX	XX	XX	XX	XX	XX	XX
Broadcast Spreaders						
XXXXXXXX	XX	XX	XX	XX	XX	XX

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.


Optional [Application Equipment and Instructions] [Spreader Directions]:**Determining Your Lawn's Square Footage**

To determine how much of this product to apply, you must determine the square footage of your lawn. An easy way to do this is to walk the length of your lawn, figuring that one pace equals about 3 feet. Do the same with the width of the lawn. Then multiply the length by the width to arrive at the total. Make sure you subtract the square footage of your home and driveway when calculating the total square footage of your lawn. If your lawn has an irregular shape, try dividing it up into a number of square areas. Calculate the square footage for each area, then add the figures together to reach your total lawn size.


**Spreader Tips**

The two main types of spreaders are the Drop Spreader, which drops the material straight down the width of the spreader as you push, and the Broadcast Spreader (also known as a rotary), which throws the material from the spreader.

Drop Spreader: First make two passes along the top of the area you'll be covering. Then make two passes along the bottom area. Then move back and forth along the long part of the lawn. On each pass, as you reach the strips at the top and bottom of the area to be covered, shut off the spreader. It's also important to shut off the spreader when you are stopped.



Broadcast Spreader: Apply in a single pass by starting on the outside border and apply in a circular path working toward the center.



[Optional Spreader Language:]

The above spreader settings are approximate. To check your spreader: XX lb. of material covers approximately XXX sq. ft. (X lbs. of material per XXXX sq. ft.)


Note: if spreader model does not appear above please call [toll free] XXX-XXX-XXXX, X am - Xpm [ET] [CT] [MT] [PT], [Monday – Friday] [Monday – Sunday] [Anytime] [24/7] for additional model settings.

How Much To Apply

[TURF Fertilizer Plus Dimension® Weed Control or This product] will provide up to 4 months of crabgrass control when applied according to label directions. The actual length of control will vary depending on use rate, weather conditions, condition of the turfgrass, intensity of weed pressure, and the location or "Region" within the United States where this product is being applied.

Refer to the map below to determine the region of the U.S. that includes your location. Use the table below to determine the amount of [TURF Fertilizer Plus Dimension® Weed Control or this product] to apply in your location based on the desired length of weed control or need for postemergence crabgrass control.

Use "Regions" within the United States:



Product Use Rates

Amount of [TURF Fertilizer Plus Dimension® Weed Control] to Apply (Pounds of product to apply per 1,000 square feet of turfgrass [†])			
Region of U.S.	----- Length of Crabgrass Control -----		
	2 - 3 months	3 - 4 months	Early Postemergence Control
North	1.5 lb./1000 sq. ft. (0.128 lb. ai/acre)	2.1 lb./1000 sq. ft. (0.174 lb. ai/acre)	2.7 - 6.0 lb./1000 sq. ft. ^{††} (0.22 - 0.5 lb. ai/acre)
South	2.3 lb./1000 sq. ft. (0.192 lb. ai/acre)	2.7 - 3.1 lb./1000 sq. ft. ^{††} (0.22-0.256 lb. ai/acre)	2.7 - 6.0 lb./1000 sq. ft. ^{††} (0.22 - 0.5 lb. ai/acre)

[†] 1,000 square feet equals an area 100 feet X 10 feet or square area of about 32 feet on a side.

^{††} Use the higher rate in rate range in areas of high weed pressure or for increased length of control.

Maximum Application Rates:

- Do not apply more than 6.0 lb. of this product per 1,000 sq. ft. per application and no more than 18.0 lb. of this product/1000 sq. ft. per year (equivalent to 0.5 and 1.5 lb. of active ingredient per acre, respectively).
- In the state of New York, do not exceed 6.0 lb. of this product per 1000 sq. ft. per year (0.5 lb. active ingredient per acre). In Nassau and Suffolk Counties, do not exceed 3.0 lb. of this product per 1000 sq. ft. per year (0.25 lb. active ingredient per acre).

When to Apply [Application Timing]

Spring Application

Control of Crabgrass: [TURF Fertilizer Plus Dimension® Weed Control or this product] provides preemergence control of crabgrass and control or suppression of other listed weeds when applied prior to their germination. In addition, this product provides postemergence control of seedling crabgrass after germination and emergence. Postemergence control is limited to crabgrass only and is effective up to 4 weeks after germination of crabgrass. This generally corresponds to the time when crabgrass seedlings are at the 3-leaf stage of growth and first become visible in the established turf. This product will not control crabgrass at later growth stages when crabgrass plants begin to tiller (spread). Properly timed applications will control existing crabgrass and prevent further emergence of crabgrass seedlings. Do not apply this product later than 4 weeks after crabgrass germination.

Control or Suppression of Other Grass and Broadleaf Weeds: For control or suppression of other grass and broadleaf weeds, this product must be applied as a preventative treatment prior to their germination and emergence. Only crabgrass will be controlled with applications made up to 4 weeks after weed germination.

Fall Application

This product can also be applied from late summer through early fall (late August through November). When applied in the fall, a sequential or second application of this product must be made the following spring to provide season-long control of crabgrass. If this product is applied in the fall, do not reseed, overseed or sprig turfgrasses within 12 weeks after application.

Use Directions [for Landscape Ornamentals]

[TURF Fertilizer Plus Dimension® Weed Control or This product] provides preemergence control or suppression of listed annual grass and broadleaf weeds in plantings of ornamental plants listed on this label. For application instructions and equipment, see Application Instructions and Equipment section above.

Use Rates

Apply [TURF Fertilizer Plus Dimension® Weed Control or This product] with a properly calibrated spreader or other means that will assure uniform distribution. This product may be applied as a single application or as a split application. Split or sequential applications may be used to provide improved weed control or to provide extended weed control in areas with long growing seasons. To make a split application, divide the rate in the following table into separate applications made 5-10 weeks apart. Sequential applications may be made in the late summer following a spring application or in the spring after a fall application, provided the maximum application rates per year given below are not exceeded.

Pounds of Product per 1000 Square Feet*	Ounces of Product per 100 Square Feet †
6.0	0.6 (9.6 oz.)

† Rate based on an area of 100 sq. ft. for treatment of small areas.

Maximum Application Rates:

- Do not apply more than 6.0 lb. of this product per 1,000 sq. ft. per application and no more than 18.0 lb. of this product/1000 sq. ft. per year (equivalent to 0.5 and 1.5 lb. of active ingredient per acre, respectively).
- In the state of New York, do not exceed 6.0 lb. of this product per 1000 sq. ft. per year (0.5 lb. active ingredient per acre). In Nassau and Suffolk Counties, do not exceed 3.0 lb. of this product per 1000 sq. ft. per year (0.25 lb. active ingredient per acre).

Application Timing and Recommendations

[TURF Fertilizer Plus Dimension® Weed Control or This product] is a preemergence herbicide that will not control established weeds. Make applications prior to weed seed germination. Bare ground or mulched areas may be treated. The best weed control is obtained when applied to soil that is free of clods, weeds and debris such as leaves. Prior to making an

application, control existing vegetation by hand weeding, cultivation or with a postemergence herbicide. Avoid disturbance of treated areas. Loss of weed control may result if the treated soil surface is disturbed by soil mixing or tillage.

Use Precautions

- Apply this product only to established ornamentals.
- **Do not** apply this product directly to bare roots of ornamental plants as injury may result.
- **Do not** incorporate this product into soil. Dilution of active ingredient and possible injury to plant roots may occur.
- **Do not** apply to soil around ornamental plants that are under stress due to drought, flooding, excessive fertilizer or soil salts, wind injury, hail, frost damage, winter injury, injury from previously applied pesticides or injury due to insects, nematodes or disease.
- To avoid foliar damage to ornamentals, irrigate immediately after application to remove herbicide particles from the foliage.
- **Do not** apply under conditions that would affect product distribution. Wind could affect distribution and move product onto sensitive species. Uneven product distribution will result in uneven weed control.

Weeds Controlled or Suppressed

Used as directed, [TURF Fertilizer Plus Dimension® Weed Control or this product] will control crabgrass and control or suppress other listed grass and broadleaf weeds when applied prior to their germination. **Refer to "Use Directions [for Turf]" section above for a complete listing of weeds controlled or suppressed.** This product will not control established broadleaf weeds or grasses, except for crabgrass in early stages of development. The area to be treated must be free of weeds prior to application.

Tolerant Ornamentals

The ornamentals listed below have shown tolerance to this product when applied according to label directions. However, this product has not been tested on all ornamental species, all cultivars of species on this label, or under all possible growing conditions. For species or cultivars not listed, it is suggested that a few plants in a limited area be treated and observed for tolerance under local growing conditions prior to large-scale use.

Common Name	Botanical Name	Tolerant Cultivars
Abelia, Dwarf	<i>Abelia X grandiflora</i>	Nana
Ajuga	<i>Ajuga reptans</i> <i>Ajuga genevensis</i>	Bronze Bronze Beauty
Almond, Flowering	<i>Prunus gladiosa</i>	
Apple [†]	<i>Malus pumila</i>	

Arborvitae	<i>Thuja occidentalis</i>	Nigra Pyramidalis Smaragh Techny Woodwardii
Arborvitae, Golden	<i>Thuja orientalis</i>	
Aster, Chinese	<i>Callistephus chinensis</i>	Dwarf Queen
Ash, Green	<i>Fraxinus pennsylvanica</i>	
Ash, Mountain	<i>Sorbus aucuparia</i>	
Ash, Purple	<i>Fraxinus americana</i>	
Azalea	<i>Rhododendron</i> spp.	Brilliant Buccaneer Carror Chimes (Belgian) Elsie Lee Exbury Fashion Hardijzer Beauty Hershey Red Higasa Hinocrimson Holland (Hybrid) Marion Lee Northern Lights Orange Cup Orchid Lights Snow Southern Charm
Azalea, Flame	<i>Rhododendron calendulaceum</i>	
Azalea, Kirishima		
Bamboo, Heavenly		
Barberry	<i>Berberis thunbergii</i>	Aurea Dwarf Pigmy Green Kobold Pygmy Red Rose Glow
Barberry, Purple		Atropurpurea
Basket flower	<i>Gaillardia grandiflora</i>	
Bearberry (common)	<i>Arctostaphylos uva-ursi</i>	Massachusetts
Bee Balm	<i>Monarda didyma</i>	
Begonia	<i>Begonia</i> spp.	
Birch, River	<i>Betula nigra</i>	
Blackeyed Susan	<i>Rudbeckia hirta</i>	Goldstrum

Blanket Flower	<i>Gaillardia</i> spp.	
Blueberry †	<i>Vaccinium</i> spp.	Bluecrop Blue Jay Jersey North Blue Northland
Bottlebrush	<i>Callistemon citrinus</i>	
Boxwood, Japanese		Japonica
Boxwood, Weller	<i>Buxus sempervirens</i>	
Broom	<i>Cytisus</i> spp. <i>Genista pilosa</i>	Moonlight Vancouver Gold
Bugle Carpet		
Camellia	<i>Camellia japonica</i> <i>Camellia sasanqua</i>	Debutante Mathotiana Supreme Chansonette
Candy Tuft	<i>Iberis</i> spp.	Snow White
Carex, Variegated	<i>Carex</i>	
Cedar, Red	<i>Juniperus virginiana</i>	
Celosia	<i>Celosia</i> spp.	
Centaurea	<i>Centaurea montana</i>	
Cockscomb, Plumosa	<i>Celosia cristata</i>	Scarlet Plumosa
Coleus	<i>Coleus blumei</i>	Red Kewpie
Columbine	<i>Aquilegia</i> spp.	
Copper leaf	<i>Acalypha wilkesiana</i>	
Coreopsis	<i>Coreopsis</i> spp.	Moonbeam,
Corn Flower	<i>Centaurea</i> spp.	
Cotoneaster	<i>Cotoneaster apiculatus</i>	
Coyotebrush	<i>Baccharis pilularis</i>	
Cycads	<i>Cycas revoluta</i>	
Cypress, Bald	<i>Taxodium distichum</i>	
Cypress, Italian	<i>Cupressus sempervirens</i>	Glauca
Cypress, Japanese False	<i>Chamaecyparis obtusa</i>	Gracilis
Cypress, Leyland	<i>Cupressocyparis leylandii</i>	
Daffodil	<i>Narcissus</i> spp.	King Alfred
Daylilly	<i>Hemerocallis</i> spp.	Aztec Gold Bright Yellow (Hybrid) Single Gold (Evergreen) Wilson's Yellow
Dianthus (Sweet William)	<i>Dianthus</i> spp.	
Delphinium	<i>Delphinium</i> spp.	Magic fountain
Dogwood	<i>Cornus florida</i>	

Dogwood, American	<i>Cornus sericea</i>	Flavarimaea
Douglas Fir	<i>Pseudotsuga menziesii</i>	
Dusty Miller	<i>Senecio cineraria</i>	
Elm, Drake	<i>Ulmus parvifolia</i>	
Euonymus	<i>Euonymus fortunei</i>	Argenteo-variegata Auereo-marginata Colorata Emerald Gaiety Emerald & N Gold Gold Edge Gold Princess Silver King Tricolor Vegetus
Fan Palm, European	<i>Chamaerops humilis</i>	
Fan Palm, Mexican	<i>Washingtonia robusta</i>	
Fern (various)	<i>Asparagus</i> spp.	
Fescue	<i>Festuca glauca</i>	
Fetterbush	<i>Leucothoe fontanesiana</i>	Rainbow
Ficus	<i>Ficus retusa</i>	Nitidia
Fir Fraser	<i>Abies fraseri</i>	
Forsythia	<i>Forsythia X intermedia</i> <i>Spring Glory</i>	Arnold Dwarf Bronxensis Dwarf Lynwood Gold Meadowlark Weeping
Fuchsia	<i>Fuchsia</i> spp.	
Galium	<i>Galium odoratum</i>	
Gardenia	<i>Gardenia jasminoides</i>	Mystery Radicans
Geranium	<i>Pelargonium X hortorum</i>	
Gum	<i>Eucalyptus citriodora</i>	
Hawthorn	<i>Crataegus</i> spp.	Cockspur White Crimson Cloud Enchantress Jack Evans Washington White
Heather, Twisted	<i>Erica cinerea</i>	Mediterranean Pink
Hemlock, Canada	<i>Tsuga canadensis</i>	
Hibiscus	<i>Hibiscus</i> spp.	Blue Bird Brilliant Hula Girl

Holly	<i>Ilex</i> spp. <i>Ilex X meserveae</i> <i>Ilex X attenuata</i>	Blue Boy Blue Girl Burfordii China Girl Compacta Forsteri Hellerie Japanese Northern Beauty Needlepoint Nellie R. Stevens Savannah
Holly, Chinese	<i>Ilex cornuta</i>	
Holly, Japanese	<i>Ilex crenata</i>	
Holly, Yaupon	<i>Ilex vomitoria</i>	
Honeysuckle	<i>Lonicera japonica</i>	Clavey's Dwarf Halliana Tatarian Canadian White Zebelli Red Hosta
Hosta	<i>Hosta</i> spp. <i>Hosta lancifolia</i>	Albo Marginata
Ice Plant	<i>Carpobrotus edulis</i>	
Impatiens	<i>Impatiens</i> spp.	
Iris	<i>Iris</i> spp.	Dwarf Blue Wedgewood
Ivy, English	<i>Hedera helix</i>	Bulgaria Thorndale
Jasmine, Asian	<i>Trachelospermum asiaticum</i>	
Juniper	<i>Juniperus</i> spp.	Arcadia Armstrong Bar Harbor
	<i>Juniperus horizontalis</i>	Blue Chip Blue Pacific Blue Rug

	<i>Juniperus horizontalis</i>	Blue Star Broadmoor Buffalo Calgary Carpet Emerald Sea Emerald Spreader Endora Compacta Fruitlandi Green Gold Tip Hetzi Hughes Manhattan Blue Parsoni Pfitzeriana Plumosa Prince of Wales Procumbens Dwarf San Jose Sargent Blue Sargent Green Scandia Scopulorum Moonglow Scopulorum Skyrocket Spartan
	<i>Juniperus chinensis</i>	Tamariscifolia
	<i>Juniperus sabina</i>	Weberi Youngstown Yukon Belle
King Palm	<i>Archontophoenix cunninghamiana</i>	
Laurel, Australian	<i>Pittosporum tobira</i>	
Laurel, Mountain	<i>Kalmia latifolia</i>	
Leucothoe	<i>Leucothoe fontanesiana</i>	
Ligustrum, Japanese	<i>Ligustrum japonicum</i>	
Lily, African	<i>Agapanthus africanus</i>	Albus Peter Pan
Lily, African Blue		
Lily of the Valley	<i>Pieris japonica</i>	Mt. Fire
Lilyturf	<i>Liriope muscari</i>	Evergreen Giant Lilac Beauty Majestic Monroe White Variegata
Liriope, Green	<i>Liriope spicata</i>	
Maple, Japanese	<i>Acer japonicum</i>	

Maple, Norway	<i>Acer platanoides</i>	
Maple, Red †	<i>Acer rubrum</i>	
Maple, Silver	<i>Acer saccharinum</i>	
Maple Sugar †	<i>Acer saccharum</i>	
Marigold	<i>Tagetes patula</i>	Honeycomb Variegata Wheeler's Dwarf
Mock Orange †	<i>Philadelphus spp</i>	Golden Snowflake Double White
Mondo Grass	<i>Ophiopogon japonicus</i>	
Moss Rose	<i>Portulaca grandiflora</i>	Sunnyside
Myrtle, Crape	<i>Lagerstroemia indica</i>	Faurei Langer Muskogee Standard Pink
Myrtle, Wax	<i>Myrica cerifera</i>	
Nandina	<i>Nandina domestica</i>	Compacta Nana
Narcissus	<i>Narcissus spp.</i>	
Oak, Laurel	<i>Quercus laurifolia</i>	
Oak, Pin	<i>Quercus palustris</i>	
Oak, Red	<i>Quercus rubra</i>	
Oak, Southern	<i>Quercus virginiana</i>	
Oak, Willow	<i>Quercus phellos</i>	
Oleander	<i>Nerium oleander</i>	Hardy Red Petite Pink Sister Agnes
Osteospermum	<i>Osteospermum fruticosum</i>	Wirligig
Pachysandra	<i>Pachysandra terminalis</i>	
Palm, Bangalow		
Pampas Grass	<i>Cortaderia selloana</i>	
Pansy	<i>Viola x wittrockiana</i>	
Paper Flower	<i>Bougainvillea glabra</i>	Barbara Karst
Peach †	<i>Prunus persica</i>	
Periwinkle, Dwarf	<i>Vinca minor</i>	
Petunia	<i>Petunia X hybrida</i>	Picoti
Photinia, Red Tip	<i>Photinia X fraseri</i>	
Pieris	<i>Pieris japonica</i>	
Pine, Australian	<i>Pinus nigra</i>	
Pine, Japanese Black	<i>Pinus thunbergiana</i>	
Pine, Loblolly	<i>Pinus taeda</i>	
Pine, Longleaf	<i>Pinus palustris</i>	
Pine, Mugo	<i>Pinus mugho</i>	
Pine, Scotch	<i>Pinus sylvestris</i>	

Pine, Slash	<i>Pinus elliottii</i>	
Pine, Swiss Mt.	<i>Pinus mugo</i>	
Pine, Virginia	<i>Pinus virginiana</i>	
Pine, White	<i>Pinus strobus</i>	
Pineapple, Guava [†]	<i>Feijoa sellowiana</i>	
Pieris	<i>Pieris taiwanensis</i>	
Pittosporum, Japan		
Potentilla	<i>Potentilla nepalensis</i> <i>Potentilla fruticosa</i>	Abbotswood
Privet	<i>Ligustrum japonicum</i>	Golden Vicary Regal Texanum Wax Yellow Tipped
Privet, Glossy	<i>Ligustrum lucidum</i>	
Pyracantha	<i>Pyracantha koidzumii</i>	Gnome Lalandei Victory
Queen Palm	<i>Arecastrum</i> <i>rammanzoffianum</i>	
Quince, Japanese [†]		
Rhododendron	<i>Rhododendron spp</i>	Album Cunningham White Fashion Hardy PJM Purple Gem Silvery Pink
Rhododendron, Carolina	<i>Rhododendron</i> <i>carolinianum</i>	
Rhododendron, Catawba	<i>Rhododendron catawbiense</i>	
Rockcress	<i>Arabis spp.</i>	Snowcap
Rhodie Max (Rosebay)	<i>Rhododendron maximum</i>	
Rose [†]	<i>Rosa banksiae</i>	Luta
Rosemary [†]	<i>Rosmarinus officinalis</i>	
Rosemary, Bog	<i>Andromeda polifolia</i>	Nana
Salvia	<i>Salvia farinacea</i>	Rhea
Sedum	<i>Sedum spurium</i>	Dragon Blood Red Red Carpet Yellow
Snapdragon	<i>Antirrhinum spp.</i>	
Sourwood	<i>Oxydendrum arboreum</i>	
Spiraea	<i>Astilbe X arendsii</i>	Fanall

Spiraea	<i>Spiraea</i> spp.	Anthony Waterer Red Dolchica Froebeli Pink Goldenflame Red Snowmound White Van Houtte White
Spiraea, Garland	<i>Spiraea</i> spp.	
Spruce, Black Hills	<i>Picea glauca</i>	
Spruce, Colorado Blue	<i>Picea pungens</i>	
Spruce, Norway	<i>Picea abies</i>	
Spruce, White	<i>Picea glauca</i>	Conica
Sweetflag, Grassyy-Le		
Sweetgum	<i>Liquidambar styraciflua</i>	
Sycamore	<i>Platanus occidentalis</i>	
Tree Fern (Tiki Fern)	<i>Asparagus virgatus</i>	
Trumpet Flower, Evening	<i>Gelsemium sempervirens</i>	
Tulip	<i>Tulip</i> , spp	Apeldoorn
Verbena, Shrub	<i>Lantana sellowiana</i>	
Vervain	<i>Verbena</i> spp.	St. Paul
Viburnum	<i>Viburnum</i> spp.	American Cranberry Bush Arrowood Common Snowball European Cranberry Bush Linden Mohican Wright
Vinca (Periwinkle)	<i>Vinca minor</i>	
Windmill Palm	<i>Trachycarpus fortunei</i>	
Xylosma	<i>Xylosma congestum</i>	
Yarrow	<i>Achillea</i> spp.	
Yaupon	<i>Ilex vomitoria</i>	Dwarf
Yew	<i>Taxus cuspidata</i> <i>Taxus X media</i>	Denisiformis

† Ornamental species only: Do not use on food producing trees and ornamentals.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store this product only in its original container in a cool, dry, locked place out of the reach of children and animals.

Pesticide Disposal and Container Handling: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Lebanon Seaboard Corporation [Company Name]. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, LEBANON SEABOARD CORPORATION [COMPANY NAME] MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Lebanon Seaboard Corporation [Company Name] is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Lebanon Seaboard Corporation [Company Name] DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT LEBANON SEABOARD CORPORATION'S [Company's Name] ELECTION, THE REPLACEMENT OF PRODUCT.

Appendix 1

[Optional Label Claims]

Claims Miscellaneous

- [Bar code] [product number]
- [Item number]
- [Not] Proof of Purchase
- If the fertilizer guarantee contains iron, the following statement must appear:
[Note:] [Notice:] This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.
- The following statement must appear (relevant to the fertilizer guarantee):
[Note:] Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-lebsea.com>.
- The following statement may appear when the application rate applies less than 1 pound of nitrogen per 1,000 sq.ft.:
[Note:] Supplemental applications of lawn fertilizer are needed to achieve a minimum of 1 pound nitrogen per 1,000 sq.ft.
- The following statement may appear if application rate instructions specify different rates based on different regions in Florida:
[Optional fertilizer text for state of Florida] Florida Applications: [X] annual feedings [with the exception of [listed turfgrass species (X feedings in the north and X feedings in the central and south).] This package applies X.X lbs of product per 1,000 sq.ft.]
- For products sold in the state of Florida, the following statement may appear:
[Optional text for state of Florida] Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street, back onto your lawn/garden.
- Apply once for the whole season
- For use on cool and warm season turfgrass
- Questions or Comments? Call 1-xxx-xxx-xxxx. (insert phone graphic)
- This Bag Treats Up to _____ Square Feet

Claims regarding Weed Control Properties

- 4 Month [16 week] weed control
- Controls new weeds for [up to] 4 months [16 weeks]
- Controls over 40 weeds for 4 months [16 weeks] (Note: 40 listed weeds)
- Dimension® is a registered trademark of Dow AgroSciences LLC.
- Effective weed control – prevents weeds all season long
- Prevents crabgrass all season

- Stops [crabgrass] [annual bluegrass] [chickweed] [henbit] (select any listed weed)
- Stops crabgrass before it starts
- Stops Crabgrass, Goosegrass, Chickweed, Oxalis And Many Other Broadleaf and Grass Weeds Before They Emerge and Invade the Turf.
- Weed images [annual bluegrass, chickweed, crabgrass, henbit] (select any listed weed)

Claims regarding Combination Weed Control and Fertilizer

- Kills Weeds While Feeding Your Lawn.
- Prevents weeds [and fertilizes the lawn]
- Prevents weeds and feeds your lawn [turf] [for 4 months] [for up to 4 months] [for 16 weeks] [for up to 16 weeks]
- Stops weeds and feeds your lawn [turf] [for 4 months] [for up to 4 months] [for 16 weeks] [for up to 16 weeks]

Claims regarding Fertilizer Properties

- [TURF Fertilizer Plus Dimension® Weed Control] – All the fertilizer nutrients your lawn [turf] needs for spring
- [TURF Fertilizer Plus Dimension® Weed Control] – Providing the Nutrients Needed for Beautiful Lawn [and Ornamentals.]
- Builds strong, deep roots, for a thick, green lawn [turf]
- Fertilizes to provide rich color [and vigorous growth]
- Improves soil fertility
- Larger Roots / Greener Lawn
- No phosphate [helps protect our waterways] (for use when fertilizer analysis has “0” phosphate).
- Promotes rapid root growth
- Promotes root growth for a thicker, greener lawn [turf]
- Protects & [and] strengthens for a better spring lawn [turf]
- Provides your soil with nutrients
- Restores nutrients to your soil
- Restores nutrients to your soil for a quick spring green up [green-up]
- Zero phosphate [helps protect our waterways] (for use when fertilizer analysis has “0” phosphate).

Claims regarding Slow Release Fertilizer Properties

- [TURF Fertilizer Plus Dimension® Weed Control or This product] feeds and greens with [slow release] fertilizer [for up to 3 months] [for up to 12 weeks].
- Feeds [greens] [strengthens] [thickens] your lawn for up to 3 months [12 weeks]
- Feeds your lawn [turf] up to 12 weeks
- Greens up to 3 months [12 weeks]
- MESA® is a registered trademark of Lebanon Seaboard Corporation.

- Patented, controlled release nitrogen for continuous feeding
- Quick and continuous greening for up to 3 months [12 weeks]
-

XX	XX	XX
Nitrogen (N)	Phosphorous (P)	Potassium (K)
Contains Timed-Release Nitrogen for growing a thick green lawn [Stimulates growth and encourages a thick, green lawn]	Improves Root [Improves root growth and Plant Storage Capacity]	Improves Plant Hardiness & Drought Resistance

Claims regarding GreenSmart™ Fertilizer Properties

- GreenSmart™ Enhanced Efficiency Fertilizer for a Green Lawn
- [contains] [with] GreenSmart™
- GreenSmart™
- GreenSmart™ (logos)





- GreenSmart™ is a trademark of Lebanon Seaboard Corporation
- 20% less nutrients required for the same great lawn [turf] results [with GreenSmart™ Enhanced Efficiency Fertilizer]
- Enables lawns [turf] to use nutrients more efficiently
- Enhanced Efficiency Fertilizer
- Enhances nutrient absorption
- Enriches soil to promote a vibrant, hardy lawn [turf]
- GreenSmart™ enhances poor soil, creating an environment in which lawns [turf] can thrive. GreenSmart produces thick, green lawns [turf].
- GreenSmart™ nourished lawns [turf] are more robust because their root systems are larger, deeper and better developed. Vigorous roots mean[s] the lawn [turf] is hardier and better able to tolerate the stress that comes with heat and drought.
- GreenSmart™ produces thick, green lawns [turf]
- Helps lawns [turf] retain water to protect against heat & [and] drought
- Helps unlock nutrients already in the soil
- Improved Nitrogen Efficiency - Reduces Leaching
- [GreenSmart™ Enhanced Efficiency Fertilizer -] Improved nutrient release and absorption into the lawn [turf] allows 20% less nutrients to be applied while still providing [a] quality lawn [turf]
- Improves drought resistance
- Improves lawn's [turf's] ability to absorb water & [and] nutrients
- Increase nutrient up-take in grass [lawns] [turf] up to 20% [with GreenSmart™ Enhanced Efficiency Fertilizer]
- Lawn[s] [turf] [and plants] nourished with [company name's] GreenSmart™ are [is] able to tolerate the stress from heat and drought. GreenSmart produces large, deep, and well developed root systems that can retain water. This enables lawns [turf] [and plants] to withstand stressful conditions.
- Less watering needed
- Less watering needed, drought resistant [lawn] [turf]
- Makes it easier for lawns [turf] to absorb soil nutrients
- N-P-K with GreenSmart™ [Enhanced Efficiency Fertilizer for a Green Lawn]
- Plants [lawns] [turf] use[s] nitrogen more efficiently so you need less
- Poor soil may have fewer of the nutrients needed to promote a vigorous lawn [turf]. GreenSmart™ works by enriching your soil with nutrients. GreenSmart revitalizes the soil, which aids in the development of a larger, deeper and better root system. The enhanced habitat is proven to produce a green, thick, vigorous lawn [turf], and reduces the need for watering.
- Promotes rapid root growth [for a thick green] [lawn] [turf]
- Recharges your soil with nutrients!
- Reduces plant [lawn] [turf] stress related to drought
- Reduces stress on lawns [turf], protects from drought & heat
- Speeds root growth to improve nutrient absorption
- Unlocks the nutrients in soil, enhancing nutrient absorption, so you can grow a thicker, greener lawn [turf] with less water.
- Unlocks the nutrients in your soil

GreenView® Brand of Products Optional Marketing Claims

- [GreenView®] [Company name] guarantees you will be satisfied with the performance of this product when used as directed. If you are not satisfied, return to a[n] [Company name] store with proof of purchase for a replacement product or full refund of the purchase price. Or you can mail proof of purchase to the address listed below for a full refund. [Company name and address]
- [GreenView®] [Company name] guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem and simply send proof of purchase to [Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042] [Company name and address].
- For more information on our complete line of [GreenView®] [Company Name] [Brand Name] Lawn and Garden Products, visit our website at [www.lebsea.com] [www.greenviewfertilizer.com] [www.xyz.com] [Insert product images]

GREENVIEW®

- GreenView® (logo)
- GreenView® is a registered trademark of Lebanon Seaboard Corporation.
- GreenView® yard wide guarantee [green leaf graphic] [GreenView® logo]

Preen® Brand of Products Optional Marketing Claims

- [Company name] guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to: [Company name and address]

Preen®

- Preen® logo
- Preen® Guarantee
- Preen® is a registered trademark of Lebanon Seaboard Corporation.
- www.preen.com

ACE® Brand of Products Optional Marketing Claims

- ACE® is a registered trademark of ACE Hardware Corp.
- Green Turf® is a registered trademark of [Company Name]
- Made in the USA for ACE Hardware Corp., Oak Brook, Illinois, 60523, USA
- Questions or Comments Call 1-XXX-XXX-XXXX



- Satisfaction Guaranteed ACE® Promise [circle graphic]
- Telephone graphic
- The ACE® Promise. If this ACE product when used for its intended purpose, fails to give you complete satisfaction, return the item to the ACE Hardware store where purchased for free replacement of the same or similar item.

Sta-Green® Brand of Products Optional Marketing Claims

- Computer and phone graphics
- If you use [TURF Fertilizer Plus Dimension® Weed Control] as directed and are not completely satisfied, send proof of purchase from this package and the original cash register receipt to the address below. We will refund the purchase price you paid.
- LOOK! For other quality Sta-Green® lawn & garden products. For more information, visit us on our website at www.sta-green.com [www.xyz.com] or call our Consumer Service [Customer Service] Hotline [Number] at 1-xxx-xxx-xxxx.
- Money Back Guarantee [optional graphic]
- Sta-Green® is a registered trademark of [Company name]



- Sta-Green® logo
- The Sta-Green® Promise
- Your satisfaction guaranteed or your money back!

Private Label Customer Brand of Products Optional Marketing Claims

- [Company name] guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to: [Company name and address]
- [Private label] is a registered trademark of [Company name]
- [Private label] logo
- Computer and phone graphics
- If you use [TURF Fertilizer Plus Dimension® Weed Control] as directed and are not completely satisfied, send proof of purchase from this package and the original cash register receipt to the address below. We will refund the purchase price you paid.
- LOOK! For other quality [Private label] lawn & garden products. For more information, visit us on our website at [www.xyz.com] or call our Consumer Service [Customer Service] Hotline [Number] at 1-xxx-xxx-xxxx.
- Money Back Guarantee [optional graphic]
- Your satisfaction guaranteed or your money back!

Spreader Models for Spreader Setting Table:

Drop Spreaders	Calibration Settings at Specified Rate (lb/1000 sq ft)					
	1.5	2.1	2.3	2.7	3.1	6.0
Agri-Fab	XX	XX	XX	XX	XX	XX
Agway						
Earthway						
Easy Green						
Ferti-Lome						
Glorion						
Greenview® Spred III						
Greenview® Spred® XP1						
Greenview® Show N Tell						
Jonathan Green						
K-Mart K-Grow						
Lawnrafter 45-0311-3						
Ortho						
Precision						
Red Devil Drop						
Republic Drop						
Scotts AccuGreen® 1000						
Scotts AccuGreen® 2000						
Scotts AccuGreen® 3000						
Scotts Easy Gro						
Scotts PF-1						
Scotts PF-3						
Scotts Precision						
Sears Lawn Crafter						
SpredDevil						
Sta-Green						
Statesman I						
Statesman II						
TrueServe Green Thumb						
7300						
Vigoro						
Broadcast Spreaders						
Ace Rotary	XX	XX	XX	XX	XX	XX
Agri-Fab 45-0187						
Agway						
Ames 24-626 Commercial						
Cyclone Model B1-80						
Earthway EV-N-Spred 2600						

Ferti-Lome						
Franks						
Glorion						
Green Line						
Greenview® Jet-Spred II						
Greenview® Jet-Spred III						
Greenview® Jet-Spred SS1						
Jonathan Green						
Lawnrafter						
Ortho 545 EZGro						
Pennington 2050SU						
Precise Fit						
Precision Pro						
Precision						
Precision Pro						
Precision Products						
PrizeLAWN LiL' FOOT (LF-1)						
Red Devil						
Republic 545 EZGro						
Republic EZ Broadcast 75450						
Republic EZ Grow						
Republic						
Roto-Jet						
Scotts Basic						
Scotts Deluxe™ EdgeGuard®						
Scotts EasyGreen						
Scotts EdgeGuard						
Scotts SpeedyGreen® 1000™						
Scotts SpeedyGreen® 2000™						
Scotts SpeedyGreen® 3000™						
Scotts Standard						
Sears 671-19261						
Sears Craftsman 24322 85lb						
Sta-Green						
Statesman Pull Behind						
Stinger Rotary						
TrueServe Green Thumb						
2000A						
Vigoro						