

961-418

7/14/2011

1 of 20



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, D.C. 20460

EPA Reg. Number:

961-418

Date of Issuance:

JUL 14 2011

Term of Issuance:

unconditional

Name of Pesticide Product:

TURF Broadleaf Weed Control

NOTICE OF PESTICIDE:

[x] Registration

[ ] Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Lebanon Seaboard Corporation
1600 East Cumberland Street
Lebanon, PA 17042

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

The basic formulation (dated 4/5/2011) and alternate #1 and #2 formulations (dated 1/17/2011) are acceptable.

This product is registered in accordance with FIFRA section 3(c)(5) provided that you:

- 1. Submit and/or cite all data required for registration review/reregistration of your product when the Agency requires all registrants of similar products to submit data.
2. Make the following label revision:
a. Revise "EPA REG. NO.961-URI" to "EPA REG. NO. 961-418."
b. Assure that the establishment number and net contents are also added to the final printed label.

NOTE: Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

- 3. Submit one (1) copy of the revised final printed label for the record.

Continued on page 2

Signature of Approving Official:

Kathryn V. Montague
Project Manager 23
Herbicide Branch
Registration Division (7505P)

[Handwritten signature of Kathryn V. Montague]

Date:

JUL 14 2011

Page 2 of 2  
EPA Reg. No 961-418  
Notice of Registration

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this notice, please contact Beth Benbow of my staff at 703-347-8072.

# TURF Broadleaf Weed Control

**ACTIVE INGREDIENT:**

|  |                |
|--|----------------|
| 2,4-dichlorophenoxyacetic acid .....                     | 1.37%          |
| (+)-(R)-2-(2 methyl-4-chlorophenoxy)propionic acid ..... | 0.31%          |
| Dicamba: 3,6-dichloro-o-anisic acid .....                | 0.13%          |
| <b>OTHER INGREDIENTS:</b> .....                          | <b>98.19%</b>  |
| <b>TOTAL</b> .....                                       | <b>100.00%</b> |

**THIS PRODUCT CONTAINS:**


27.4 lb 2,4-dichlorophenoxyacetic acid equivalent per ton.

6.2 lb (+)-(R)-2-(2 methyl-4-chlorophenoxy)propionic acid equivalent per ton.

2.6 lb 3,6-dichloro-o-anisic acid equivalent per ton.

Isomer Specific by AOAC Methods

TRIMEC® is a registered trademark of PBI/Gordon Corporation.



**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

See back panel for First Aid and additional Precautionary Statements

EPA Reg.No. 961-URI (L) (D)  
EPA Est. No. 961-PA-01, 961-IL-01, [XXXX-XX-XX]  
Superscript used is first letter of lot number

Manufactured By: [Distributed By:] [Produced By:]

Lebanon Seaboard Corporation

1600 East Cumberland Street

Lebanon, PA 17042

Made in the U.S.A.

[www.lebsea.com](http://www.lebsea.com) [[www.greenviewfertilizer.com](http://www.greenviewfertilizer.com)] [[www.preen.com](http://www.preen.com)] [[www.xyz.com](http://www.xyz.com)]

Covers [X,XXX] Square Feet [SQUARE FEET] [SQ.FT.] [Sq.Ft.]

Net Weight: [Net Wt.:] xx lbs. [LBS.] [POUNDS] (xx.x kg) [(XX.X KG)]

Treats: XX,XXX Sq.Ft. [SQ.FT.] [Square Feet] [SQUARE FEET]

[Optional Heading: Care & Handling]

**STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

**CAUTION:** Harmful if absorbed through skin. Harmful if inhaled. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Wear long-sleeved shirt and long pants, socks, shoes, and gloves. Remove and wash contaminated clothing before reuse.

| <b>First Aid</b>  |  |
|---|--|
| <b>If on skin or on clothing:</b>   | <ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15 - 20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>  |
| <b>If inhaled:</b>  | <ul style="list-style-type: none"> <li>• Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>   |
| <b>If in eyes:</b>  | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>  |
| <b>If swallowed:</b>  | <ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul> |
| Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information in case of emergency, call toll free 1-877-800-5556. |  |

### **Environmental Hazards**

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn will help to prevent run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.
- This product is for residential use.

**[Optional Heading:] [INSTRUCTIONS:] [Use Instructions:] [Application Directions]  
[Application Instructions]**

[TURF Broadleaf Weed Control or This product] controls a wide range of listed lawn weeds which includes dandelion, chickweed, knotweed, plantain, henbit, spurge and many others commonly found in home lawns. Retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. If necessary make a second application after 30 days.

**For use on established warm season turfgrasses** - includes bermudagrass, centipedegrass, and zoysiagrass.

**For use on established cool season turfgrasses** - includes Kentucky bluegrass, perennial ryegrass, tall fescue, and turf-type tall fescues.

**USE RESTRICTIONS:**

Do not apply this product on carpetgrass, dichondra, St. Augustinegrass, or established turf containing desirable clovers.

Do not apply this product to newly seeded grasses until well-established or after the second or third mowing.

Reseeding or overseeding areas may occur three (3) weeks after the application of this product.

Do not use this product on or in close proximity to desirable plants and do not spread granules onto exposed root systems or adventitious shoots (rhizomes) within the drip line of the roots of desirable trees and shrubs, since injury may result.

Do not use this product on flowers, vegetables, groundcovers, gardens or landscape plantings which includes shrubs and trees. Do not exceed specified dosage for any area and do not apply this product within the dripline of or over surface roots of trees, shrubs, and other ornamentals.

Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

**[HOW MUCH TO APPLY:]**

The maximum broadcast application rate is 2.0 pounds of product per 1,000 sq.ft. per application [(1.2 lb 2,4-D ae, 0.27 lb MCPP-p ae and 0.12 lb dicamba ae per acre per application)]. The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 4.0 pounds of

product per 1,000 sq.ft. [(2.4 lb 2,4-D ae, 0.54 lb MCPP-p ae and 0.24 lb dicamba ae per acre)].

[WHEN TO APPLY:]

Apply when listed broadleaf weeds are actively growing in spring or early fall.

Apply when the air is calm to ensure uniform coverage and do not spread granules onto flowers, vegetables, and ornamental shrubbery.

[WHAT TO EXPECT:] [APPLICATION INSTRUCTIONS:]

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 5).
3. Apply when listed weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to allow the granules to adhere and to remain on the leaf surface of the weeds.
4. Do not apply when temperatures are consistently above 90°F.
5. Do not wash [this product] from weed leaves for 1 to 2 days after application. After 1 to 2 days,thoroughly water the lawn.

[Optional Heading:] [Spreader Settings}


[Note: Registratn/Subregistrant will insert appropriate spreader setting information based on spreader models and use rate.]

**Optional [Application Equipment and Instructions] [Spreader Directions]:**

**[Determining Your Lawn's Square Footage**

To determine how much of this product to apply, you must determine the square footage of your lawn. An easy way to do this is to walk the length of your lawn, figuring that one pace equals approximately 3 feet. Do the same with the width of the lawn. Then multiply the length by the width to arrive at the total. Make sure you subtract the square footage of your home and driveway when calculating the total square footage of your lawn. If your lawn has an irregular shape, try dividing it up into a number of square areas. Calculate the square footage for each area, then add the figures together to reach your total lawn size.]

[Insert icon representing footprint of house, driveway and lawn]



][above pictogram is optional]


**[Spreader Tips**

The two main types of spreaders are the Drop Spreader, which drops the material straight down the width of the spreader as you push, and the Broadcast Spreader (also known as a rotary), which throws the material from the spreader.]

**[Drop Spreader:** [(See Fig. A. )]First make two passes along the top of the area you'll be covering. Then make two passes along the bottom area. Then move back and forth along the long part of the lawn. On each pass, as you reach the strips at the top and bottom of the area to be covered, shut off the spreader. It's also important to shut off the spreader when you are stopped.]

[Insert drop spreader icon]

[Insert icon showing spreader path]




[ ] [above pictogram is optional] [Fig. A.]

**[Broadcast Spreader:** [(See Fig. B. )] Apply in a single pass by starting on the outside border and apply in a circular path working toward the center.]

[Insert broadcast spreader icon]

[Insert icon showing spreader path]



[ ] [above pictogram is optional][Fig. B.]

[Optional Spreader Language:]

[The above spreader settings are approximate. To check your spreader - 1.0 lb. of material covers approximately 500 sq.ft. (2.0 lbs. of material per 1,000 sq. ft.).

Note: if spreader model does not appear above please call [toll free] XXX-XXX-XXXX, X am - X pm [ET] [CT] [MT] [PT], [Monday - Friday] [Monday - Sunday] [Anytime] [24/7] for additional model settings.]

| <b>Drop Spreader</b>                   | <b>Setting [ Delivers 2.0 lbs./1,000 sq.ft.]</b> |
|--|--|
| Agri-Fab® Drop                         | xx   |
| Greenview® Drop-Spred® XP1             | xx   |
| Red Devil® Drop (1-5)                  | xx   |
| Republic®                              | xx   |
| Scotts® Drop AccuGreen® (2-18)         | xx   |
| Scotts® Drop PF1 (2-18)                | xx   |
| Sta-Green® Drop (1-5)                  | xx   |
| [Spreader model]                       | [xx]   |
|  |  |
|  |  |
| <b>Broadcast Spreader</b>              | <b>Setting [Delivers 2.0 lbs./1,000 sq.ft.]</b>  |
| Agri-Fab® Rotary                       | xx   |
| Cyclone® Rotary                        | xx   |
| Earthway® Rotary                       | xx   |
| Greenview® Jet-Spred® SS1              | xx   |
| Lesco® Rotary (dial A-S)/(number dial) | xx   |
| Red Devil® Rotary (1-20)               | xx   |
| Republic® Rotary                       | xx   |
| Scotts® EasyGreen®                     | xx   |
| Scotts® EdgeGuard®                     | xx   |
| Scotts® SpeedyGreen® 2000, 3000        | xx   |
| Sears® Craftsman Rotary                | xx   |
| Sta-Green® Rotary (1-10)               | xx   |
| True Temper® Rotary                    | xx   |
| Vigoro® Rotary (1-10)                  | xx   |
| [Spreader model]                       | [xx]   |

[These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.]



**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Store this product only in its original container in a cool, dry, locked place out of the reach of children and animals.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**WARRANTY**

**IMPORTANT: READ BEFORE USE**

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Lebanon Seaboard Corporation [Company Name]. All such risks shall be assumed by the user or buyer.









**DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, LEBANON SEABOARD CORPORATION [COMPANY NAME] MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Lebanon Seaboard Corporation [Company Name] is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Lebanon Seaboard Corporation [Company Name] DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.


**LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT LEBANON SEABOARD CORPORATION'S [Company's Name] ELECTION, THE REPLACEMENT OF PRODUCT.

### Appendix I

#### [Optional Label Claims]

#### Claims – Miscellaneous

1.  (Symbol for Spring)
2.  (Symbol for Summer)
3.  (Symbol for Fall)
4.  (Symbol for Spring)
5.  (Symbol for Summer)
6.  (Symbol for Fall)
7.  [With variations for seasons which are ghosted out]
8. Apply in [Spring], [Fall]
9.  (MST – Mobile Scan Tag / color) Note, actual symbology varies from product to product, as with UPC codes.



10. (MST – Mobile Scan Tag / black & white)



11. (MST – Mobile Scan Tag / black and white with phone icon)

12. Easy to Use.  
 13. Another great lawn and garden product, from the makers of Preen®.  
 14. Pet access to lawn once dust from application settles.  
 15. Pet access to lawn allowed once dust settles.



16. Must use the paw print pictogram with marketing claims No. 14 and 15 above].  
 17. [2] [3] [4] Season Lawn Care Program  
 18. [Bar code] [product number]  
 19. [Item number]  
 20. [Not] Proof of Purchase  
 21. Apply in spring and fall  
 22. Apply when weeds\* are growing  
 23. For use on cool and warm season turfgrass  
 24. For use on lawns  
 25. Keep your lawn looking great all year [Early Spring] [Late Spring] [Fall] [Insert other lawn product package images with product name]  
 26. Questions or Comments? Call 1-xxx-xxx-xxxx. [insert phone graphic]  
 27. This Bag Treats Up to \_\_\_\_ Square Feet.

#### Claims regarding Weed Control Properties

1. 3 month [12 weeks] weed\* grass control
2. Apply when [broadleaf] weeds\* are [actively] growing [in spring or early fall] [Note: from the When to Apply section of the label]
3. Contains Trimec® Herbicide
4. Consistently fast on: tough weeds\* like clover, plantain, ground ivy and spurge [various other weeds listed]
5. Controls [Kills] clover, dandelion, plantain, chickweed and [other broadleaf weeds\*]. [others as listed]
6. Controls [Kills] Dandelion, Clover, Chickweed, [Knotweed], [Henbit], Plantain, [and] Spurge [and Many Other Broadleaf Weeds as Listed on the Back Panel.]
7. Controls a Wide Spectrum of Broadleaf Weeds\*
8. Controls Dandelion, White Clover, Plantain, Chickweed, Spurge and Many Other Listed Weeds\*
9. Controls new weeds\* for 3 months [12 weeks]
10. Destroys weeds\* fast
11. For a beautiful weed-free\* lawn [turf]
12. For use on: Kentucky bluegrass, perennial ryegrass, fescue spp., bermudagrass, centipedegrass and zoysiagrass.

13. Helps keep lawns [turf] weed-free\*
14. Kills [down to] the root, [not the lawn]
15. Kills [major] broadleaf weeds\* [like clover, dandelion, oxalis]
16. Kills [Over] [More Than] XXX [200] [Listed] Weeds\* [!] [as Listed] [Note: 202 listed weeds]
17. Kills [xxx] [200] [listed] weeds\* - dandelion, clover and other common lawn weeds\*
18. Kills clover, dandelion, plantain, chickweed and other broadleaf weeds\* (see list on back of bag)
19. Kills 200 weeds\*
20. Kills 200 Lawn Weeds\* To The Root!
21. Kills broadleaf weeds\* in lawns [turf]
22. Kills clover, chickweed, spurge and many other broadleaf weeds\*
23. Kills dandelions [and most lawn weeds\*]
24. Kills dandelion and many other broadleaf weeds\*
25. Kills even the tough[est] broadleaf weeds\* [like clover, dandelion, oxalis]
26. Kills even the toughest weeds\*
27. Kills fall lawn weeds\*
28. Kills major broadleaf weeds\* and roots. And [Lebanon Trimec Weed Control] is formulated to kill only the weeds\*, not the lawn [turf]. Use as directed to kill major broadleaf weeds\* in your lawn [turf].
29. Kills [more than] [over] 200 [tough] [lawn] weeds\*
30. Kills over [xxx] [200] of the toughest weeds\*
31. Kills over [xxx] [200] weed\* types
32. Kills Over [XXX] [Listed] Weeds\* [as Listed], Henbit, Dollar Weed, White Clover, Plantain and Chickweed
33. Kills [to] the root[!]
34. Kills the weeds\*, not the lawn [turf]
35. Kills the toughest [lawn] weeds\* [to the root]
36. Kills tough lawn [turf] weeds\*
37. Kills weeds\* growing in spring or fall
38. Kills weeds\* [quickly and] completely
39. Kills weed\* roots!
40. Kills weeds\* now for few weeds in spring
41. Kills weeds\* on contact
42. Kills weeds\* to the root
43. [Preen] Kills weeds\*, not lawn [turf] grasses
44. [Preen] Kills 200 Weeds\* [to the root]
45. [Preen] Kills xx+ [200] Weeds\*.
46. Kills xx+ [200+] Weeds\*; [Types,] Even the Roots.
47. Kills xx+ [200+] [Listed] Weeds\* [Types] and Roots
48. Northern and Southern Grasses Bluegrass, Fescue, Zoysia, Bermuda, centipede, Perennial Ryegrass
49. Provides broadleaf control
50. Starts working on contact
51. Targets weeds\*, leaves [grasses] [the lawn] [the turf] unharmed
52. Tough on [lawn] weeds\*

- 53. Tough weed killer
- 54. Treats Northern and Southern Grasses



- 55. Trimec® logo
- 56. Weed-fighting\* formula
- 57. Use on Lawns [Turf] to Kill Tough Weeds\* like Clover and Dandelion
- 58. Weed images [any listed weed]
- 59. Works on contact

\*See Use Directions for complete list of treated weeds.

### **GreenView® Brand of Products Optional Marketing Claims**

1. To the extent with applicable law, [GreenView®] [Company Name] guarantees you will be satisfied with the performance of this product when used as directed. If you are not satisfied, return to a[n] [Company name] store with proof of purchase for a replacement product or full refund of the purchase price. Or you can mail proof of purchase to the address listed below for a full refund. [Company name and address]
2. [GreenView®] [Company name] guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem and simply send proof of purchase to [Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042] [Company name and address].
3. For more information on our complete line of [GreenView®] [Company name] [Brand name] Lawn and Garden Products, visit our website at [www.lebsea.com] [www.greenviewfertilizer.com] [www.xyz.com] [Insert product images]
4. GreenView® logo **GREENVIEW®**
5. GreenView® is a registered trademark of Lebanon Seaboard Corporation.
6. GreenView® yard wide guarantee [green leaf graphic] [GreenView® logo]



[\* See back panel for more details] , as part of design only shown when used on label surfaces, other than the back panel)

**Preen® Brand of Products Optional Marketing Claims**

1. To the extent consistent with applicable law, [Company name] guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to: [Company name and address]

# Preen

2. Preen® logo
3. Preen® Guarantee
4. Preen® is a registered trademark of Lebanon Seaboard Corporation.
5. [www.preen.com](http://www.preen.com)
6. Preen kills 200 listed weeds [as listed][\*]
7. Preen works so you don't have to
8. Keep your lawn looking great all year [Early Spring] [Late Spring] [Fall] (show other Preen lawn package images with product name)
9. Try [these] other Preen products:
  - a. [Preen Lawn Crabgrass Preventer]
  - b. [Preen Lawn Crabgrass Preventer Plus Fertilizer]
  - c. [Preen Lawn Fall Weed Control Plus Fertilizer]
  - d. [Preen Lawn Stepsaver Weed Control Plus Fertilizer]
  - e. [Preen Lawn Weed & Feed]
  - f. [Preen Garden Weed Preventer Plus Plant Food]
  - g. [Preen Garden Weed Preventer]
  - h. [Preen Organic Vegetable Garden Weed Preventer]
  - i. [Preen Weed Preventer for Southern Gardens]
  - j. [Preen Weed Preventer for Southern Gardens Plus Plant Food]
  - k. [Preen Fabric]
  - l. [Preen Mulch Plus]

**ACE® Brand of Products Optional Marketing Claims**

1. ACE® is a registered trademark of ACE Hardware Corp.
2. Green Turf® is a registered trademark of [Company Name]
3. Made in the USA for ACE Hardware Corp., Oak Brook, Illinois, 60523, USA
4. Questions or Comments Call 1-XXX-XXX-XXXX



5. Satisfaction Guaranteed ACE® Promise [circle graphic]
6. Telephone graphic
7. [Brand Name or This product] contains the latest technology in weed control. It kills over 200 of the toughest weeds.
8. The ACE® Promise. If this ACE product when used for its intended purpose, fails to give you complete satisfaction, return the item to the ACE Hardware store where purchased for free replacement of the same or similar item.
9. [www.acehardware.com](http://www.acehardware.com)

**Sta-Green® Brand of Products Optional Marketing Claims**

1. Computer and phone graphics
2. If you use [Lebanon Trimec Weed Control] as directed and are not completely satisfied, send proof of purchase from this package and the original cash register receipt to the address below. We will refund the purchase price you paid.
3. LOOK! For other quality Sta-Green® lawn & garden products. For more information, visit us on our website at [www.sta-green.com](http://www.sta-green.com) [[www.xyz.com](http://www.xyz.com)] or call our Consumer Service [Customer Service] Hotline [Number] at 1-xxx-xxx-xxxx.
4. Money Back Guarantee [optional graphic]
5. Sta-Green® is a registered trademark of [Company name]



6. Sta-Green® logo
7. The Sta-Green® Promise
8. Your satisfaction guaranteed or your money back!

**Private Label Customer brand of Products Optional Marketing Claims**

1. To the extent consistent with applicable law, [Company name] guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to: [Company name and address]
2. [Private label] is a registered trademark of [Company name]
3. [Private label] logo
4. Computer and phone graphics
5. If you use [Lebanon Trimec Weed Control] as directed and are not completely satisfied, send proof of purchase from this package and the original cash register receipt to the address below. We will refund the purchase price you paid.
6. LOOK! For other quality [Private Label] lawn & garden products. For more information, visit us on our website at [[www.xyz.com](http://www.xyz.com)] or call our Consumer Service [Customer Service] Hotline [Number] at 1-xxx-xxx-xxxx.
7. Money Back Guarantee [optional graphic]
8. Your satisfaction guaranteed or your money back!

**Agway® Brand of Products Optional Marketing Claims**


1. Agway Lawn Weed Control
2. Agway Guarantees Satisfaction
3. If for any reason you are not fully satisfied with the performance of this product, we want to know. Just bring the item back to the store and we will exchange it or issue a refund.



4. Agway® logo

5. Guaranteed Satisfaction logo/pictogram
6. Manufactured for and distributed by Southern States Cooperative, Inc., 6606 West Broad Street, Richmond, VA 23230
7. To find an Agway store near you visit [www.agway.com](http://www.agway.com)



8. 
9. [Brand] is a registered trademark of [Company]
10. [Brand] is a trademark of [Company]
11. 4 Stage Lawn Care Program
12. Agway Guarantees Satisfaction
13. Guarantees Satisfaction
14. Agway® and Greenlawn® are registered trademarks of Southern States Cooperative, Inc.
15. Agway® and Stage® are registered trademarks of Southern States Cooperative, Inc.
16. Calendar Application Icon
17. (Subregistrant) Guarantees Satisfaction
18. 4 Stage Lawn Care Program. [Pictogram numbers 1-4] [pictogram for 4 Step Program]
  - March 1 – April 30
  - April 15 – June 15
  - August 1- September 30
19. Agway [(Subregistrant)] Recommended 4 Stage Lawn Program makes it easier to have a lush, green lawn. Our 4 simple applications eliminate the guesswork and give you professional lawn care results. Each stage combines just the right amount of fertilizer with the right amount of control and prevention. Just match each stage to the correct season and you'll prevent crabgrass, control weeds and insects and prepare your lawn for the winter. It's what your lawn needs for strong growth.
20. AGWAY'S Greenlawn products are the quality choice in complete lawn care. You determine your lawn needs, and you'll find a Greenlawn product to help you. Fertilizers, lawn starters, crabgrass prevention, weed and insect control, winterizers - everything your lawn needs for a lush, green lawn and year-round protection. Each one is easy to apply and guaranteed to produce quick, long-lasting results.
21. Notice: Read the entire label. Use only according to label directions. Before buying this product, read the Warranty Section elsewhere on this label. If terms are not acceptable, return the unopened container at once.
22. AGWAY Guarantees Satisfaction If for any reason you are not fully satisfied with the performance of this product, we want to know. Just bring the item back to the store and we will exchange it or issue a refund.
23. For best results, use an Agway spreader.



**Vigoro Brand of Products Optional Marketing Claims**



- 1.
2. Vigoro is a registered trademark of HOMER TLC, INC. CORPORATION
3. Vigoro, is a ® sub-brand of The Home Depot.
4. THD corporate address is: **The Home Depot** , 2455 Paces Ferry Road Atlanta, Georgia 30339

**Menards® Brand of Products Optional Marketing Claims:**

1.



2.



3.

4.

5. FOREVERGREEN® Lawn Builder(R)



6.



7.

100% Satisfaction Guaranteed or Your Money Back



8.

SLOW-RELEASE NITROGEN FEEDS YOUR LAWN OVER (2) (3) (4) MONTHS!

9. 4-STEP LAWN CARE PROGRAM

10. Crab-Buster® is a registered trademark of Dow AgroSciences LLC.

11. Distributed by Eau Claire Coop Oil Co., P.O. Box 837, Eau Claire, WI 54702

12. Features:


- i. Prevents crabgrass & fertilizes in one application.
- ii. [Crab-Buster®] herbicide controls crabgrass and many other annual weedy grasses before they grow.
- iii. Gives a full feeding of fertilizer.

- iv. Slow-Release Nitrogen thickens and provides a lush and deep green lawn
  - Feeds your lawn [over] [up to], [two][three] months!
- 13. Fertilize turf [lawn] to improve color, density, uniformity and resistance to traffic and disease.
- 14. ForeverGreen® is a registered trademark of E C Grow Incorporated Corporation.
- 15. If, for any reason, after using the Menards® Premium 4-Step Fertilizer Program, you are dissatisfied with the results, simply bring the label from a bag of Menards® Premium Lawn Fertilizer and proof of purchase to the store this product was purchased from for a full refund.
- 16. Lawn Builder
- 17. Menards is a registered trademark of Menard, Inc. Corporation.

**Pike Nurseries® Brand of Products Optional Marketing Claims**



1.



- 2.
- 3. PIKE NURSERIES is a registered trademark of Pike Nurseries Acquisition, LLC.
- 4. Pike Nurseries Corporate Office, 2675 Breckinridge Blvd., Suite 300, Duluth, GA 30096
- 5. Satisfaction Guaranteed
- 6. SUPER PREMIUM

**Armstrong Garden Centers Brand of Products Optional Marketing Claims**



1.

Armstrong Garden Centers, Inc. , 2200 E. Route 66, Suite 200, Glendora, CA 91740

Orchard Supply Brand of Products Optional Marketing Claims



1.



2.



3.

4. Orchard Supply Hardware is a registered trademark of Orchard Supply Hardware, LLC.

Orchard Supply Hardware, 6450 Via Del Oro, San Jose, CA 95119

Appendix II

[TURF Broadleaf Weed Control] Controls [Kills] [200] [more than ###] listed weeds! (List of weeds may include the following):

| WEEDS                     |                 |                     |                        |
|---------------------------|-----------------|---------------------|------------------------|
| Annual yellow sweetclover | Clover, white   | Musk thistle        | Spiny cocklebur        |
| Aster                     | Cockle          | Mustard             | Spiny sowthistle       |
| Austrian fieldcress       | Cocklebur       | Narrowleaf plantain | Spotted catsear        |
| Bedstraw                  | Common mullein  | Narrowleaf vetch    | Spotted spurge         |
| Beggarticks               | Creeping jenny  | Nettle              | Spurweed               |
| Betony, Florida           | Cudweed         | Orange hawkweed     | Stinging nettle        |
| Bindweed, field           | Curly dock      | Oriental cocklebur  | Strawberry, India mock |
| Bird vetch                | Daisy, English  | Oxalis              | Tall nettle            |
| Bitter wintercress        | Daisy fleabane  | Parsley-piert       | Tall vervain           |
| Bittercress, hairy        | Daisy, oxeye    | Parsnip             | Tansy ragwort          |
| Bitterweed                | Dandelion       | Pearlwort           | Tansy mustard          |
| Black-eyed Susan          | Dichondra       | Pennycress          | Tanweed                |
| Black medic               | Dogbane         | Pepperweed          | Thistle                |
| Black mustard             | Dogfennel       | Pigweed             | Trailing crownvetch    |
| Blackseed plantain        | Dollarweed      | Pineywoods bedstraw | Tumble mustard         |
| Blessed thistle           | False dandelion | Plains coreopsis    | Tumble pigweed         |
| Bloodflower milkweed      | Falseflax       | Plantain            | Velvetleaf             |
| Blue lettuce              | False sunflower | Poison ivy          | Venice mallow          |
| Blue vervain              | Fiddleneck      | Poison oak          | Virginia buttonweed    |
|                           | Florida pusley  | Pokeweed            | Virginia creeper       |

[TURF Broadleaf Weed Control] Controls [Kills] [200] [more than ###] listed weeds! (List of weeds may include the following):

**WEEDS**

|                     |                   |                       |                      |
|---------------------|-------------------|-----------------------|----------------------|
| Bracted plantain    | Frenchweed        | Poorjoe               | Virginia pepperweed  |
| Brassbuttons        | Galinsoga         | Prairie sunflower     | Wavyleaf bullthistle |
| Bristly oxtongue    | Goldenrod         | Prickly lettuce       | Western clematis     |
| Broadleaf dock      | Ground ivy        | Prickly sida          | Western salsify      |
| Broadleaf plantain  | Gumweed           | Prostrate knotweed    | White mustard        |
| Broomweed           | Hairy fleabane    | Prostrate pigweed     | Wild aster           |
| Buckhorn            | Hawkweed          | Prostrate spurge      | Wild buckwheat       |
| Buckhorn plantain   | Healall           | Prostrate vervain     | Wild carrot          |
| Bulbous buttercup   | Heartleaf drymary | Puncturevine          | Wild four-o'clock    |
| Bull thistle        | Heath aster       | Purslane, common      | Wild garlic          |
| Bullnettle          | Hedge bindweed    | Ragweed               | Wild geranium        |
| Burclover           | Hedge mustard     | Red sorrel            | Wild lettuce         |
| Burdock             | Hemp              | Redroot pigweed       | Wild marigold        |
| Burning nettle      | Henbit            | Redstem filaree       | Wild mustard         |
| Burweed             | Hoary cress       | Rough cinquefoil      | Wild onion           |
| Buttercup           | Hoary plantain    | Rough fleabane        | Wild parsnip         |
| Buttonweed          | Hoary vervain     | Russian pigweed       | Wild radish          |
| Canada thistle      | Horsenettle       | Russian thistle       | Wild rape            |
| Carolina geranium   | Jimsonweed        | Scarlet pimpernel     | Wild strawberry      |
| Carpetweed          | Knawel            | Scotch thistle        | Wild sweet potato    |
| Catchweed bedstraw  | Knotweed          | Sheep sorrel          | Wild vetch           |
| Catnip              | Kochia            | Shepherdspurse        | Woodsorrel           |
| Catsear             | Lambsquarters     | Slender plantain      | Woolly croton        |
| Chickweed, common   | Lespedeza         | Smallflower galinsoga | Woolly morningglory  |
| Chickweed, mouseear | Mallow            | Smooth dock           | Woolly plantain      |
| Chicory             | Matchweed         | Smooth pigweed        | Wormseed             |
| Cinquefoil          | Mexicanweed       | Sorrel                | Yarrow               |
| Clover, crimson     | Milk vetch        | Sowthistle            | Yellow rocket        |
| Clover, hop         | Morningglory      | Spanishneedles        | Yellowflower         |
| Clover, red         | Mouseear hawkweed | Speedwell             | pepperweed           |
| Clover, strawberry  | Mugwort           | Spiny amaranth        | and other broadleaf  |
| Clover, sweet       |                   |                       | weeds                |