

961-425

9/12/2014

1/91



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

961-425

Date of Issuance:

09/12/2014

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Bifenthrin 0.2% Insecticide

Name and Address of Registrant (include ZIP Code):

Lebanon Seaboard Corporation
1600 East Cumberland Street
Lebanon, PA 17042

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

See Next Page
Richard Gebken, Product Manager 10
Insecticide Branch, Registration Division (7505P)

Date:

09/12/2014

- 2. You are required to comply with the GDCI Order identified below:
 - a. Bifenthrin GDCI-128825-1158, issued on 11/16/2012

You must comply with all of the data requirements within the deadlines established by the order. If you have questions about the Generic DCI Order listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division:
http://www.epa.gov/oppsrrd1/contacts_prd.htm

- 3. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 961-425."
- 4. Submit one copy of the final printed label for the record before you release the product for shipment.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 04/16/2014
- Alternate CSF #1 dated 04/16/2014

If you have any questions, please contact BeWanda Alexander at (703) 305-7460 or alexander.bewanda@epa.gov.



Richard Gebken, Product Manager 10
 Insecticide Branch
 Registration Division (7505P)


Enclosure

3/41

BIFENTHRIN 0.2% INSECTICIDE

ALTERNATE BRAND NAMES

HDX® Fire Ant Killer
Ready2Go Spreader™ Fire Ant Killer
HDX® Fire Ant Control
Ready2Go Spreader™ Fire Ant Control
Spectracide® Fire Ant Killer Yard Protection Granules™



ACTIVE INGREDIENTS:

bifenthrin† 0.20%
Other ingredients 99.80%
Total 100.00%

bifenthrin CAS No. 82657-04-3

†Cis isomers 97% minimum, trans isomers 3% maximum.

EPA Reg. No. 961-UEL

(L) (D)

EPA Est. No. 961-PA-01: 961-IL-01

Superscript used is first letter[s] of lot number.

[Covers] [Treats] [X,XXX] Sq. Ft. [sq. ft.] [Sq Ft] [[SQ. FT.] [Square Feet] [SQUARE FEET][sq ft]
[NET WEIGHT:] [Net Wt.:] [Net Wt/][XX.XX LBS. (XX.XX KG)][LB] [XX.XX lbs. (XX.XX kg.)] [XX.XX POUNDS (XX.XX KG)]
[Treats:] [Covers:] XX,XXX [Sq. Ft.] [sq. ft.] [Sq Ft] [SQ. FT.] [Square Feet] [SQUARE FEET] [sq ft]
[XX lb. covers up to xxx Sq. Ft. [sq. ft.] [Sq Ft] [SQ. FT.] [Square Feet] [SQUARE FEET] [sq ft]]

[MANUFACTURED BY:] [Distributed by:] [Produced for:] [Manufactured for:]

LEBANON SEABOARD CORPORATION

1600 EAST CUMBERLAND STREET

LEBANON, PA 17042

[www.lebsea.com] [www.greenviewfertilizer.com]

[Optional][Made] [in the U.S.A.] [of U.S. and imported parts] [of U.S. and global components]

KEEP OUT OF REACH OF CHILDREN

CAUTION

[In New York State, this product may NOT be applied to any grass, or turf area within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch). In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.]

See [booklet][back panel] [container label] [back booklet] for [First Aid and] additional Precautionary Statements[.]

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

FIRST AID	
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Treatment Information call (888) 208-1368.	
Note to Physician: This product contains a pyrethroid. If large amounts have been ingested, milk, cream or other digestible fats and oils may increase absorption and so should be avoided.	

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind does not blow pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the [lawn] [and] [landscape bed] [garden] will help to prevent run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climate

5/41

modification and being grown in interior plantscapes, ornamental gardens or parks, or lawns or grounds.

Not for use on golf courses, sod farms, nurseries, in commercial greenhouses, or on grass grown for seed.

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRODUCT INFORMATION

This product contains an insecticide for controlling listed insects,[including fire ants] in the residential lawns, around home foundations (perimeter treatment), landscape beds, ornamental and flower gardens.

One application of this product provides up to 6 months control of foraging fire ants. It also provides up to 1 month [4weeks] control of listed insects.

PRODUCT RESTRICTIONS

Do not apply near fish pools, ponds, streams or lakes.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.

Do not allow the product to enter any drain during or after application.

Apply this product directly to the residential lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off.

Do not make applications during rain.

USE THIS PRODUCT FOR THE CONTROL OF:

Ants

Imported Fire Ants (Adult)

Imported Fire Ants (Mound)

Armyworms

Lawn

Fall

Billbugs (Adult)

Black Turfgrass Ataenius (Adult)

Centipedes

Chinch Bugs

Cutworms

European Crane Fly

- Fleas (Adult)
- Fleas (Larvae)
- Leafhoppers
- Mealybugs
- Millipedes
- Mole Cricket (Adult)
- Mole Cricket (Nymph)
- Scorpions
- Ticks (including ticks that may transmit Lyme Disease and Rocky Mountain Spotted fever)
- Webworms
- Sod
- Weevils (Adult)
- Weevils (Hyperodes)
- Weevils (Annual Bluegrass)

WHERE TO APPLY

Apply this product to residential sites including lawns, around home foundations (perimeter treatment), ornamental and flower gardens.

HOW TO APPLY

[Note to reviewer: Option 1]

[Uniformly apply this product to the target area and gently water with 0.1 to 0.5 inches immediately after application for best results.

[Residential Lawn Application: Evenly apply this product to the lawn when insect activity or damage is first observed.]

[Perimeter Application: Uniformly apply this product to a 5 - 10 foot wide band around and adjacent to the structure. Avoid application on paved areas.]

[Boundary Application: Uniformly apply this product to residential [landscape beds][,] [and] [ornamental gardens][,] [and] [ornamental beds][,] [and] flower gardens.]

[Fire Ant Mound Treatment: Apply 1/2 cup of this product per mound and then drench the mound with 1 to 2 gallons of water. Drench mound with sufficient force to break its apex and allow the insecticide to flow into the ant tunnels. For best results, apply in cool weather (65 to 80 deg. F) or in early morning or late evening hours. Treat new mounds as they appear.

Note: Food utensils such as teaspoons and measuring cups must not be used for food purposes after use with insecticide.

[Note to reviewer: End of Option 1]

[Note to reviewer: Option 2]

[Fire Ant Residential Lawn [and Boundary] Application: Evenly apply this product to the target area and gently water with 0.1 to 0.5 inches immediately after application for best results.]

[Fire Ant Mound Treatment: Apply ½ cup of this product per mound and then drench the mound with 1 to 2 gallons of water. Drench mound with sufficient force to break its apex and allow the insecticide to flow into the ant tunnels. For best results, apply in cool weather (65 to 80 deg. F) or in early morning or late evening hours. Treat new mounds as they appear.

Note: Food utensils such as teaspoons and measuring cups must not be used for food purposes after use with insecticide.]

[Note to reviewer: End of Option 2]

[In New York State, this product may NOT be applied to any grass, or turf area within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch). In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.]

HOW MUCH TO APPLY

[FIRE ANT CONTROL

This product is applied at 2.3 lb/1,000 sq.ft. for up to 6 months of foraging fire ant control. [Refer to the table] [Treat as directed in the rate chart] for product application rate and timing instructions.

Make no more than 2 applications at 2.3 lb/1,000 sq.ft. per site per year of this product.

Do not apply more than 0.2 pounds a.i. per Acre per application. Do not apply more than 0.4 pounds a.i. per Acre per year.]

[INSECT CONTROL

This product is applied at 1.15 lb/1,000 sq.ft. to 2.3 lb/1,000 sq.ft. based on the insect(s) to be controlled. [Refer to the table] [Treat as directed in the rate chart] for product application rate and timing instructions.

Insect	Product Application Rate	Timing
Armyworms (Lawn) (Fall), Cutworms, Webworms (Sod)	1.15 pound/1,000 sq.ft.	At first notice of insect activity or damage.
Weevils (Adult) (Hyperodes) (Annual Bluegrass)	1.15 to 2.3 pounds/1,000 sq.ft.	Apply when adult weevils leave their overwintering sites and move into grass areas.

		Generally when Forsythia is in full bloom and concludes when Flowering Dogwood is in full bloom.
Billbugs (Adult)	1.15 to 2.3 pounds/1,000 sq.ft.	At first notice of adult billbugs, generally during April and May.
Black Turfgrass Ataenius (Adult)	1.15 to 2.3 pounds/1,000 sq.ft.	Apply during May and July to control the 1 st and 2 nd generation of adults. Time the May application to coincide with the full bloom stage of Vanhoutte spiraea (<i>Spiraea vanhouttei</i>) and Horse Chestnut (<i>Aesculus hippocastanum</i>). July application is timed to blooming of Rose of Sharon (<i>Hibiscus synacus</i>).
Leafhoppers, Mealybugs	1.15 to 2.3 pounds/1,000 sq.ft.	At first notice of insect activity or damage.
European Crane Flies	1.75 to 2.3 pounds/1,000 sq.ft.	At first notice of insect activity or damage.
Ants, Centipedes, Chinch Bugs, Fleas (Adult) (Larvae), Millipedes	2.3 pounds/1,000 sq.ft.	At first notice of insect activity or damage.
Imported Fire Ants (Adult) (Mounds)	2.3 pounds/1,000 sq.ft.	Control is optimized with broadcast and mound treatments*. If soil is not moist, irrigate before application. For best results apply at temperatures between 65 to 80 deg. F (early morning or late evening).
Mole Cricket (Adult) (Nymph)	2.3 pounds/1,000 sq.ft.	Apply in early Spring as late in the day as possible, and watered in immediately after treatment. To control Nymphs, treat prior to peak egg hatch. If soil is not moist, irrigate before application to bring the Mole Cricket to soil surface.
Scorpions	2.3 pounds/1,000 sq.ft.	Treat building perimeters at dusk. For best results, remove trash, debris or firewood that

		may be used as Scorpion resting sites.
Ticks (including ticks that may transmit Lyme Disease and Rocky Mountain Spotted Fever)	2.3 pounds/1,000 sq.ft.	Treat the entire area where exposure to ticks may occur from mid Spring to early Fall.

REFILL INSTRUCTIONS[:] [Applicator Cap Device]

[Optional for reusable rigid plastic container with application device]

[This container with [applicator cap] [spreader applicator] [Ready2Go Spreader™] is reusable with this product]. Refill the container with desired amount of this product and use as directed. When done, store or dispose this container as listed on the label.]

REFILL INSTRUCTIONS[:] [Optional for reusable rigid plastic container with application device]

- [This container with [applicator cap] [spreader applicator] [Ready2Go Spreader™] is reusable with this product].
- Refill the container with desired amount of this product and use as directed.
- When done, store or dispose of this container as listed on the label.]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store product in its original container in a cool, dry, secured place out of the reach of children and animals.

Pesticide Disposal and Container Handling: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Optional Storage and Disposal statement for use with reusable containers]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store product in its original container in a cool, dry, secured place out of the reach of children and animals.

Pesticide Disposal and Container Handling: Nonrefillable container. Do not reuse or refill this container except as described in the REFILL INSTRUCTIONS (see Refill Instructions). **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[WARRANTY

[Note] [:] To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.]

[[Insert Brand] GUARANTEE

NOTE: To the extent consistent with applicable law, Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem and send with proof of purchase to: Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042.]

[To the extent consistent with applicable law, the manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the face hereof. All statements made concerning this product apply only when used as directed.]

[NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.]

[Optional Spreader Setting Section]

[SPREADER SETTINGS

NOTE: If spreader model does not appear [above][below] please call toll free 800-233-1067, 8 am - 5 pm ET, Monday-Friday for additional model settings[.]

[Optional Spreader setting table]

Broadcast Spreader	Setting 1.15 lb/1,000 sq.ft.	Setting 2.3 lb/1,000 sq.ft.	Drop Spreader	Setting 1.15 lb/1,000 sq.ft.	Setting 2.3 lb/1,000 sq.ft.
Agri-Fab			Agri-Fab Drop		
Cyclone			Greenview® Drop-Spred® XP1		
Earthway			Red Devil Drop (1-5)		
Greenview Jet-Spred SS1			Republic Drop		
Lesco (letter/numeric)			Scotts AccuGreen		
Red Devil Rotary			Scotts Drop PF1 (2-18)		


Republic Rotary			Sta-Green Drop (1-5)		
Scotts EasyGreen					
Scotts Edgeguard					
Scotts Speedy Green 1000					
Scotts Speedy Green 2000					
Scotts Speedy Green 3000					
Sears Craftsman Rotary					
Sta-Green Rotary (1-10)					
True-Temper Rotary (1-10)					
Vigoro Rotary (1-10)					

[These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.]

[Optional Label Claims]
Claims – Miscellaneous

1. [Applicator] [Scoop] Included [optional scoop pictogram]
2. [Easy [to] open] [resealable] bag
3. Apply [spring, summer or fall]
4. Apply at first sign of listed insects[.]
5. Apply when listed insects are present[.]
6. Don't forget your REFILL!
7. Easy to apply – just shake on
8. Easy to use [!]
9. Easy to use applicator
10. Easy to use applicator [image]
11. For Outdoor Use [Around Home]
12. For Outdoor Residential Use
13. FOR USE ON RESIDENTIAL LAWNS
14. GRANULES: Apply to [dry] residential lawn, water in after application
15. Great over mulch
16. Guaranteed results
17. Guaranteed!
18. Ideal for residential lawn, landscape and home perimeter application
19. Lift here to open
20. Money Back Guarantee
21. Nonstaining
22. Peel here
23. Press to reseal
24. Proof of purchase with UPC bar code
25. Ready To Use [Granules]
26. Ready To Use Granules With Built In Applicator (for plastic containers)
27. Resealable bag
28. Reusable [Bottle] [Container] [Canister] (for plastic containers)
29. See inside booklet for complete directions for use[, and] [, &] [precautionary statements]
30. Simply press to close [optional zipper and hand pictogram]
31. Sprinkle on residential [lawn][,] [landscape beds][,] [ornamental gardens][,] [garden]
32. Telephone and/or computer/mouse graphic with phone # and website address: [1-800-233-1067] [www.greenviewfertilizer.com] [www.Ready2GoSpreader.com]
33. To open [cut along dotted line] [twist off cap and remove inner seal][pictogram of scissors]
34. USE ON RESIDENTIAL LAWN AND AS BARRIER TREATMENT
35. USE OUTDOORS AS BARRIER TREATMENT AROUND HOME FOUNDATION

- 36. Stop sign graphic
- 37. Product may also be used in traditional spreader
- 38. Can be used with traditional spreader also
- 39. May also be used with traditional spreader
- see spreader listings on back of the bag
- 40. Can be used in rotary and drop spreaders
- 41. See spreader listing on the back of bag



OPTIONAL MARKETING CLAIMS – INSECT CONTROL

- 1. (Select any listed insect(s)) killer
- 2. [Kills] [Controls] [Fire Ants] up to 6 months
- 3. [Kills] [Controls] [listed insects] [Fire Ants] (Select any listed insect(s))
- 4. [Kills] [Controls] scorpions, and other Southern [listed insects] [listed pests] [listed bugs] up to 1 month
- 5. [Provides] [an] Effective home barrier treatment
- 6. up to 1 month [listed bug] [listed insect] control [guaranteed]
- 7. ALSO KILLS [insect], [insect], [insect], and [insect] [Note to reviewer: any from list of controlled insects on label]
- 8. Controls (insert any listed insect(s)) up to 1 month
- 9. Controls Fire Ants for up to 6 months
- 10. Controls 21 listed Insects
- 11. Controls [listed insects] [listed bugs] up to 1 month [guaranteed]
- 12. Helps protect your home from invading insects such as [insert selection of insect(s) from list of controlled insects] and other listed insects.
- 13. Ideal for [listed bug] [listed insect] control [in] residential [landscape] [beds] [lawn] [ornamental garden] [garden] [around home perimeter]
- 14. 6 Month Control Against Foraging Fire Ants
- 15. Listed Insect [killer] [control] [fighting] [formula] [granules]
- 16. Kills (selection of any listed insects)
- 17. [Kills] [Controls] Scorpions, Fire Ants And Other Southern [listed Insects] [listed Pests] [listed Bugs]
- 18. Kills [Foraging] Fire Ants for up to 6 months[!]
- 19. Kills [listed Insects] [listed Bugs]

- 20. Kills Fire Ants for up to 6 months
- 21. Kills [21] [Types Of] listed Insects
- 22. Kills and controls listed insects in residential[flower] [beds] [gardens] [landscapes] [lawn]
- 23. Kills and protects against [listed insects] [listed bugs] for up to 1 month
- 24. Kills listed bugs [at ground level]
- 25. Kills Fire Ants [And Other listed Insects]
- 26. Kills Fleas And Ticks
- 27. Kills Foraging Fire Ants For Up To 6 Months
- 28. Kills listed [bugs] [insects] outdoors – before they come inside
- 29. Kills listed insects by contact [after watering in]
- 30. Kills listed insects, fleas & ticks for up to 1 month
- 31. Kills listed insects[, fire ants, fleas & ticks] for up to 1 month
- 32. KILLS 21 listed Insect Types as listed
- 33. Kills ticks [[including ticks that may transmit Lyme Disease [and Rocky Mountain Spotted Fever]]]
- 34. Kills ticks lurking in flower [landscape] beds
- 35. Kills ticks that may transmit Lyme Disease
- 36. Note to PM: any listed insects may be represented graphically on product label, including bug icons. Insects will be selected from the list of controlled insects in this label.
- 37. One Application Kills [Listed Insects] [Fire Ants]
- 38. Protects Southern residential [flower] [bed] [gardens] [landscapes] [lawns] against listed [pesky] [insects] [insect pests] up to 1 month
- 39. Protects residential [flower] [bed] [gardens] [landscapes] [lawns] against listed [pesky] [insects] [insect pests] up to 1 month
- 40. Protects Southern residential [flower] [beds] [gardens] [landscapes] [lawns] against damaging listed insects up to 1 month
- 41. Protects residential [flower] [beds] [gardens] [landscapes] [lawns] against damaging listed insects up to 1 month
- 42. Protects plants from damaging listed insects
- 43. Reduces plant loss due to listed insect damage.
- 44. Targets fire ants, ticks and [19] [over a dozen] [of] [other] listed insects [listed pests].
- 45. Water in for effective [listed insect] [listed bug] control
- 46. With [enter BRAND] [listed Insect Killer] [Fire Ant Killer] [Listed Insect Control]
- 47. Works [to [control] [kill] listed insects]
- 48. Kills [21] [21 types of] listed insects [listed pests]
- 49. Guaranteed [Listed Insect] Kill!
- 50. [Controls] [Kills] listed insects for 1 month


OPTIONAL MARKETING CLAIMS - POWER APPLICATOR CAP



1. [For use for home perimeter applications]



2. [For use on garden beds]



- 3. Battery Powered [Cap] [Spreader] [Applicator] [for even coverage] [batteries included]
- 4. Expires [place holder for DATE].
- 5. Limit 1 request per household.
- 6. Void where prohibited.
- 7. [\$1.50] [\$2.00] [\$2.50] [\$3.00] [\$4.00] [\$5.00] off [regular price]
- 8. See store associate for details.
- 9. [\$1.50] [\$2.00] [\$2.50] [\$3.00] [\$4.00] [\$5.00] off a future [Preen] [GreenView] [Ready2Go] purchase [of select Products.]

- 10. Visit [www.Preen.com] [www.GreenViewFertilizer.com][www.Ready2GoSpreader.com] for details.
- 11. [\$1.50] [\$2.00] [\$2.50] [\$3.00] [\$4.00] [\$5.00] Rebate
- 12. [Easy To Use] Battery [Operated] [Powered] [Applicator]
- 13. [1] [2] [AA] [AAA] Batteries [included]
- 14. [2] [AAA] batteries (included)
- 15.
- 16. [Dispenses] [Releases] [Applies] [Granules] [Products] Evenly
- 17. [Easy to Apply-] No Shaking!
- 18. [Easy] [EZ] [Flow] [Even Flow] [MaxControl] [Battery Powered] [Automatic] [Auto] [Shaker] [Power] [Applicator]
- 19. [For] [Provides] [Allows For] [Even] [Precise] [Coverage] [Application]
- 20. [For] [Provides] [Uniform] [Even] [Accurate] Coverage
- 21. flip open and go [and][&] follow all label directions
- 22. hold and go [and][&] follow all label directions!
- 23. [Require[s]] [1] [2] [AA] [AAA] Batteries [[included]]
- 24. [Reusable] [Built in] [Battery Powered] [Motorized] [Power] [Spreader] [Dispenser] [Dispensing] [Cap] [Spout] [Applicator][Included]
- 25. [Specify weight] Refill [Size][Bag]
- 26. [Spreader] [Dispenser]
- 27. [Tips for Use] [Getting Started] [Instructions]
 - [a.] [Unscrew [applicator] cap] [and] [remove protective seal from] [cap] [top of bottle] [top of container]. [Note to the reviewer this step is optional]
 - [b.] [Open battery door and] remove tab to activate batteries. [Note to the reviewer this step is optional]
 - [c.] Turn power switch on while [bottle] [container] [spreader] is in an upright position, [and][then] tilt [bottle] [container] [spreader] toward ground [at a 45-degree angle].
 - [d.] Adjust the angle of the [bottle] [container] [spreader] to control the flow.
 - [e.] When finished, turn power off while [bottle] [container] [spreader] is still pointed downward. [Note to the reviewer this step is optional]
 - [f.] Hold [bottle] [container] [spreader] steady [and apply as directed] [and apply in an even back and forth motion][.] [Note to the reviewer this step is optional]
 - [g.] If motor [gets clogged] [stops] [stops working], turn power switch [to] off [position] and manually rotate [the] [color] [dial] [disc] on top of [the] [cap] [lid] [spout cap] [counterclockwise] [clockwise] [in direction of arrow] to dislodge [granules] [product]. [Turn power back on to resume application.] [Note to the reviewer this step is optional]
 - [h.] Pictogram of proper use of spreader. [Note to the reviewer this step and pictogram are optional]
 - [i.] Use protective eyewear when using battery powered cap. [Note to the reviewer this step is optional].

- 28. [XX]% More [Product] [Coverage]
- 29. Applicator [Scoop] Included [pictogram placeholder for applicator]
- 30. Applies [granules] xx times as fast as shaking!
- 31. Apply on mulch (with pictogram or image of product)
- 32. Automatic motor shut-off when lid is closed
- 33. Battery [shelf] life [up to X hours] [up to X years]
- 34. Battery lasts x hours
- 35. Battery Powered [cap] [for even coverage]
- 36. Battery-Powered Applicator
- 37. Battery-Powered For Even Coverage
- 38. Bonus Size [Covers XX Sq. Ft.]
- 39. Bonus Size!
- 40. Bonus size! XX% more [product] [coverage]
- 41. Dispenses evenly for better results
- 42. Dispose of batteries as per manufacture's direction.
- 43. Easy To Apply – Just Shake On
- 44. Easy To Use [Applicator] [Spreader]
- 45. EASY TO USE APPLICATOR [Insert image]
- 46. Fast [and, &] [Easy] shake-free [dispensing][applicator][dispenser] [spreader] [just hold
[and go] [and][&] follow all label directions]
- 47. Follow manufacturer's directions for battery disposal.
- 48. For [an] [even] [uniform] even flow [and more precise application]
- 49. For [greater] [more accurate] coverage [accuracy]
- 50. For maximum control
- 51. Includes [1] [2] [AA] [AAA] Batteries
- 52. Includes [2] [AAA] Batteries
- 53. Includes [GreenView] [Brand] [Battery Powered] [Spreader] [Dispenser] [Dispensing]
[Applicator][Cap] [Spout] and [1] [2] [specify weight] refill bag[s] [pictogram]
- 54. Instant Savings!
- 55. Just Flip Open & Hold [and][&] follow all label directions
- 56. Lift here to open [Peel here] [pictogram of an arrow]
- 57. Motorized!
- 58. No shaking!
- 59. Press To Reseal
- 60. Ready To Use Granules with Built In [Shaker] Applicator [for rigid plastic containers]
- 61. Releases [distributes] product evenly [for uniform coverage] [for best results]
- 62. Reusable [battery-powered] [power] [applicator] [fits all [Brand] bottles] [See use
directions for reuse instructions.]
- 63. Reusable applicator fits all [Brand] [GreenView] Bottles
- 64. Reusable Container. See use directions for reuse instructions.
- 65. Saves Time
- 66. Shake on Mulch [with placeholder pictogram Shaker [applicator] and product]
- 67. Simply press to close

68. Special Value[!] [Bonus Value] [!]

69. Tips for Use

- a. Turn power switch on while bottle is in an upright position and then tilt toward ground.
- b. Adjust the angle of the bottle to control the flow.
- c. Hold bottle steady and apply in an even back and forth motion.
- d. When finished turn power off while bottle is still pointed downward.
- e. If motor gets clogged or stops working, turn power switch off and manually rotate [blue][any color] dial on top of cap to dislodge granules.
- f. Use protective eyewear when using battery powered cap.
- g. Pictogram of proper use of spreader. [Note to the reviewer this step and pictogram are optional]

70. To replace batteries, open battery door [loosen and remove screws in underside of cap to reveal battery housing]

71. Up to [X minutes] of continuous spreading

72. Value Pack [!]

73. When storing container at end of season, remove batteries [to prevent leakage].

OPTIONAL MARKETING CLAIMS - PREEN BRAND OF PRODUCTS

- 1. Preen ® is a registered trademark of Lebanon Seaboard Corporation
- 2. Preen works so you don't have to®
- 3. Try [these] other Preen products:
 - a. [Preen Lawn Stepsaver Weed Control Plus Fertilizer]
 - b. [Preen Weed & Grass Killer]
 - c. [Preen Mulch Plus]
 - d. [Preen [Garden] Weed Preventer Plus Plant Food]
 - e. [Preen Landscape Weed Control Fabric]
 - f. [Preen Organic Vegetable Garden Weed Preventer]
 - g. [Preen [Garden] Weed Preventer]
 - h. [Preen [Garden] Weed Preventer with Battery-Powered Spreader Cap]
 - i. [Preen Southern Weed Preventer]
 - j. [Preen Southern Weed Preventer with Battery-Powered Spreader Cap]
 - k. [Preen Southern Weed Preventer Plus Plant Food]
 - l. [Preen Lawn Crabgrass Control]
 - m. [Preen Lawn Weed Control Plus Crabgrass Preventer]
 - n. [Landscape Mulch]
 - o. [Preen Lawn Weed Control]
 - p. [Preen Lawn Crabgrass Preventer]
 - q. [Preen Lawn Crabgrass Control]
 - r. [Preen Lawn Stepsaver Weed Control Plus Fertilizer]
 - s. [Preen Lawn Weed & Feed]

19/41

- t. [Preen Lawn Weed Control]
 - u. [Preen Lawn Weed Control Plus Crabgrass Preventer]
 - v. [Preen Garden Weed Preventer Plus Plant Food]
 - w. [Preen Garden Weed Preventer]
 - x. [Preen Vegetable Garden Organic Weed Preventer]
 - y. [Preen Southern [Gardens] Weed Preventer]
 - z. [Preen Southern [Gardens] Weed Preventer Plus Plant Food]
 - aa. [Preen Landscape Fabric]
 - bb. [Preen Weed Control Fabric]
 - cc. [Preen Mulch Plus]
2. Visit www.preen.com
 3. Visit www.preen.com for gardening tips, [and] [valuable offers] [and more information on Preen products.]
 4. Preen Guarantee
 To the extent consistent with applicable law, Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Lebanon Seaboard Corporation, 1600 East Cumberland St., Lebanon, PA 17042.

To the extent consistent with applicable law, the manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the face hereof. All statements made concerning this product apply only when used as directed.

OPTIONAL MARKETING CLAIMS - GREENVIEW BRAND OF PRODUCTS

1. GreenView® (logo) **GREENVIEW®**
2. GreenView® is a registered trademark of Lebanon Seaboard Corporation.
3. GreenView® yard wide guarantee [GreenView® logo]



4. [* See back panel for more details] (as part of design only shown when used on label surfaces, other than the back panel)

OPTIONAL MARKETING CLAIMS - READY2GO SPREADER™:




- 1. Ready2Go Spreader™ logo










- 2. Ready2Go SPREADER™
- 3. Ready2Go SPREADER and design is a trademark of Lebanon Seaboard Corporation.
- 4. Ready2Go SPREADER is a trademark of Lebanon Seaboard Corporation.
- 5. Ready2Go SPREADER is a registered trademark of Lebanon Seaboard Corporation.
- 6. www.Ready2GoSpreader.com
- 7. For more information on [Ready2Go Spreader™ products] [BIFENTHRIN 0.2% INSECTICIDE] [additional Ready2Go Spreader™ products], visit [www.Ready2GoSpreader.com] [www.GreenViewFertilizer.com]











- 8.
- 9. Ready2Go SPREADER™ REFILL
- 10. REFILL BAG
- 11. Optional pictograms of Ready2Go Spreader™ that may or may not appear on the product label.











12. Great for spot treatment


- 13. Provides exceptional maneuverability.
- 14. Easy to maneuver for application around landscape
- 15. Battery-powered spreader container is refillable.
- 16. Battery Powered with Refillable Container
- 17. Container is refillable.
- 18. Refillable container
- 19. Listed Insect [control] [killer] and spreader, all in one.
- 20. Container with integrated [battery-powered] spreader [unit] [device] [applicator]
- 21. The Ready2Go Spreader™ way
- 22. It's ready to go.
- 23. Easy set up.
- 24. Easy to Use [!]
- 25. Easy to store.
- 26. Pre-calibrated.
- 27. No settings required.
- 28. Calibrated, No Settings [!]
- 29. Easy to carry.
- 30. Easy to carry and store.
- 31. Easy to hold.
- 32. Hold easily at side.
- 33. Easy to change directions when applying.
- 34. Apply walking forward, or backward.
- 35. You can easily avoid walking through areas where product is applied.
- 36. More flexibility and maneuverability when applying.
- 37. Hand held spreader.
- 38. Battery-powered
- 39. Weighs only [xx] lbs. when container is full.

40. R2G

41. Exceptional value –listed insect [killer] [control] and spreader in one


42. Ready2Go Spreader™ Directions: [Getting started] [(First time use)]

- [1] PLACE the Ready2Go Spreader™ UPSIDE DOWN on a flat surface (the [GREEN] [any color] BASE facing up).




[Optional Pictogram or image]

- [2] HOLD the container steady and TURN the base COUNTER-CLOCKWISE [(to left)][approximately quarter turn] until it STOPS and LIFT to remove.




[Optional Pictogram or image]

- [3] REMOVE the protective seal from the round opening, and [in one smooth movement] PULL the tab from the battery compartment.




[Optional Pictogram or image]

- [4] REALIGN the protruding tabs on the base with the slots on the container and TURN CLOCKWISE [(to right)] until the base LOCKS back in its original position.



[Optional Pictogram or image]


- [5] FLIP the Ready2Go Spreader™ back to the UPRIGHT position. The Ready2Go Spreader™ is now ready to use.



[Optional Pictogram or image]


43. Ready2Go Spreader™ Directions: [Getting started] [(First time use)]

- [1] REMOVE the sticker from the [latch area][side] of the Ready2Go Spreader™.




[Optional Pictogram or image]

- [2] PLACE the Ready2Go Spreader™ UPSIDE DOWN on a flat surface (the [GREEN] [any color] BASE facing up).




[Optional Pictogram or image]

- [3] HOLD the container steady and flip the latch to open.




[Optional Pictogram or image]

- [4] TURN the base [COUNTER-CLOCKWISE] [(to left)] [approximately quarter turn] until it STOPS and LIFT to remove.




[Optional Pictogram or image]

- [5] REMOVE the protective seal from the round opening, and [in one smooth movement] PULL the tab from the battery compartment.




[Optional Pictogram or image]

- [6] REALIGN the protruding tabs on the base with the slots on the container and TURN [CLOCKWISE] [(to right)] until the base LOCKS back in its original position.




[Optional Pictogram or image]

- [7] SECURELY close the latch.



[Optional Pictogram or image]

- [8] FLIP the Ready2Go Spreader™ back to the UPRIGHT position. The Ready2Go Spreader™ is now ready to use.



[Optional Pictogram or image]

44. First time use

- [1] Place unit upside down on a flat surface [as shown].
- [2] Turn the [green] [any color] [R2G] spreader base counterclockwise a quarter turn and lift to remove.
- [3] Remove the protective seal on the container.
- [4] Remove the battery compartment pull tab to [activate] [power the unit].
- [5] [While still in an inverted position], realign the spreader base, with the container. Twist clockwise to lock into position.
- [6] Flip it to the upright position and you are ready to begin applying product.

45. First time use

- [1] Remove the sticker from the [latch area][side] of the Ready2Go Spreader™
- [2] Place unit upside down on a flat surface [as shown].
- [3] Holding the container steady, flip the latch to open.

- [4] Turn the [green] [any color] [R2G] spreader base [counterclockwise] a quarter turn and lift to remove.
- [5] Remove the protective seal on the container.
- [6] Remove the battery compartment pull tab to [activate] [power the unit].
- [7] While still in an inverted position, realign the spreader base, with the container. Twist [clockwise] to lock into position.
- [8] Securely close the latch.
- [9] Flip it to the upright position and you are ready to begin applying product.


46. Directions for applying the product [or product name] to your residential [landscape] [ornamental] [flower] [annual] [bed] [garden] [lawn]:

- [1] Move to the area to be treated.




[Optional Pictograms or images]

- POSITION the Ready2Go Spreader™ comfortably [at] [by] your side (arm fully extended), over the target area, and TURN ON by pulling back the on/off slide switch.




[Optional Pictograms or images]

- [2] When product begins spreading, WALK over the application area at a NORMAL WALKING PACE




[Optional Pictogram or image]

- ([6] [X] seconds for a [25'] [X'] strip).




[Optional Pictogram or image]

- CONTINUE to within [2'] [two feet] of the end of the application area, and begin a new row by taking [2] [TWO] STEPS TO THE RIGHT OR LEFT, and walk back parallel to your first row. There should be a SLIGHT OVERLAP to the spread radius.




[Optional Pictogram or image]

- CONTINUE in this manner until you have finished applying the product.



[Optional Pictogram or image]

- [3] TURN OFF the Ready2Go Spreader™ by PUSHING IN the slide switch.



[Optional Pictogram or image]

- If product remains, store in a cool, dry place. If empty and the application is finished, simply refill the container.

47. Applying product with the Ready2Go Spreader™ applicator:

48. To Apply:

- Be sure you are on the area to be treated.


- Hold the spreader comfortably at your side with arm fully extended downward.
- Pull the [yellow] [any color] slide switch at the side-back of the [spreader]/[container] ON and begin walking to apply.
- Apply according to the application instructions (pace) and pattern diagram (pattern) for best results.
- When product is depleted, push the [yellow] [any color] slide switch IN to turn the spreader OFF.
- If product remains, store in a cool, dry place. If empty and the application is finished, simply refill the container.

49. Target pace

50. Desired pattern

51. Refilling your Ready2Go Spreader™: [To refill your [R2G][Ready2Go] spreader container:]

- [1] PLACE the Ready2Go Spreader™ UPSIDE DOWN on a flat surface [the [GREEN] [any color] BASE facing up].
- [2] HOLD the container steady while TURNING the base COUNTER-CLOCKWISE until it STOPS and LIFT to remove.
- [3] CUT a corner opening on the [BIFENTHRIN 0.2% INSECTICIDE] [refill][bag], and pour into the Ready2Go Spreader™ until the container is FULL.




[Optional Pictogram or image]

- [4] Replace the spreader unit base. [Align tabs and slots and twist clockwise into place.]
- [5] FLIP the Ready2Go Spreader™ to the UPRIGHT position. The Ready2Go Spreader™ is now ready to operate. Follow application instructions.

52. Refilling your Ready2Go Spreader™: [To refill your Ready2Go Spreader Container:]

- [1] PLACE the Ready2Go Spreader™ UPSIDE DOWN on a flat surface [the [GREEN] [any color] BASE facing up].

- [2] HOLD the container steady and flip the latch to open.
- [3] TURN the base [COUNTER-CLOCKWISE] until it STOPS and LIFT to remove.
- [4] CUT a corner opening on the [BIFENTRHIN 0.2% INSECTICIDE] [refill][bag], and pour into the Ready2Go Spreader™ until the container is FULL.



[Optional Pictogram or image]

- [5] Replace the spreader unit base. [Align tabs and slots and twist [clockwise] into place.]
- [6] Securely close the latch.
- [7] FLIP the Ready2Go Spreader™ to the UPRIGHT position. The Ready2Go Spreader™ is now ready to operate. Follow application instructions.

53. To refill your Ready2Go Spreader™ container, while in the off position, flip the unit and place it on a flat surface.

- [1] Holding the container steady, grip the [green] [any color] base and twist it a quarter turn counterclockwise until it stops. Simply lift to remove.
- [2] Open the refill bag, and pour contents into the container base until full.
- [3] Replace the spreader unit base. [Align tabs and slots and twist clockwise into place.]
- [4] Return the container to an upright position and you are ready to go! Follow application instructions.

54. To refill your Ready2Go Spreader™ container, while in the off position, flip the unit and place it on a flat surface.

- [1] Holding the container steady, flip the latch and grip the [green] [any color] base and twist it a quarter turn [counterclockwise] until it stops. Simply lift to remove.
- [2] Open the [refill] bag, and pour contents into the container base until full.
- [3] Replace the spreader unit base. [Align tabs and slots and twist [clockwise] into place.] Secure the latch.
- [4] Return the container to an upright position and you are ready to go! Follow application instructions.

55. To replace batteries:

- Access the battery compartment on the inside of the spreader base.

- Battery compartment door opens by pinching tab and lifting to open.

- 56. Requires [1] [2] [3] [4] [AA] [AAA] [C] [D] batteries (included).
- 57. Batteries are [disengaged] [inactivated] for shipment. [Simply pull [protection] [protective] tab from battery compartment to engage battery power.]
- 58. Use [Battery type] batteries.
- 59. Rechargeable batteries may be used.
- 60. Batteries included, but disabled for shipment. Pull tab from battery compartment to activate.
- 61. Pull tab to activate batteries.
- 62. Do not mix old and new batteries.
- 63. Do not mix alkaline, standard (carbon-zinc), or rechargeable [(ni-cad, ni-mh, etc)] batteries.
- 64. Save time, easy to apply
- 65. Save time.



66.



67.

*As compared to traditional application

- 68. Product goes on evenly.
- 69. No spreader maintenance [just change batteries]


- 70. Battery life typically [insert number] applications.
- 71. No settings.
- 72. No guesswork.
- 73. Minimum set up – Just flip the switch and go!
- 74. Easy to maneuver to avoid trees and shrubs during application.
- 75. Make caring for your [lawn] [landscape] [beds] [garden], easy and fun!
- 76. More even distribution on uneven terrain.
- 77. Ideal for spot treatments or difficult terrains
- 78. Goes on evenly.
- 79. Spreads evenly.
- 80. Don't be afraid to do it yourself and save. Ready2Go Spreader™ makes it easy.
- 81. Storage convenience.
- 82. Easy to store on shelf.
- 83. Integrated battery powered spreader
- 84. Keep your [lawn] [landscape] [beds] [garden] looking the best it can
- 85. The easy way to a beautiful [landscape] [garden] [lawn] [yard]
- 86. Kill [fire ants] [listed insects] in one simple step
- 87. Spreader setting is fixed [No settings required]
- 88. Precalibrated, no settings – get it right every time!
- 89. Change direction easily
- 90. YOU are in control
- 91. A real time saver
- 92. Easy to refill and store
- 93. Remove guesswork. Settings are pre-calibrated.
- 94. Don't worry if you're doing it right. [Ready2Go Spreader™ is just that – Ready to go!]
- 95. No more worries about getting it right. No more guesswork. Just flip the switch and go!
Follow all label directions.

- 96. No spreader to push and pull.
- 97. No maintenance, no clogging.
- 98. Flip container
- 99. Twist [Right] [Left] Base
- 100. Lift Base
- 101. Set Container Upright
- 102. Pull [On] [Off] [Slider] [Lever] [Button][Slide Switch] [On] [Off]
- 103. Push [On][Off] [Slider] [Lever] [Button][Slide Switch] [On] [Off]
- 104. Set on Flat, Stable Surface
- 105. Fill Container
- 106. Refill Container
- 107. Refillable container – use again and again
- 108. Pour Refill Contents Into Container
- 109. Push [Slider] [Lever] [Button][Slide Switch] In to Stop
- 110. Return to upright position
- 111. Relax and Extend Arm
- 112. Hold [Grip] [Handle]
- 113. Reusable applicator base
- 114. Includes [1] [2] [3] [4] [AA] [AAA] [C] [D] batteries
- 115. Dispenses evenly for better results
- 116. Lift here to open.
- 117. Press to reseal
- 118. Remove prior to first use



- 119.
- 120. Use protective eyewear when using battery powered spreader


- 121. See inside booklet for complete directions for use.
- 122. Overlap [Rows] [Slightly] [6] [any number] ["] [inches]
- 123. [:xx] [sec] [seconds]
- 124. R2G
- 125. Visit [www.greenviewfertilizer.com] [for gardening] [for residential lawn] [and weed prevention] tips, [and] [valuable offers] [and more information on] [GreenView products] [Brand products].
- 126. [\$1.50] [\$2.00] [\$2.50] [\$3.00] [\$4.00] [\$5.00] off [regular price] [visit www.Preen.com] [www.GreenViewFertilizer.com] [www.Ready2GoSpreader.com] [for details] [see store associate for details].
- 127. [\$1.50] [\$2.00] [\$2.50] [\$3.00] [\$4.00] [\$5.00] off a future [Preen] [GreenView] [Ready2Go] [Brand] purchase [of select [Brand] products.] [Visit www.preen.com] [Visit www.GreenViewFertilizer.com] [Visit www.Ready2GoSpreader.com] [for details] [see store associate for details].
- 128. [\$1.50] [\$2.00] [\$2.50] [\$3.00] [\$4.00] [\$5.00] rebate [visit www.Preen.com] [visit www.GreenViewFertilizer.com] [Visit www.Ready2GoSpreader.com] [for details] [see store associate for details].
- 129. [\$1 - \$10] Rebate (-) [Visit www.Preen.com] [Visit www.GreenViewFertilizer.com] [Visit www.Ready2GoSpreader.com] for offer details[, and complete terms & conditions.] [Expires [place holder for DATE].] [Limit 1 request per household.] [Void where prohibited.]
- 130. Combo Pack – [BIFENTHIRN 0.2% INSECTICIDE] Ready2Go Spreader™ and [BIFENTHRIN 0.2% INSECTICIDE] Refill Bag[s]
- 131. Value Pack – [BIFENTHRIN 0.2% INSECTICIDE] Ready2Go Spreader™ and [BIFENTHRIN 0.2% INSECTICIDE] Refill Bag[s]
- 132. COMBO PACK: Contains [1] Spreader Container and [1] [X] Refill Bag[s]
- 133. Total Combined Coverage: [X,XXX] Sq. Ft.
- 134. Combo Pack: Contains [1] Ready2Go Spreader™ [Container] with product, and [1] [X] Ready2Go Spreader™ Refill Bag[s]
- 135. Combo Pack: Contains: [1] Ready2Go Spreader™ [Container] with [product name] (X,XXX Sq. Ft. Coverage) and [1] [X] Ready2Go Spreader™ Refill Bag[s] with [BIFENTHRIN 0.2% INSECTICIDE] (X,XXX Sq. Ft. Coverage)
- 136. Combo Pack: [2] Ready2Go Spreaders containing [product name] [a] [-] total coverage of [X,XXX] Sq. Ft.



137. [For use outdoors as a home barrier treatment.] [Avoid application on paved areas.]




138. [For use outdoors [on] [residential lawns,] [and] [garden beds] [and] [for perimeter applications around the home]



140. [For use outdoors as perimeter application around the home]
141. Use outdoors around home for barrier against [ants][,] [and] [insert insect from list]



- 142. [Note to reviewer: label appearing on the container, will reflect the featured product.]
- 143. Simulation
- 144. Dramatization
- 145. Water [lawn] [garden bed] lightly after application to activate.



[Note to Reviewer: XX sec. and XX ft. measure are variable]

OPTIONAL MARKETING CLAIMS – HDX PRIVATE LABEL PRODUCT



1. [HDX logo]

2.

MARKETED THROUGH:
HOME DEPOT
2455 Paces Ferry Rd., N.W.
ATLANTA, GA 30339

46/71

3. PROOF OF PURCHASE

4. PEEL HERE

5. QUESTIONS OR COMMENTS? Call 1-800-[XXX-XXXX]

6. [Distributed][Manufactured] by:
Lebanon Seaboard Corporation
1600 East Cumberland Street, Lebanon, PA 17042

7. © 20[XX] where XX represents current year

8. HDX is a registered trademark of Homer TLC, Inc.

9. SKU [XXX XXX]

10. Garden Club (logo)



11. MEMBERSHIP IS FREE!

OPTIONAL MARKETING CLAIMS – SPECTRACIDE PRIVATE LABEL PRODUCT



- 1. (Spectracide logo)
- 2. FIRE ANT KILLER
- 3. Yard Protection Granules
- 4. Season+ Long Control! Against Red Imported Fire Ants
+ For up to 6 months
- 5. USE ON RESIDENTIAL LAWNS
 - 5. Limits new mound formation
 - 6. Kills Queen and Colony
 - 7. Money Back+ Guarantee
 - 8. Intended For outdoor use around the home.

41/41

9. +For terms of guarantee, see back panel.
10. Spectracide is a registered trademark of United Industries Corporation.
11. Spectracide® Fire Ant Killer Yard Protection Granules™ is a registered trademark of United Industries Corporation].
12. Guaranteed results or your money back
13. If you are not satisfied with this product for any reason, send your written request for a refund to the address [below] [above] together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.
14. Keep children and pets off treated area until product has been watered in and lawn is dry.
15. Product Facts
16. Where to use: Outdoors, on residential lawns and flower and landscape beds and as a band treatment around house foundation.