

DIRECTIONS

Poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not swallow, inhale or allow contact with eyes or clothing. Wash thoroughly after handling and before eating or smoking. Do not contaminate food or feed with this product. Do not apply to or allow this product to drift onto crop or non-crop lands not specifically being treated. Do not apply to any crop not stated on the label. This product is toxic to wildlife. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label. Not for use or storage in or around the home. LACCO STANDARD LEAD ARSENATE is prepared for use on certain crops as listed below. Unless otherwise stated, dosages are given in pounds of this product in 100 gallons of water to be applied as full coverage sprays with conventional equipment. Maximum dosages refer to pounds of this product per acre per application. This product may be toxic to honeybees. To protect bees or other pollinators apply this product early in the morning or late in the evening or when bees are not actively working the field.

APRICOT: Peach twig borer, 3-4 lbs. just before bloom and at petal fall. Do not apply within 30 days of harvest nor exceed 30 lbs. per acre. Do not graze livestock on treated forage. Remove excess residues at time of harvest.



DANGER - POISON

KEEP OUT OF REACH OF CHILDREN



FIRST AID

GRAPE: Leaf roller, leaf folder, 3 lbs. just before bloom. Do not apply after edible parts start to form nor exceed 15 lbs. per acre.

PLUM AND PRUNE: Peach twig borer, 3-4 lbs. just before bloom and again at petal fall. Eye-spotted budmoth, 3 lbs. as tips of leaves are pushing our from buds, repeat in 7-10 days. Do not apply within 30 days of harvest nor exceed 30 lbs. per acre. Do not graze livestock on treated areas. Remove excess residues at time of harvest.

If swallowed give victim 1 tablespoonful table salt in glass of water. Repeat until vomit fluid is clear. After, give 2 tablespoonfuls Epsom salt or milk of magnesia and force fluids. Call a physician in all cases of suspected poisoning.

NOTICE

Recommendations for the use of this product are based upon information believed to be reliable at time of printing. The use of this product being beyond the control of the LOS ANGELES CHEMICAL COMPANY, no guarantee, expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe and sound practice. THE BUYER must assume all responsibility including injury and/or damage, resulting from its misuse as such or in combination with other products.


ACTIVE INGREDIENT: % BY WT.

*Standard Lead

Arsenate..... 93.6%

INERT INGREDIENTS:.... 6.4%

*Total lead as metallic, 55.9% by wt. this product. Total arsenic as metallic 20.2% by wt. this product. Total water soluble arsenic as metallic, 0.5% by wt. this product.



MANUFACTURED BY

LOS ANGELES CHEMICAL COMPANY

1000 ARDENE STREET, LOS ANGELES, CALIFORNIA 90024