

EPA REG. NO. 962-291-AA
EPA EST. NO. 962-CA-1



COPRO 53

INGREDIENT:	
Oxychloride Sulfate*	94.6%
REDUCENTS:	5.4%
Total	100.0%

*Equivalent to 53% copper metallic by wt. this product

OUT OF REACH OF CHILDREN
CAUTION

IF SWALLOWED, DO NOT SWALLOW OR INHALE.

See Additional precautions on side panel.

PRACTICAL TREATMENT: (First Aid)

ED: Administer water freely and induce vomiting by striking finger out. Repeat until vomit fluid is clear. Professional medical assistance secured immediately.

Rinse off material and wash skin with soap and water. Get medical if irritation persists.

Wash with plenty of water for at least 15 minutes. Get medical attention.

Remove to fresh air. IF NOT BREATHING: give artificial respiration mouth to mouth. Get medical attention. Never give anything by mouth to an unconscious person.

NET WEIGHT

LOS ANGELES CHEMICAL COMPANY

5315 ANNE STREET, SOUTH GATE, CALIFORNIA 90261

PEACHES, PLUMS, BLOSSOM BUDS: Apply 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

California Only: Peaches: Apply 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

WALNUT: Walnut Buds: Apply 2.2 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

California Only: Walnut Buds: Apply 2.2 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

FIELD AND ROW CROPS

For disease control in the following crops, use 2 to 4 lbs. LACCO COPRO 53 per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

BEANS: Downy Mildew: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CALIFLOWERS: Downy Mildew: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

CARROTS: Leaf Blight: Leaf Spot: Apply 2 to 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

ORNAMENTALS

AZALEAS, RHODODENDRONS, FERN BUDS: Apply 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

FLOWERING PLANTS: DAHLIAS (Blossom Buds): Apply 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

MAPLES: (Blossom Buds): Apply 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

PACHYSAURUS: (Blossom Buds): Apply 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

VERNA: (Blossom Buds): Apply 4 lbs. per 100 gallons of water per acre by ground or in 10 gal. sprays at 7 to 10 day intervals. Do not exceed 4 to 8 lbs. per acre.

NOTICE: The manufacturer for the use of this product are hereby disclaiming any liability for damage or injury to property or persons caused by the use of this product beyond the control of the manufacturer. The manufacturer is not responsible for damage or injury to property or persons caused by the use of this product beyond the control of the manufacturer.

LACCO

MAY 20 1968