
LOT NO.



NET WEIGHT POUNDS



DANGER-POISON

KEEP OUT OF REACH OF CHILDREN



Poisonous if swallowed: Do not swallow or inhale dust or mist. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling and before eating or smoking. Do not allow this product to contaminate food, feed or water.

FIRST AID


If swallowed, give victim 1 tablespoonful of table salt in a glass of warm water. Repeat until vomit fluid is clear. After, give the victim 2 tablespoonsful milk of magnesia or epsom salts and force fluids. Call a physician in all cases of suspected poisoning.

DESTROY CONTAINER WHEN EMPTY - STORE IN ORIGINAL CONTAINER - KEEP CONTAINER CLOSED

ACTIVE INGREDIENTS:

MANUFACTURING PUEPCSES FOR RESALE

> LOS ANGELES CHEMICAL COMPANY 4545 A-DINE CTREET SOUTH GATE, CALIFORNIA 90230





READ ENTIRE LABEL BEFORE USING THIS PRODUCT DIRECTIONS FOR USE

COTTON: M & D is useful as a directed spray application to weeds in cotton for post-emergent control of weeds and grasses, including Johnsongrass, nutsedge, watergrass, goosegrass, dallisgrass, and cocklebur.

Mix at a rate of 1 gallon of M & D (equivalent to 4½ pounds DSMA Hexahydrate) plus 1 quart of suitable surfactant in 50 gallons of water. Apply at a broadcast rate of 40 gallons of this solution per acre. For band application, apply at a rate of one gallon of this solution for each one inch of band width to be treated on cotton grown in 40 inch rows. A second application may be required during humid growing conditions. Time the second application, if necessary about 1 to 3 weeks after the first application.

APPLY ONLY WHEN COTTON IS 3 INCHES HIGH TO FIRST BLOOM. DO NOT FEED TREATED FOLIAGE TO LIVESTOCK, OR GRAZE TREATED AREAS.


Slight burning and a reddish discoloration of the cotton leaf may occasionally occur following the recommended treatment, but the cotton plant will develop normally.

NON-CROP: M & D is useful for controlling Johnsongrass, nutsedge, watergrass, goosegrass and other weeds on drainage ditch banks, rights of way, storage yards and similar non-crop areas.

Mix M & D at a rate of 1 gallon of M & D (equivalent to 4½ pounds of DSMA Hexahydrate) plus 1 quart of suitable surfactant in 50 gallons of water. Spray the unwanted vegetation thoroughly to the point of run-off. Any spray equipment that gives good coverage may be used. If regrowth occurs re-treat as required.

NOTICE

No warranty, expressed or implied, is made concerning this material except that it conforms to the chemical description on the label. The buyer assumes all risk in using this material. The seller shall not be responsible for any personal injury or property damage resulting from the handling, storage or use of this material.




Hall breathing in a sate and does washed

AN CALL PI FOR DO PURPOS Use in accol

cessive

Fill and add filling thorough when it before to other to ment the

sprayer should also so Proper (AD, ALLOW COTTON LOT NO.



NET WEIGHT

POUNDS

WHITE ARSENIC



DANGER-POISON

KEEP OUT OF REACH OF CHILDREN



Poisonous if swallowed: Do not swallow or inhale dust or mist. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling and before eating or smoking. Do not allow this product to contaminate food, feed or water.

FIRST AID

If swallowed, give victim I tablespoonful of table salt in a glass of warm water. Repeat until vomit fluid is clear. After, give the victim 2 tablespoonsful milk of magnesia or epsom salts and force fluids. Call a physician in all cases of suspected poisoning.

DESTROY CONTAINER WHEN EMPTY - STORE IN ORIGINAL CONTAINER - KEEP CONTAINER CLOSED COMPOSITION

ACTIVE INGREDIENTS:

FOR MANUFACTURING PURPCSES ONLY NOT FOR RESALE

LOS ANGELES CHEMICAL COMPANY 4545 A-DINE STREET SOUTH GATE, CALIFORNIA 90280

