

Sodium Arsenite Is Deadly Poison

NOTICE

Before Sodium Arsenite may be sold for use in California, the user must obtain a permit from the County Agricultural Commissioner's Office in the county where such use is intended.

This product is toxic to wildlife. Birds and other wildlife in treated areas may be harmed. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is a concentrated solution and may crystallize if stored at temperatures below 0° C (32° F).

The Food and Drug Administration have established residue tolerances on most pesticides. Directions should be carefully followed to avoid excessive residue at time of harvest.

NOTICE: Recommendations for the use of this product are based upon information believed to be reliable at time of printing. The use of this product being beyond the control of LOS ANGELES CHEMICAL COMPANY, no guarantee, expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe and sound practice. THE BUYER must assume all responsibility including injury and or damage, resulting from its misuse as such or in combination with other products.



COMPOSITION	
ACTIVE INGREDIENTS*: Sodium Arsenite	52.5%
INERT INGREDIENTS:	47.5%
* (Arsenic all in water soluble form except as metallic)	30.0%
* Equivalent Arsenic Trioxide	40.0%

CONTAINS 6 LBS. ARSENIC TRIOXIDE PER GAL.



DANGER - POISON



KEEP OUT OF REACH OF CHILDREN

POISONOUS if swallowed, inhaled or absorbed through the skin or eyes! Do not swallow or inhale spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling and before eating or smoking. Do not contaminate food or feed. Do not allow livestock or other beneficial animals to graze in treated areas. Not for use or storage in or around the home.

FIRST AID

INTERNAL: If swallowed or inhaled induce vomiting by giving victim 1 tablespoonful of Table Salt in glass of water. Repeat until vomit fluid is clear. Follow with 2 tablespoonfuls of Epsom Salts or Milk of Magnesia and force fluids.

EXTERNAL: If spilled on the skin, remove contaminated clothing, wash with soap and water and rinse with vinegar. If in the eyes, flush with saturated boric solution.

**CALL A PHYSICIAN IN ALL CASES OF SUSPECTED POISONING!
NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON!
KEEP THE VICTIM PRONE AND QUIET!
GIVE ARTIFICIAL RESPIRATION IF THE VICTIM STOPS BREATHING!
TRANSPORT THE VICTIM IMMEDIATELY TO THE NEAREST PHYSICIAN!**

KEEP CONTAINER CLOSED

STORE IN ORIGINAL CONTAINER

DESTROY OR RETURN CONTAINER WHEN EMPTY

LOT NUMBER

NET CONTENTS

GALLONS

CTTTB1071


DIRECTIONS

LACCO SODIUM ARSENITE SOLUTION NO. 6 is prepared for use against certain plant diseases, structural pests and weedy plants as listed below.

GRAPES: (Dosages per acre.) Black Measles, Dead Arm, 1½ gallon in 300 gallons water full coverage to cordon-pruned vines, 4 weeks after pruning wounds heal but before bud-break. Thompson Seedless or can-pruned vines, 1 gallon in 200 gallons water to trunks and branches after pruning but before bud-break. Do not spray canes or apply after dormancy.

WEED CONTROL IN AREAS TO BE PAVED: (Dosages per 270 sq. ft.) Annual weeds and grass, apply 2/3 gal. in late winter or early spring. Perennial weeds and grass, apply 1-1/3 gal. in rainy season on light textured soils, 4 gal. on medium textured soils.

SUBTERRANEAN TERMITES: For Industrial or Commercial termite control only. Apply in trench 30 inches deep, but not below the top of footing, if this is shallower. Trench must extend all the way around the building being treated. Use one gallon of the mixture per linear foot of trench including backfill soil. (Use two gallons per five linear feet for trenches less than 15 inches deep). Also soak under and around porches and around each of the piers under the building.



LOS ANGELES CHEMICAL COMPANY