

## CAUTION

May be fatal if swallowed. Harmful if inhaled or absorbed through the skin or eyes. Do not swallow or inhale vapor or spray mist or allow contact with skin, eyes or clothing. Avoid contact with food or feeds. If swallowed, induce vomiting by giving the victim 1 Tablespoon of table salt in a glass of water. If on skin, remove contaminated clothing and wash with soap and water; if in eyes, flush with running water. Call a physician in all cases of suspected poisoning. Do not use in dairy barns or milkhouses.

Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

**NOTICE:** Recommendations for the use of this product are based upon information believed to be reliable at time of printing. The use of this product being beyond the control of LOS ANGELES CHEMICAL COMPANY, no guarantee, expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe and sound practice. The BUYER must assume all responsibility including injury and/or damage, resulting from its misuse as such or in combination with other products.



# HI-LIN

CONTAINS 1 LB. LINDANE PER GAL.

FOR SPOT APPLICATION ONLY

### ACTIVE INGREDIENTS:

Lindane (Gamma Isomer of Benzene Hexachloride) .....	12.9%
Xylene .....	78.4%
INERT INGREDIENTS .....	8.7%

## CAUTION

**KEEP OUT OF REACH OF CHILDREN**

**KEEP CONTAINER CLOSED. DO NOT LEAVE IN SUNSHINE.**

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

**WARNING — FLAMMABLE!**

**KEEP AWAY FROM HEAT OR OPEN FLAME**

See other precautions on the back/side panel.

LOT NUMBER

NET CONTENTS

1 QUART

CTTTB474

MANUFACTURED BY

LOS ANGELES CHEMICAL COMPANY

## DIRECTIONS

**LACCO HI-LIN** is prepared for use against certain household and structural pests as listed below. Dosages are given in terms of fluid quarts of this product.

**HOUSEHOLD:** 1 quart in 25 gallons as a coarse, wet spray or with a paint brush as directed for the control of the following pests. Repeat as needed to maintain effective control. May cause staining in some cases.

**ANTS:** Apply to ant trails, door sills, window frames, openings around water pipes, heat ducts, electrical outlets, baseboards and other areas where ants may enter rooms.

**ROACHES, WATERBUGS:** Apply to infested cracks, hiding places and adjacent exposed surfaces where pests may crawl when not in hiding.

**MOSQUITOES:** Apply to doors, door sills, screens, window frames, and other areas where the pests frequently alight.

**SILVERFISH:** Apply to baseboards and areas behind shelving, bookcases and storage spaces.

**FLEAS:** Apply to infested areas around baseboards, windows and door frames, wall cracks, sleeping quarters of household pets and localized areas of floors and floor coverings; place fresh bedding in animal quarters after treatment and do not apply directly to pets.

## DIRECTIONS (Continued)

**FLIES:** 1 quart in 8 gallons of water. Apply to doors, door sills, screens, window frames, and other areas where pests frequently alight.

**STRUCTURAL:** 1 quart in 25 gallons of water, pre-construction. Apply as a coarse, wet spray, or with a paint brush. Inspect treated areas annually for signs of infestation.

**SUBTERRANEAN TERMITES:** Slab construction, use a solution of 1 quart to 3½ gallons of water. For treatment before gravel or cinder fill has been added, apply 1 gallon of solution per 10 square feet of soil surface. Where fill has already been added, apply 1½ gallons per 10 square feet. Conventional construction, use a solution of 1 quart to 3½ gallons of water. Apply to trench 6 inches wide and up to 30 inches deep for buildings with deep foundations along both sides of exterior and interior foundations, around piers and under utility entrances; placing about 1/3 of the solution in the bottom of the trench with the remaining 2/3 mixed into the soil as the trench is backfilled. Use 2 gallons of solution per 5 linear feet for trenches not over 15 inches deep and 4 gallons per 5 linear feet for trenches exceeding 15 to 18 inches in depth. On voids of unit masonry walls, apply to 125 linear feet, from the surface of the soil to the footing.

962-366