

EPA REG. NO. 962-1195
EPA EST. 962-CA-1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Keep out of reach of children. May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residue on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

GENERAL INFORMATION

Diazinon 4S Insecticide is an oil solution containing 4 lbs of Diazinon per gallon. It is intended for use by pest control operators, after dilution with insecticidal base oils, for the control of those insects specified on this label. Diazinon 4S is not intended for use in manufacture of finished products for resale.

NOTE: The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber and asphalt materials such as tiles and floor coverings. Do not treat such materials. When used in dwellings, care should be taken to avoid deposits which could be frequently contacted by children. Do not allow children in treated areas until surfaces are dry. Do not contaminate food, food containers or cooking utensils.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.


STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Triple rinse or equivalent and offer for recycling, reconditioning or disposal in approved landfill or bury in a safe place. Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.



FOR USE BY PEST CONTROL OPERATORS ONLY

**DIAZINON 4S
INSECTICIDE**



CONTROLS:

**ANTS SILVERFISH SPIDERS COCKROACHES
AND OTHER HOUSEHOLD PESTS**

ACTIVE INGREDIENTS:

O, O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	48.70%
Aromatic petroleum derivative solvent	44.02%
INERT INGREDIENTS	7.28%
TOTAL	100.00%

**DIAZINON 4S INSECTICIDE CONTAINS 4 LBS. DIAZINON PER GALLON.
FOR DILUTION WITH INSECTICIDE BASE OILS.**

**KEEP OUT OF REACH OF CHILDREN
WARNING**

See side (back) panel for additional precautionary statements.

PRACTICAL TREATMENT: (FIRST AID)

IF SWALLOWED: Call a physician immediately. Gastric lavage is indicated if material was taken internally.

DO NOT INDUCE VOMITING unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Give artificial respiration if victim stops breathing. Get medical attention immediately.

IF ON SKIN: Remove contaminated clothing and wash contaminated skin with soap and water.

IF IN EYES: Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

LOT NO.

NET CONTENTS

LOS ANGELES CHEMICAL COMPANY

4535 4-CINE STREET SOUTH GATE CALIFORNIA 90220


BEST DOCUMENT AVAILABLE

EPA REG. NO. 962-195
EPA EST. 962-CA-1



BEST CONTROL ONLY

DIAZINON 4S INSECTICIDE



CONTROLS:

SILVERFISH SPIDERS COCKROACHES
AND OTHER HOUSEHOLD PESTS

INGREDIENTS:

Di-O-(2-isopropyl-6-methyl-4-pyrimidinyl)	
phosphate	48.70%
petroleum derivative solvent	44.02%
INGREDIENTS	7.28%
TOTAL	100.00%

THIS INSECTICIDE CONTAINS 4 LBS. DIAZINON PER GALLON.
FOR DILUTION WITH INSECTICIDE BASE OILS.

OUT OF REACH OF CHILDREN WARNING

side (back) panel for additional precautionary statements.
TREATMENT: (FIRST AID)
AD: Call a physician immediately. Gastric lavage is indicated if maintained internally.
IF VOMITING unless other treatment is not available. Vomiting may cause pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
Remove victim to fresh air. Give artificial respiration if victim stops breathing. Call a physician immediately.
Remove contaminated clothing and wash contaminated skin with soap and water.
Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

NET CONTENTS

TO CONTROL HOUSEHOLD INSECTS: Dilute LACCO Diazinon 4S Insecticide with deodorized kerosene or other suitable base oil to make 1/2% or 1% spray and apply as indicated below. Repeat application as necessary. Use contents within 6 months after opening. Keep tightly closed.

Spray Dilution Chart

Gals. of Finished Spray	Amount of LACCO Diazinon 4S Insecticide to use for:	
	1/2% Spray	1% Spray
1	1 fl. oz.	2 fl. oz.
2	2 fl. oz.	4 fl. oz.
3	3 fl. oz.	6 fl. oz.
10	10 fl. oz.	20 fl. oz. (1 1/4 pts.)
25	25 fl. oz. (1.6 pts.)	50 fl. oz. (3.1 pts.)

*2 Tablespoons = 1 fl. oz.

COCKROACHES (WATERBUGS), ANTS AND SILVERFISH

Make spot applications of 1/2% coarse spray or apply with a paint brush to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves and similar areas where these insects hide.

For heavy cockroach infestations, make the first application at a strength of 1% followed by monthly applications of 1/2% spray.

CARPET BEETLES

Apply a 1/2% spray in spot applications along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving, and wherever these insects are seen or suspected.

SPIDERS AND SCORPIONS: Apply a 1/2% spray around windows, doors and along baseboards. Make spot applications to other areas over which these pests may crawl.
PANTRY PESTS - EXPOSED STAGES (SAWTOOTHED GRAIN BEETLE, FLOUR BEETLE, RICE WEEVIL, CIGARETTE BEETLE, DRUGSTORE BEETLE, INDIAN MEAL MOTH): Apply a 1/2% spray to the shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed.

BROWN DOG TICKS IN BUILDINGS: Make thorough application of a 1/2% spray to infested areas around baseboards, windows and door frames, wall cracks, sleeping quarters of household pets and localized areas of floors and floor coverings. Fresh bedding should be placed in animals' quarters following treatment. Do not treat animals with formulation.

NOTICE: Recommendations for the use of this product are based upon information believed to be reliable at time of printing. The use of this product being beyond the control of LOS ANGELES CHEMICAL COMPANY, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe and sound practice. THE BUYER must assume all responsibility including injury and/or damage resulting from its misuse as such or in combination with other products.

LOS ANGELES CHEMICAL COMPANY
4515 AND 10 STREET SOUTH GATE, CALIFORNIA 90263

27

BEST DOCUMENT AVAILABLE