

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

**PHYSICAL OR CHEMICAL HAZARDS
ENVIRONMENTAL HAZARDS**

GENERAL INFORMATION

LACCO Diazinon 4E Insecticide is a systemic insecticide for control of insects on ornamentals and turf.

LACCO Diazinon 4E Insecticide is a systemic insecticide for control of insects on ornamentals and turf.

LACCO Diazinon 4E Insecticide is a systemic insecticide for control of insects on ornamentals and turf.

LACCO Diazinon 4E Insecticide is a systemic insecticide for control of insects on ornamentals and turf.

LACCO Diazinon 4E Insecticide is a systemic insecticide for control of insects on ornamentals and turf.

LACCO Diazinon 4E Insecticide is a systemic insecticide for control of insects on ornamentals and turf.

LACCO Diazinon 4E Insecticide is a systemic insecticide for control of insects on ornamentals and turf.

LACCO Diazinon 4E Insecticide is a systemic insecticide for control of insects on ornamentals and turf.

LACCO Diazinon 4E Insecticide is a systemic insecticide for control of insects on ornamentals and turf.

LACCO Diazinon 4E Insecticide is a systemic insecticide for control of insects on ornamentals and turf.

LACCO Diazinon 4E Insecticide is a systemic insecticide for control of insects on ornamentals and turf.

LACCO Diazinon 4E Insecticide is a systemic insecticide for control of insects on ornamentals and turf.

LACCO Diazinon 4E Insecticide is a systemic insecticide for control of insects on ornamentals and turf.

LACCO Diazinon 4E Insecticide is a systemic insecticide for control of insects on ornamentals and turf.

LACCO Diazinon 4E Insecticide is a systemic insecticide for control of insects on ornamentals and turf.

LACCO Diazinon 4E Insecticide is a systemic insecticide for control of insects on ornamentals and turf.

LACCO Diazinon 4E Insecticide is a systemic insecticide for control of insects on ornamentals and turf.

EPA Reg. No. 962-396
EPA Est 962-CA-1



FOR USE BY PEST
CONTROL OPERATORS
ONLY

**DIAZINON 4E
INSECTICIDE**

**CONTROLS:
ANTS, SPIDERS, COCKROACHES, WHITEFLIES, FLEAS
CERTAIN OTHER HOUSEHOLD PESTS, AND TURF
AND ORNAMENTAL PESTS**

ACTIVE INGREDIENTS:	
O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	47.5%
Aromatic petroleum derivative solvent	39.4%
INERT INGREDIENTS:	
Total	100.0%

LACCO DIAZINON 4 E CONTAINS 4 LBS. DIAZINON PER GALLON.

**KEEP OUT OF REACH OF CHILDREN
WARNING**

See side (back) panel for additional precautionary statements.

Practical Treatment: (First Aid)
IF SWALLOWED: Call a physician immediately. Gastric lavage is indicated if material was taken internally.
DO NOT INDUCE VOMITING unless other treatment is not available. Vomiting may cause aspiration pneumonia.
If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
IF INHALED: Remove victim to fresh air. Give artificial respiration if victim stops breathing. Get medical attention immediately.
IF ON SKIN: Remove contaminated clothing and wash contaminated skin with soap and water.
IF IN EYES: Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

LOT NO.

962-396
DEC 9 '70

NET CONTENTS

LOS ANGELES CHEMICAL COMPANY

ORNAMENTAL INSECTS: To control insects on ornamentals such as Arbutus, Azalea, Bush Broom, Camellia, Carnation, Chrysanthemum, Dogwood, Elm, Gladiolus, Hawthorn, Hibiscus, Juniper, Lilac, Magnolia, Maple, Oak, Pine, Plum, Papyrus, Rhododendron, Rose, Spirea, and Willow apply the recommended rates indicated below.

Insects	Amount LACCO Diazinon 4E to Use	
	per 2 gals. water	per 100 gals. water
Aphids, Bagworms, Carrot root mites, Carnation shoot mites, Clover mites, Cyclamen mites, Dipterous leafminers, European pine shoot moths, Flea beetles, Holly bud moths, Leafhoppers, Oblique root weevils, Omnivorous leafhoppers, Prived mites, Scale crawlers: Cottony scale, Lecanium, Pine needle, San Jose scale, Thrips, Two-spotted mites, Webworms, Whiteflies	1/2 fl. oz.*	1 pt.*
Apple and cherry skeletonizers, Caneborer webworms, Fall webworms, Hemlock chermes, Oak leopards, Oblongheaded cutworms, Pear slugs, Tent caterpillars	1 1/2 fl. oz.*	3 pts.*

*1 fl. oz. = 2 tbsp.; 16 fl. oz. = 1 pt.
Do not use on Ferns, Poinsettia, Hibiscus, Pilea, and Gardenia, since injury to the plants may occur.
MINOR WORMS: Mix 1/2 fl. oz. (1 tablespoon) in 3 gals. of water (or 1 pt. in 100 gals. of water) and apply as a thorough foliar spray when adults first appear. Make a second and third application at 4-5 week intervals.
LAWN INSECTS: To control insects listed below, apply recommended rates. For insects such as Ants, Brown dog ticks, Fleas, Millipedes, Sowbugs, and Springtails (Collembola), which are commonly found near the house and may enter the house, spray a 3-ft. band of soil around the house as well as the house foundation wall to a height of 2-3 ft. Repeat application if necessary.

Insects	Rate per 1,000 sq. ft. Diazinon 4E water	Remarks
Lawn Chinch Bugs	2-3 fl. oz. or 3-6 fl. oz.	Use higher rate for larger residual control and in lawns of dense growth, such as St. Augustine lawn.
Ants, Armyworms, Clover mites, Springtails (Collembola), Crickets, Cutworms, Digger worms, Earwigs, Fire flies, Lawn billbugs, Sod webworms (Lawn moth), Sowbugs	4 fl. oz.	Spot spray adults and sweep ground nest openings. For lawn billbugs, irrigate the lawn thoroughly immediately after treatment. For fire flies, mow grass and water well before treatment. Delay application until grass is dry. Do not water again until necessary.
Brown dog ticks, Horned mites, Chiggers, Fleas, Leafhoppers	1 1/2 fl. oz.	Use only on soil. For brown dog ticks, spray grass and under shrubbery, particularly near house.
Millipedes	3 fl. oz.	Apply when crawlers first emerge.
Rhodesgrass scales	3 fl. oz.	Apply when crawlers first emerge.

*Application may be made in 2 gals. of water per 1,000 sq. ft. Thoroughly water treated area immediately following application.
WORMS: Spray outside the home with 1 1/2-2 1/2 fl. oz. (2-3 tablespoons) in 1 gal. of water. At the same time, spray thoroughly around foundation, windows, doors, trim, and into cracks and other places where the insects hide. Do not permit children or pets to go on the sprayed grass until spray has completely dried.

NOTE: Recommendations for the use of this product are based upon information believed to be reliable at time of printing. The use of this product being beyond the control of LOS ANGELES CHEMICAL COMPANY, no guarantee, expressed or implied, can be made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe and sound practice. THE BUYER must assume all responsibility for any injury and/or damage resulting from the use of such or in combination with other products.