

EPA REG. NO. 962-398 AA
EPA EST. NO. 962-CA-1



SODIUM ARSENITE SOLUTION NO. 4

CONTAINS 4 POUNDS ARSENIC TRIOXIDE PER GALLON

ACTIVE INGREDIENT:		
Sodium Arsenite*		43.4%
INERT INGREDIENTS:		56.6%
	Total	100.0%

*Total Arsenic, all in water soluble form, expressed as elemental 25.0% Equivalent Arsenic Trioxide 33.0%

KEEP OUT OF REACH OF CHILDREN



DANGER - POISON



See Additional Precautions on Side Panel.

PRACTICAL TREATMENT: (FIRST AID)

IF SWALLOWED OR INHALED: Induce vomiting by placing a finger far back into the throat. Repeat until vomit fluid is clear.

IF ON SKIN: Remove contaminated clothing, wash skin with soap and water.

IF IN EYES: Wash with water for at least 15 minutes. Get medical attention.

CALL A PHYSICIAN IN ALL CASES OF SUSPECTED POISONING!

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON!

KEEP THE VICTIM PRONE AND QUIET!

GIVE ARTIFICIAL RESPIRATION IF THE VICTIM STOPS BREATHING!

TRANSPORT THE VICTIM IMMEDIATELY TO THE NEAREST PHYSICIAN!

LOT NUMBER

30

NET CONTENTS
GALLONS

LOS ANGELES CHEMICAL COMPANY

LACCO SODIUM ARSENITE SOLUTION NO. 4 PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Poisonous if swallowed, inhaled or absorbed through the skin or eyes! Do not swallow or inhale spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling and before eating or smoking. Do not contaminate food or feed. Do not allow livestock or other beneficial animals to graze on treated areas.

Persons mixing, transferring or applying this material shall wear clean outer clothing daily, such as long-sleeve coveralls, or shirt and trousers; and shall wear safety equipment including gloves and boots made of neoprene or similarly impervious material and a half-face respirator with appropriate cartridges approved by NIOSH; and shall wash their face, arms and hands after exposure and before eating, drinking, smoking and before leaving the work site each day.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife. Birds and other wildlife in treated areas may be harmed. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

NOTICE: Recommendations for the use of this product are based upon information believed to be reliable at time of printing. The use of this product being beyond the control of LOS ANGELES CHEMICAL COMPANY, no guarantee, expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe and sound practice. THE BUYER must assume all responsibility including injury and or damage, resulting from its misuse or such as, in combination with other products.

ACCEPTED
NOV 28 1980

It is a violation of a manner inconsis

STOR:

This product is a crystallize if stor (32 F). Pesticide chemical processed approved for pest away from water's State or Local d alternative proced

NOTICE: Before S for use in Californ from the County A in the county wher

LACCO SODIUM / use against certain

GRAPES: Black M Leaf Necrosis (De spraying; treat fou ing and tying. This pruning wounds

Mix 3 quarts per pruned vines, apply 200-300 gallons per other cane-pruned arms. Do not spr gallons per acre. bud break

Rates of spray sol size of vines and nu

TO CONTROL V INDUSTRIAL AI TREATMENT: E apply 1-1/3 quarts early sprtg. For p per 100 sq ft in sals, 1 gallon per sals and 1-1.3 gall tuted soil. When letched-in area. D LACCO SODIUM ter acre

EPA REG. NO. 962-398 AA
EPA EST. NO. 962-CA-1



SODIUM ARSENITE SOLUTION NO. 4

CONTAINS 4 POUNDS ARSENIC TRIOXIDE PER GALLON

ACTIVE INGREDIENT:	
Sodium Arsenite*	43.4%
INERT INGREDIENTS:	56.6%
Total	100.0%

*Total Arsenic, all in water soluble form, expressed as elemental 250% Equivalent Arsenic Trioxide 33.0%

KEEP OUT OF REACH OF CHILDREN



DANGER - POISON



See Additional Precautions on Side Panel.

PRACTICAL TREATMENT: (FIRST AID)

IF SWALLOWED OR INHALED: If face vomiting by placing a finger far back into the throat. Repeat until vomit has cleared.

IF ON SKIN: Remove contaminated clothing; wash skin with soap and water.

IF IN EYES: Wash with water for at least 15 minutes; get medical attention.

CALL A PHYSICIAN IN ALL CASES OF SUSPECTED POISONING!

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON!

KEEP THE VICTIM PRONE AND QUIET!

GIVE ARTIFICIAL RESPIRATION IF THE VICTIM STOPS BREATHING!

TRANSPORT THE VICTIM IMMEDIATELY TO THE NEAREST PHYSICIAN!

LOT NUMBER

50

NET CONTENTS
GALLONS

LOS ANGELES CHEMICAL COMPANY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

This product is a concentrated solution and may crystallize if stored at temperatures below 0°C (32°F). Pesticide or rinsate that cannot be used or chemical processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. General: Consult Federal, State or Local disposal authorities for approved alternative procedures.

NOTICE: Before SODIUM ARSENITE may be sold for use in California, the user must obtain a permit from the County Agricultural Commissioner's Office in the county where such use is intended.

LACCO SODIUM ARSENITE NO. 4 is prepared for use against certain plant diseases listed below.

GRAPES: Black Measles and Phomopsis Shoot and Leaf Necrosis (Deadarm). Prune grapevines before pruning; treat four (4) weeks or more after pruning and tying. This period is needed for healing of pruning wounds.

Mix 3 quarts per 100 gallons of water. On spur-pruned vines, apply as a full-cover spray at rates of 200-300 gallons per acre. On Thompson Seedless and other cane-pruned vines, apply only to trunks and arms. Do not spray canes. Use rates of 100-200 gallons per acre. Complete all treatments before bud break.

Rates of spray solution will vary depending upon size of vines and number of vines per acre.

TO CONTROL VEGETATION IN FENCED-IN INDUSTRIAL AREAS OR FOR PREPAVING TREATMENT: For annual weeds and grasses, apply 1-1.3 quarts per 100 sq. ft. in late winter to early spring. For perennial weeds, apply 2-2.3 quarts per 100 sq. ft. in rainy season on light textured soils, 1 gallon per 100 sq. ft. on medium textured soils and 1-1.3 gallons per 100 sq. ft. on heavy textured soils. When used to control vegetation in fence-line area, DO NOT exceed 12-1.2 gallons of LACCO SODIUM ARSENITE SOLUTION NO. 4 per acre.