

DIRECTIONS FOR USE

General Classification

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

HOUSEHOLD: For sanitizing, disinfecting and deodorizing in Homes, Schools, Hospitals, Food Processing Plants, Dairies, Restaurants, Bars, and other institutions. To disinfect previously cleaned hard inanimate surfaces (such as walls, floors, table tops) apply LACCO Sterizol 5-5 Disinfectant solution with mop, cloth, or sponge, or mechanical sprayer so as to wet thoroughly. Allow to remain wet for 10 minutes and then let air dry. For disinfection, a pre-cleaning step is required and recommended. Prepare a fresh solution for each use.

DILUTION RATES: General Disinfection - add 3 ounces per 5 gallons of water. Hospital Disinfection - Add 3 1/2 ounces per 5 gallons of water. When used as recommended, it is effective as a sanitizer against Escherichia coli and Staphylococcus aureus; and as a disinfectant against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa. LACCO Sterizol 5-5 Disinfectant is authorized under the Food additive Amendment of the Federal Food, Drug and Cosmetic Act for use as a sanitizing solution at 200 PPM level without requiring a final potable water rinse.

DEODORIZER: To deodorize, apply LACCO Sterizol 5-5 Disinfectant solution as indicated under the heading "General Disinfection" above. This product deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, pet areas and any other areas which are prone to odors caused by microorganisms.

HOSPITALS: Mildewstat - to control mold and mildew on pre-cleaned, hard non-porous surfaces (such as floors, walls, table tops). Add 3 ounces of LACCO Sterizol 5-5 Disinfectant per gallon of water. Apply solution with a cloth, mop or sponge, making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat applications at weekly intervals or when mildew growth reappears.

In Nursing Homes, Institutions - to disinfect previously cleaned hard inanimate surfaces (such as sink tops, garbage pails, telephones and restroom area surfaces), add 3 1/2 ounces per 5 gallons of water, apply the solution with a mop, cloth, sponge, or mechanical sprayer, so as to wet thoroughly. Allow to remain wet for 10 minutes and then let air dry. When used as directed at this level, the product is effective against Pseudomonas aeruginosa PRD-10. For heavily soiled or contaminated areas a pre-cleaning step is required.

PRECAUTIONARY STATEMENTS

Hazards to Human and Domestic Animals

DANGER

Keep Out of Reach of Children. Causes severe eye and skin damage. Do not get in eyes, or on clothing. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA Reg. No. 962-400
EPA Est. No. 962-CA-1



STERIZOL 5-5 DISINFECTANT

VIRUCIDE* DEODORIZER
MOLD AND MILDEWSTAT SANITIZER

FOR USE IN:

HOMES SCHOOLS HOSPITALS
FOOD PROCESSING PLANTS
DAIRIES RESTAURANTS AND BARS

ACTIVE INGREDIENTS: n-Alkyl (60% C₁₄, 30% C₁₂, 5% C₁₀) dimethyl benzyl ammonium chlorides 5%

n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl ammonium chlorides 5%

INERT INGREDIENTS: 90%

TOTAL 100%

LACCO STERIZOL 5-5 DISINFECTANT is a concentrate and must be diluted before using.

KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for additional precautionary and practical treatment statements.

LOT NUMBER

NET CONTENTS

LOS ANGELES CHEMICAL COMPANY

4545 ARCADE STREET SOUTH GATE, CALIFORNIA 90260

FOOD 1
non-por
200 pp
require

DAIRIES
first c
taining
WATER

RESTA
wash v
solution
WATER

VIRUC
hard s
A. (re
and m
fection

COLD
barber
taining

FOR 1
virion
standa
anima
revolv
6208
reserv
6. Set
averag
to en
room
lowing

NOTE:
believe
control
plied
accor
assum
as su

- I
pos
TAL
PES
cess
a s
CON
erat

USE

on

in a manner inconsistent with

sterilizing in Homes, Schools, Hospitals, Bars, and other institutions. To use (such as walls, floors, table tops) with mop, cloth, or sponge, and to remain wet for 10 minutes. This step is required and recommended.

4. oz. per 5 gallons of water. Hose of water.

Sanitizer against Escherichia Coli against Staphylococcus aureus, and LACCO Sterizol 5-5 Disinfectant of the Federal Food, Drug and Cosmetic Act.

5-5 Disinfectant solution as above. This product deodorizes and any other areas which are

Remove on pre-cleaned, hard non-porous surfaces. Use 3 ounces of LACCO Sterizol 5-5 Disinfectant solution with a cloth, mop or sponge, and dry. Prepare a fresh solution for use when mildew growth

Previously cleaned hard inanimate surfaces and restroom area surfaces). Solution with a mop, cloth, sponge, and to remain wet for 10 minutes. At this level, the product is effective on soiled or contaminated areas.

REMARKS

For Animals

and skin damage. Do not get in eyes or on face shield and mouth of food. Remove and wash

TREATMENT

Wash with plenty of water for at least 10 minutes. Wash all contaminated egg whites, gelatin solution, or other food. Call a physician.

AN

Use of gastric lavage. Measures and convulsion may be needed.

EPA Reg. No. 962-400
EPA Est. No. 962-CA-1



STERIZOL 5-5 DISINFECTANT

GERMICIDE*

DEODORIZER

MOLD AND MILDEWSTAT

SANITIZER

FOR USE IN:

HOMES SCHOOLS HOSPITALS

FOOD PROCESSING PLANTS

DAIRIES RESTAURANTS AND BARS

ACTIVE INGREDIENTS: n-Alkyl (60% C₁₂, 30% C₁₄, 5% C₁₆) dimethyl benzyl ammonium chloride 5%

n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl ammonium chlorides 5%

INERT INGREDIENTS 90%
TOTAL 100%

LACCO STERIZOL 5-5 DISINFECTANT is a concentrate and must be diluted before using.

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See side panel for additional precautionary and practical treatment statements.

LOT NUMBER

NET CONTENTS

LOS ANGELES CHEMICAL COMPANY

4545 ARDINE STREET SOUTH GATE, CALIFORNIA 90265

FOOD PROCESSING EQUIPMENT: For sanitization of previously cleaned and first non-porous food contact surfaces, dilute 1 ounce to 4 gallons of water to provide a 200 ppm of active ingredients. At this level, NO POTABLE WATER RINSE is required.

DAIRIES: To sanitize dairy equipment such as tanks, lines, pans and milk cans, first clean and rinse the equipment thoroughly, then apply sanitizing solution containing 1 ounce to 4 gallons of water (200 ppm). At this level, NO POTABLE WATER RINSE is required. Follow recommendations of Local Health Department.

RESTAURANT AND BAR RINSE: Dishes, glassware, silverware, cooking utensils, wash with soap or synthetic detergent, rinse thoroughly and immerse in a sanitizing solution containing 1 ounce to 4 gallons of water. NO TERMINAL POTABLE WATER RINSE REQUIRED.

VIRUCIDAL ACTIVITY: This product, when used in environmental inanimate hard surfaces at 300 ounces per 5 gallons of water, is effective against Influenza A (representative of the flu virus), Herpes simplex (causative agent of blisters and mononucleosis), Adenovirus Type 2 (causative agent of upper respiratory infections), and Vaccinia Virus (representative of the pox virus group).

COLD DISINFECTION: For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments into solution containing 300 ounces per 5 gallons of water for 10 minutes.

FOR ROOM FOGGING: To minimize the danger of cross-contamination from environmental surfaces, apply solution as a fog as described below, before applying standard routine terminal cleaning and disinfecting practices. 1. Remove all human, animal, and plant life from room. 2. Open closet doors and drawers. 3. Set up 30" revolving platform in center of room. 4. Mount Jet FOG-MASTER TRI-SET MODEL 620s or other fogging device delivering equivalent spray at 3 spm. 5. Fill sprayer reservoir at 14 ounces to 1 gal. of water to produce 115 ppm active ingredients. 6. Set sprayer mechanism to deliver a gallon of solution. 7. For 15 minutes for an average 2100 cu ft. room. For different room sizes vary spray time proportionately to ensure complete wetting of exposed surfaces. 8. Wait 2 hours before entering room after treatment. 9. Rinse fogging equipment thoroughly with clear water following use.

NOTICE: Recommendations for the use of this product are based upon information believed to be reliable at time of printing. The use of this product being beyond the control of LOS ANGELES CHEMICAL COMPANY, no guarantee, expressed or implied, is made as to the effect of such or the results to be obtained if not used in accordance with directions or established safe and sound practice. The BUYER must assume all responsibility, including injury and/or damage, resulting from its misuse as such or in combination with other products.

STORAGE AND DISPOSAL

— DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL — OPEN DUMPING IS PROHIBITED — DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL: Pesticides that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide or buried in a safe place.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

962-400