

BEST DOCUMENT AVAILABLE



PRECAUTIONS CONTINUED

- Do not get in eyes. If in eyes, flush with water for 15 minutes. If in mouth, spit out and swallow. Do not swallow.
- Wear a respirator of a type approved by the U.S. Department of Agriculture (see list next column entitled "Approved Respirators"). Wear natural rubber gloves, overshoes, protective clothing and goggles.
- Wash with soap and water after handling and before drinking, eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.
- Take bath or shower using plenty of soap and water after work. Keep all unprotected persons out of operational area or vicinity where there may be danger of drift until one hour after spraying is completed.

POISON SYMPTOMS

DELNAV is a highly toxic cholinesterase inhibitor. Symptoms include: Headache, blurred vision, weakness, nausea, vomiting, in chest, vomiting, abdominal cramps, diarrhea, sweating, sweating and pin-point pupils.

ALWAYS CALL A PHYSICIAN IN CASES OF SUSPECTED POISONING

ATROPINE IS ANTIDOTAL

FIRST AID TREATMENT: If victim has stopped breathing, immediately remove from contaminated area, then start artificial respiration, preferably by mechanical means.

IF SWALLOWED: and victim is conscious, induce vomiting immediately. Give tablespoon of salt in glass of warm water. Repeat until vomit fluid is clear. Never give anything by mouth to unconscious person. Have victim lie down and keep quiet.

INHALATION: Remove patient from contaminated area.

SKIN: In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water. Avoid abrading skin. When skin appears clean, bathe or swab with ethyl alcohol.

EYES: In case of contact, flush immediately with water for at least 15 minutes.

INFORMATION FOR PHYSICIAN: Initial measures include removal of secretion, maintenance of a patent airway and, if necessary, artificial respiration. When cyanosis has been relieved, atropine must be administered in large therapeutic doses, repeated as necessary to the point of tolerance. Never use morphine. Continue to flush out the poison, may occur and fatal relapses have been reported after initial treatment of very close supervision of the patient is indicated for at least 48-72 hours.

OBSERVE THE FOLLOWING USE PRECAUTIONS

READ ENTIRE LABEL BEFORE USING USE ONLY FOR CROPS RECOMMENDED

Do not contaminate or store near food, feed, or other products. Wash hands and clothing after use. Do not apply where weather or other factors may cause drift from area treated.

In order that pesticide residues on food crops taken for human consumption shall comply with the Federal Food and Drug Administration's tolerance levels, use only at recommended rates and observe the following: Do not apply to harvestable crops less than 14 days before harvest. Do not apply to areas occupied by any livestock or human habitation. Do not apply to areas occupied by any livestock or human habitation. The grower is responsible for residues on his crops and for the damages caused by drift from his property to that of others.

Do not use in areas where there is a high concentration of birds, fish, or other animals. Do not use in areas where there is a high concentration of bees, butterflies, or other insects. Do not use in areas where there is a high concentration of plants or animals. Do not use in areas where there is a high concentration of people.

APPROVED RESPIRATORS

American Lung Association, Inc., 1201 16th St., N.W., Washington, D.C. 20036
Minn. Safety Appliances Co., Inc., 1000 W. 1st St., Minneapolis, Minn. 55402
Minn. Safety Appliances Co., Inc., 1000 W. 1st St., Minneapolis, Minn. 55402
Minn. Safety Appliances Co., Inc., 1000 W. 1st St., Minneapolis, Minn. 55402
Minn. Safety Appliances Co., Inc., 1000 W. 1st St., Minneapolis, Minn. 55402

NOTICE: Stauffer Chemical Company makes no warranty, express or implied, including the warranties of merchantability and or fitness for any particular purpose concerning this material, except those which are contained on Stauffer's label.

RESTRICTED USE PESTICIDE

For restricted use only. Do not use on food crops unless specifically approved by the U.S. Department of Agriculture.



DELNAV® 8

ORGANOPHOSPHORUS INSECTICIDE EMULSIFIABLE LIQUID

CONTAINS 8 LBS. DELNAV PER GALLON

ACTIVE INGREDIENTS
Dichlorvos (2,2-dichloro-1,1-dimethoxyethane) 8.0%
INERT INGREDIENTS



POISON DANGER

Keep Out of Reach of Children

**EXTREMELY POISONOUS LIQUID.
RAPIDLY ABSORBED THROUGH SKIN AND EYES.
POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN, EYES, OR THROUGH CONTAMINATED CLOTHING.**

Protect From Temperatures Below 0°F. Do not use in areas where there is a high concentration of people.

Lot No.

STAUFFER CHEMICAL COMPANY
WESTPORT, CT 06880

Not use only by Certified Agent or Licensed Persons. Get the Facts for those uses covered by the manufacturer's label with it.



CONTAINS 8 LBS. DELNAV PER GALLON

15

100.00

Keep Out of Reach of Children

POISONOUS LIQUID.
ABSORBED THROUGH SKIN AND EYES.
SWALLOWED, INHALED OR ABSORBED THROUGH THE
OR THROUGH CONTAMINATED CLOTHING.

Additional precautions, SYMPTOMS, FIRST AID, TREATMENT, and PREVENTION

Below 0 F

GAL. NET

FFER CHEMICAL COMPANY
WESTPORT, CT 06880

[illegible]

SUGGESTED WATER RATES FOR AIRCRAFT AND GROUND APPLICATION The water meter is designed to provide the following water service rates for use with all types of water meters except as specified for certain uses. The following rates are the minimum rates and are subject to change without notice.

Crop	Gal. Water Acre/yr.	Acres Ground
Vegetable and Field Crops	100,000	1,000
Orchard, Grapes	100,000	1,000
Orchard Crops	100,000	1,000
Citrus	100,000	1,000
Grapes	100,000	1,000

FRUIT AND NUT CROPS - The following crops are grown in the area:

Maximum permissible rate per acre, expressed as a percentage of the total available water in the aquifer, is 10%.

household appliances and containers. Discharge equal waste in place in uplands located away from water (see 6).

• REFUGATE EMP - MIRA, CONTAINERS MUST BE
KINDLY ASG

APPLES, PEARS, AND QUINCES For control of mites use 1.5% solution of Dieldrin in 100 gallons of water for control of mites. Apply 1.5% solution of Dieldrin spray at the rate of 1 qt. of spray per 100 sq. ft. of water. Do not make more than 2 applications after the first. Dieldrin does not apply with oil. Wash harvest bins and fruit from treated apples to prevent damage to fruit.

APRICOTS, CHERRIES, PEACHES, PLUMS, PRUNES - For a
100 gallon use 4 1/2 pt. of Delnav 9 F in 100 gallons of water.
(1/2 gallon of water will make 1 gallon of 100 gal.)

CITRUS—Use using orange, grapefruit, lemon, lime, tangelo, and tangeline. For control of citrus thrips, Citrus red mite, and citrus rust mite, combine 1 to 2 qt. to 1 gal. of Texas Citrus mite, 50% wettable emulsion with 1.00 gallon of water. Cyfluthrin equivalent is 0.005 to 0.010 gal. of 10% wettable emulsion of water per gallon of Citrusate. One application will usually bring mite infestation under control. Do not make applications to oranges, grapefruit, tangelo, and tangerines within 3 months of each other. Do not use Citrusate on the tree at the time of the previous application. Do not apply more than twice a year to lemons and limes. Do not make a second application to lemons and limes within 3 months of the first application. (1.0 gal.)

WALNUTS For control of mites on walnuts use 3.1 pt of Derris from 100 gallons of water. Apply at the rate of 50 to 80 gallons per acre to assure thorough coverage of all foliage. Do not use more than 1 gallon per acre per application. Treat when mites are abundant. If mites are found, do not spray after husk fall. Do not use to avoid possible residues on the nuts at harvest.

GRAPES - Control of fruit and grape leafhoppers on grape vines at a rate of 1.4 fl. pt. per acre in sufficient water to wet all parts of the vines. Applications may be made 10 to 14 days before harvest. Do not apply to vines that are about to form. Delay & F may be applied at 1.4 fl. pt. per acre. However, do not make more than one application after berries begin to form, and do not apply more than 10 days before harvest. (Maximum application directions)

[illegible]