

AFFILIATED

SCREW WORM MEDICATION

Effectively kills and controls screw worms, fleece worms, and blow flies on cattle, sheep, swine, goats and horses.

ACTIVE INGREDIENTS

- Gamma isomer of Benzene
- Hexachloride from Lindane . . . 1.94%
- Mineral Oil 52.22%
- INERT INGREDIENTS 45.84%**
- E.P.A. Reg. No. 984-45-AA

CAUTION: Keep out of the reach of children. Contents under pressure. Carefully read other cautions on side panel.

NET WEIGHT 14 OUNCES

Manufactured for
AFFILIATED
 LABORATORIES DIVISION
 WHITMOYER LABORATORIES, INC.
 MYERSTOWN, PENNSYLVANIA 17087
 SUBSIDIARY OF ROHM AND HAAS COMPANY



DIRECTIONS FOR USE

Protection against screw worms. Spray wounds caused by shear cuts, castration, de-horning, dog bites, wire cuts and docking as soon as possible to help avoid screw worm infestation. Repeat after 7 days if wound is not completely healed.

Treatment of screw worm infestation in superficial wounds. Spray directly into and one inch around infested wounds, also drainage area below wound. Repeat treatment twice weekly until wound is healed.

Fleece worms and other secondary blow flies. Spray the infested wounds and area 2 or 3 inches around wound. Repeat when necessary.

Shake well before application. Release spray by pressure of forefinger on nozzle on top of can. Direct spout and spray away from you. Avoid spray contact with face or eyes. Hold 3 inches from wound and spray until completely wet. Pause until foaming ceases and then spray again into and around wound.

Do not use more than necessary on wounds. Use extra precautions treating newborn calves, regardless of location of wound. Navels of newborn calves may be treated with no more than 3 seconds of spraying in any one day.

FOR VETERINARY USE ONLY

CAUTION: May be absorbed through skin. Avoid breathing spray mist. Avoid contact with skin. In case of contact, wash immediately with soap and water. Harmful if swallowed. Keep out of reach of children.

Avoid contamination of feed and food-stuffs. Do not use on cats, dogs or other household pets or humans. Do not use on dairy animals. Avoid inhalation. Do not use in or around eyes.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

LOT NO.

211207

Printed in U.S.A.

