

AFFILIATED

PET PEST SPRAY

KILLS — fleas, lice, ticks, and gnats on dogs and cats.

REPELS — flies, mosquitos and gnats.

ACTIVE INGREDIENTS:

| | |
|---|---------------|
| Pyrethrins | 0.075% |
| Technical Piperonyl Butoxide | 0.150% |
| (Equivalent to 0.12% (butylcarbityl) (6-propylpiperonyl) ether and 0.03% related compounds.) | |
| N-octyl bicycloheptene dicarboximide | 0.250% |
| Technical Methoxychlor | 0.500% |
| (Equivalent to 0.44% 2, 2-bis (p-methoxyphenyl)-1, 1, 1-trichloroethane and 0.06% other isomers and related compounds.) | |
| Malathion* | 0.250% |
| 2, 3:4, 5-Bis (2-butylene) tetrahydro-2-furaldehyde | 0.200% |
| Petroleum Distillate | 4.275% |
| | <u>5.700%</u> |

INERT INGREDIENTS 94.300%

*O, O-dimethyl dithiophosphate of diethyl mercaptosuccinate.

U.S.D.A. Reg. No. 984-48

CAUTION: Keep out of reach of children. Contents under pressure. See other cautions on side panel.

NET WEIGHT 10 OUNCES

PET PEST SPRAY DIRECTIONS FOR USE

Apply spray to the animal from a distance of 8 to 12 inches. Start spraying the tail, moving the dispenser rapidly and make sure that the animal's entire body is covered including the legs and under the body. As you spray, fluff the hair so that the spray will penetrate into the fur. For cats, spray on the basis of a 4 to 6 second application to a 5 pound animal. For dogs, spray on the basis of a 20 to 30 second application to a 25 pound animal. Repeat treatments, if necessary, should not be more often than once weekly. Make sure spray wets ticks. Do not spray into the eyes, face or scrotum. Do not overspray.

Thoroughly spray animal's living quarters and bedding, attempting to contact directly as many insects as possible.

CAUTION: Harmful if swallowed. Do not treat animals under one month of age. Avoid breathing spray mist. Avoid contact with the skin; wash thoroughly after using. Avoid contamination of feed and foodstuffs. Do not use on birds or around fishbowls.

Do not store when temperature may exceed 120° F.

Do not puncture or incinerate this container.

Manufactured for

AFFILIATED
LABORATORIES DIVISION
WHITMOYER LABORATORIES, INC.
MYERSTOWN, PENNSYLVANIA 17067
SUBSIDIARY OF **ROHM AND HAAS COMPANY**



12703

Printed in U.S.A.

