

WHITMOYER

TRYAD™

A multiple-use cleanser, disinfectant and deodorant for hatcheries and livestock buildings.

BACTERICIDAL

FUNGICIDAL

ACTIVE INGREDIENTS

n-alkyl (50% C ₁₂ , 40% C ₁₀ , 10% C ₈) dimethyl benzyl	
ammonium chloride	5.00
Sodium hydroxide	3.00
Tetrasodium Salt of ethylenediamine tetraacetic acid	0.88

INERT INGREDIENTS

Contains compatible detergents

0.12

EPA Reg. No. 984-56

EPA Est. 984-PA-1

DANGER: Keep out of reach of children. See side panel for first aid and other precautions.

NET CONTENTS 1 GALLON (U.S.)

Always use protective clothing when handling this product. Avoid contact with eyes. If contact occurs, flush eyes with water for 15 minutes. If swallowed, drink water. Do not induce vomiting. Wash hands thoroughly after use.

Hatchery — For general cleaning of hatchery equipment, add 1 part TRYAD to 100 parts water. For disinfection, add 1 part TRYAD to 10 parts water. Hot or cold water may be used. Wash with water and disinfect.

Incubators and Hatcher — Remove loose waste from trays. Wash with a fresh solution for each tray.

Setter and Hatcher Trays — Soak trays if possible. Wash with water and disinfect. Wash with water and disinfect.

Racks and other hatchery equipment — Brush with solution and disinfect.

Floors and Walls — Wash with water and remove dirt. Wash with water and disinfect. Wash with water and disinfect.

Poultry & Livestock Buildings — Wash with water and disinfect. Wash with water and disinfect.

DIRECTIONS FOR USE

Use TRYAD for cleaning and disinfecting poultry and other animal buildings by official methods. At a use of 1 ounce TRYAD per gallon of water, the test is against fungi, Trichophyton interdigitale, Aspergillus fumigatus and Aspergillus niger. When used on inanimate surfaces when subjected to the A. fumigatus test, the following dilutions: 1 part TRYAD to 250 parts water (1 oz. gallon) are generally recommended.

Hatchery — TRYAD can be used for cleaning, disinfecting and deodorizing floors, walls and equipment prior to use in hatcheries. At 1 part TRYAD to 250 parts of water or approximately 1 ounce TRYAD per gallon of water, the following dilutions may be used. Use 1 ounce per gallon of water on surfaces which are difficult to clean and disinfect.

Incubators and Hatchers — Remove loose waste material and scrub all surfaces with TRYAD solution. Then wash with clean water and dry before use of equipment.

Setter and Hatcher Trays — Soak trays in solution and then scrub to properly clean and disinfect. TRYAD solution is effective against most bacteria and fungi.

Racks and other hatchery equipment — Rub with TRYAD solution. Scrape away any adhering dirt or debris and then scrub with clean water.

Floors and Walls — Sweep or vacuum floors to remove loose dirt accumulation. Using 1 ounce of TRYAD per gallon of water, scrub all accessible surfaces. Following this, prepare a solution of 1 part TRYAD to 250 parts water and spray surfaces until they are thoroughly wet.

Poultry & Livestock Buildings — Use TRYAD solution spray in properly cleaned and prepared buildings with the following instructions:

1. Sweep or vacuum floors to remove loose dirt and debris.
2. Use TRYAD solution spray on all surfaces of pens, stalls, chutes and other equipment.
3. Use TRYAD solution spray on all surfaces of pens, stalls, chutes and other equipment.
4. Use TRYAD solution spray on all surfaces of pens, stalls, chutes and other equipment.
5. Use TRYAD solution spray on all surfaces of pens, stalls, chutes and other equipment.
6. Use TRYAD solution spray on all surfaces of pens, stalls, chutes and other equipment.
7. Use TRYAD solution spray on all surfaces of pens, stalls, chutes and other equipment.
8. Use TRYAD solution spray on all surfaces of pens, stalls, chutes and other equipment.
9. Use TRYAD solution spray on all surfaces of pens, stalls, chutes and other equipment.
10. Use TRYAD solution spray on all surfaces of pens, stalls, chutes and other equipment.

Other Applications — Use for cleaning and disinfecting floors, walls and equipment in trucks and other equipment. One half ounce TRYAD per gallon of water is recommended. Use 1 ounce per gallon of water when used on surfaces which are difficult to clean.

For Washing Hatching Eggs — Use 1 ounce TRYAD per gallon of water in egg washing equipment. Do not reuse egg wash water.

DANGER: Keep Out of Reach of Children. Undiluted product is corrosive and causes severe eye and skin irritation. Do not get in eyes, on skin, or on clothing. During use, wear protective gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for several minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink **promptly** a large quantity of milk, egg whites, or other substance if available; drink large quantities of water. Avoid alcohol and a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may be caused by the use of this product. Measures against circulatory shock, respiratory depression and convulsions may be needed.

Rinse empty container thoroughly with water before disposal.

CODE 6661 1401 A360

Whitmoyer Laboratories, Inc.
WHITMOYER
 LABORATORIES, INC.
 1000 N. 10th St.
 P.O. Box 1000
 St. Paul, Minn. 55101
 A ROHM AND HAAS COMPANY



ACCEPTED

416-3-1000
 1000 N. 10th St.
 P.O. Box 1000
 St. Paul, Minn. 55101
 A ROHM AND HAAS COMPANY