

DLP-787^{T.M.}

**KILLS RATS AND MICE IN ONE FEEDING
FOR PEST CONTROL OPERATOR USE ONLY**

Active Ingredient:
N-3-pyridylmethyl N'-p-nitrophenyl urea 2%
Inert Ingredients 98%

EPA REG. NO. 984-63
EPA EST. 984-PA-1

**KEEP OUT OF REACH OF CHILDREN.
WARNING
MAY BE FATAL OR HARMFUL IF SWALLOWED.
SEE OTHER WARNINGS ON RIGHT PANEL.**

Manufactured by
WHITMOYER 
LABORATORIES, INC.
1000 W. 10TH AVENUE, SUITE 100
DENVER, COLORADO 80202
A ROHM AND HAAS COMPANY

NET WEIGHT 10 POUNDS

ACCEPTED
AUG 20 1976
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 984-63

DLP-787

For control of the following species:
Norway or Common Brown Rat (*Rattus norvegicus*)
Roof or Black Rat (*Rattus rattus*)
House Mouse (*Mus musculus*)

DLP-787 is a single-dose, quick kill rodenticide, for use in and around homes, industrial and agricultural buildings, and similar man-made structures. For most effective control, limit alternate food sources as much as possible and bait until all signs of feeding stop.

DIRECTIONS

It is a violation of Federal Law to use this product
inconsistent with its labeling

Bait must be placed in areas not accessible to children, cats, other pets, wildlife and domestic animals or in tamperproof bait boxes. Keep out of lakes, ponds or streams. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label. Fresh bait material should be provided. Replace damp, stale or moldy bait promptly. If infestation recurs, treat again after a 30-day interval.

RATS: For Norway and roof rats, put 1 to 2 Place Packs (1.3 to 2.6 oz.) in places where rats travel, feed or drink. If Place Packs are not opened or removed by rodents, they should be relocated in a more suitable area. Rat movement is most often along walls, in corners, or concealed places. For outdoor use, place in active rat holes or tamper-proof bait boxes. Check bait daily and provide an uninterrupted supply of bait until all signs of feeding or Place Pack removal stop.

MICE: For house mice, place 1/4 to 1/2 of contents of one Place Pack (.3 to .7 oz.) per bait placement. Bait placements should be 8 to 10 feet apart near runways, burrows or feeding areas. For outdoor use, protect bait from rain or snow. Check stations daily and provide an uninterrupted supply of bait until all signs of feeding stop.

Hazards to Humans and Domestic Animals

Warning: Keep Out of Reach of Children, Cats, Other Pets, Domestic Animals and Livestock. Avoid contamination of feed and foodstuffs. May be fatal or harmful if swallowed or inhaled. Avoid skin contact. Do not breathe dust. Wash after handling.

In case of contact, flush skin and/or eyes with plenty of water. Get medical attention for eyes. If swallowed, induce vomiting and call a physician. Wash hands, arms and face with soap and water after handling and before eating or smoking.

Storage and Disposal

Storage: Store in dry place out of reach of children and domestic animals.

Disposal: Do not reuse empty container. Destroy by perforation or crushing. Bury in a safe place away from water supplies.

CODE 1970-C217

LOT NO.

Printed in U.S.A.