

FRONT PANEL---

2 Pound Poly Bag packed in Metal Rat-A-Cater Bait Station (tamper-proof)

Rat - A - Rat Killer
Cater

KILLS RATS AND MICE

ACTIVE INGREDIENTS:

Diphacinone-2-Diphenylacetyl-1,3-indandione..... 0.005%

INERT INGREDIENTS:..... 99.995%

100.000%

ACCEPTED
SEP 1 1970
715 15

USDA Reg.No. _____

CAUTION: KEEP OUT OF THE REACH OF CHILDREN

NO BAIT SHYNESS WITH RAT-A-CATER

CAUTION

Protect children, pets, and domestic animals from bait. If swallowed by humans, domestic animals, or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such case, intravenous and oral administration of vitamin K combined with blood transfusions are indicated as in the case of hemorrhage caused by overdose of bishydroxycoumarin.

RRK contains Diphacinone, an anticoagulant chemical that reduces the clotting ability of the blood and, upon repeated feedings, causes fatal hemorrhage in rats.

... Ready to use-no mixing-no cracking

DIRECTIONS

RATS: Place the minimum bait placement of 4 ounces of RRK Pellets in places where rats are known to feed or frequent. RRK contains an anti-coagulant. Place baits in locations not accessible to children, pets and domestic animals or in tamper proof bait boxes. The RAT-A-CATER Company recommends the use of bait boxes, cages or suitable coverings which should be examined regularly and replenished before bait supply is exhausted. Baiting should be continued as long as evidence of feeding is observed - generally five to fourteen days.

MICE: Place the minimum bait placement of 1/4 to 1/2 ounce (tablespoonful) per placement at 8 to 12 foot intervals. Baiting should be continued as long as evidence of feeding is observed-generally fifteen days.

NOTE: Bury or destroy rodents found on premises. Bait which has deteriorated due to becoming sour or moldy, should be promptly replaced.

NET WEIGHT 2 POUNDS

Manufactured for
Rat-A-Cater Company
1910 University Avenue
Saint Paul, Minnesota 55106

Signal Word: 13 pt. type

Statement: 12 pt. type