

SUPERIOR W. W. 42 RAT & MOUSE POISON

CAUTION:

**KEEP OUT OF
REACH OF
CHILDREN AND
PETS.**

If swallowed, give emetic of salt water and repeat until vomit is clear. Call physician at once.

NOTE TO PHYSICIAN: Give Vitamin K and treat as in cases of overdoses of Dicumarol R

DIRECTIONS:

FOR RATS, place 4 oz. to 1 lb. of bait in rat-frequented locations maintaining uninterrupted supply for at least 10 days

FOR MICE, place table-spoon amounts (1/4 to 1/2 oz.) of bait at 8-12 foot intervals, maintaining uninterrupted supply for at least 15 days. Replace bait when necessary. Use no moldy or decomposed bait. Protect from children, animals and livestock by means of bait boxes or cages. Where infestation comes from dumps or fields, feeding stations should be permanent


ACTIVE INGREDIENTS

WARFARIN (3-alpha-acetonylbenzyl)-4-hydroxy-coumarin) . . . 0.025%
N¹-(2-Quinoxaliny) sulfanilamide (sulfaquinoxaline) 0.025%

INERT INGREDIENTS . . . 99.950%

TOTAL 100.000%

U.S. Pat # 2,427,578



NET WEIGHT LBS.

EPA REG NO 998-12

ESTABLISHMENT NO
998-PA-1

SUPERIOR CHEMICAL PRODUCTS INC.

3942 FRANKFORD AVENUE PHILADELPHIA, PA. 19124