AGRICULTURAL RESEARCH SERVICE PESTICIDES REGULATION DIVISION

NOTICE OF REGISTRATION UNDER THE FEDERAL INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT

REGISTRATION NO.

DATE OF ISSUANCE

January 10, 1964

NAME OF ECONOMIC POISON

SUPERIOR O.F. 60-6 DIP

IN ANY CORRESPONDENCE ON THIS PRODUCT ALWAYS REFER TO ABOVE REGISTRATION NUMBER

NAME AND ADDRESS OF REGISTRANT

Superior Chemical Products Inc. 47 M. Second Street Philadelphia 6, Permayiwania

On the basis of the information furnished by the registrant, the above named economic poison is hereby registered under Section 4 of the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted for registration is returned herewith.

Claims or directions for use which differ in substance from the representations made in connection with the application or changes in the name or formula of the economic poison covered by this notice should not be made prior to their submission to the Pesticides Regulation Division and receipt of notice that they have been accepted.

Registration of a product is in no way to be construed as an endorsement or approval by this Department of any claims made for it. The labeling must not bear any reference to registration under this Act. In order to protect the public, the Secretary, on his own motion, may at any time cancel the registration of an economic poison and, in lieu thereof, issue a registration under protest, in accordance with Section 4(c) of the Act. In no event shall registration of an article, whether or not protested, be construed as a defense for the commission of any offense prohibited under Section 3 of the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by a trademark held by others.

A request for registration under a new formula or labeling may be submitted at any time.

Enclosure

CÍY

Iead, Registration Section

Pesticides Regulation Division

NAME

SUPERIOR CHEMICAL PRODUCTS INC.

ADDRESS

47 NORTH SECOND ST. PHILADELPHIA 6, PENNA.

BRAND NAME

SUPERIOR O.F. 60-6 DIP

SUPERIOR O.F. 60-6 DIP

NON-TOXIC, NON-CONTAMINATING, NON-IRRITATING

When used as directed

Particularly recommended where presence of oil is objectionable

Contains No Chlorinated Hydrocarbons, No Phenols, No Organic Phosphates

ACTIVE INGREDIENTS

Technical piperonyl butoxide*	60.0%
Pyrethrins	6.0%
INERT INGREDIENTS	34.0%

*Equivalent to 48% (butyl carbityl) (6 propyl piperonyl) ether and 12% other related compounds.

Net Contents 1 Pint

Superior Chemical Products, Inc. 47 N. SECOND STREET PHILADELPHIA 6, PENNA.

ACCEPTED

JAN 1 O 1964

UNDER THE FEDERAL INSECTICIDE FUNCICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 999-47

GENERAL DIRECTIONS

Make up only enough solution for daily use, mix thoroughly.

SPACE SPRAY FOR FLYING INSECTS, fruit flies, house flies, mosquitoes and gnats, dilute one part O.F. 60-6 with 200 parts water (½ oz. per gallon) and fog areas, using approximately 2-3 oz. per 1000 cubic feet.

RESIDUAL SPRAY FOR CRAWLING INSECTS, roaches, waterbugs, silverfish, dilute one part O.F. 60-6 to 24 parts water, and use coarse spray or brush all cracks, crevices, and surfaces, over which insects crawl or breed. Repeat as needed.

DIPS

FOR USE AGAINST LICE, FLEAS AND SARCOPTIC MANGE MITES

On small animals such as mice or rabbits, use 1 oz. to 2 gallons of water. Allow animal to air dry. To safeguard animals against chilling, use warm water in heated rooms, avoiding air currents. Mice drinking a solution of this concentrate only, in place of water, lived for months without any apparent harmful effects. This material is excellent for use on cats, where oil sprays cannot be tolerated.

SWAB

KILLS FLEAS, TICKS, SARCOPTIC MANGE MITES AND RE-PELLS HOUSEFLIES.

For use on short haired dogs, whippets, boxers, etc., use 1 oz. O.F. 60-6 per 2 gallons of water, and swab backline, heads and ears.

REPELLENTS

For use against biting flies, on dairy cows, beef cattle, horses, dilute 1 oz. O.F. 60-6 to 2 quarts water, and swab on freely. This treatment will usually last for about 3 days.

CAUTION — Harmful if swallowed, keep out of reach of children. Avoid contamination of feed and foodstuffs. 2/2