

TEX-2

DIRECTIONS FOR USE

Mix 2 gallons TEX-2 per 55 gallons of oil for a 1.0% solution

GROUND APPLICATIONS

MOSQUITO LARVAE - Use 3 oz. per gallon of fuel oil (1½ to 2 gal TEX-2 per 55 gal. drum) and spray at the rate of approximately ½ gallon of solution per acre. Apply as a light uniform spray.

SPRAYING: For mosquito larvae control, applications should be made to moist areas, standing water pools, marshes, swamps, and tidal areas. Also spray around and in catch basins and similar areas where mosquitoes breed. Do not apply to ponds, lakes, streams, or other bodies of water containing valuable fish. Allow at least three weeks between applications.

For large area mosquito control, applications should be made to wet grassy, bushy, or woody areas.

For localized mosquito and fly control, applications should be made to outside surfaces of buildings, screen doors, window frames, around outdoor light fixtures, and in garages.

MOSQUITOES - Use 2-3 oz. per gallon of fuel oil, or 2 to 4 gals TEX-2 per 100 gallons of oil. Apply with a thermal fogger set to deliver 40 gallons per hour at a machine speed of 5 m.p.h. to cover a swath width of up to 350 ft. Repeat as necessary.

MOSQUITOES For a mist spray application, use 3-6 oz. per gallon of fuel oil (4-8 gals per 100 gallons oil) Set mist blower to deliver 100 gals. per hour travelling at the speed of 4 m.p.h. to cover a swath of up to 350 ft. wide. Allow at least 3 weeks between treatments.

FOG AND MIST APPLICATIONS. Outdoor applications for adult mosquito control may be made by thermal fogging, mist spraying, airplane spraying, or residual spraying. Do not apply to ponds, lakes, streams, or other bodies of water containing valuable fish. Allow at least 3 weeks between mist applications. Fog applications may be repeated as necessary.

RESTRICTIONS

TEX-2 is highly toxic to some aquatic life. Shrimp, crayfish and crabs may be killed. Do not use where these are valuable resources.

1. Do not allow spray treatment or drift on pasture land, crop land, poultry ranges, or water supplies.
2. Do not use inside homes, in dairy barns, poultry houses, or buildings where food is processed. Do not apply directly to animals.
3. Do not use on crops used for food, forage, or pasture.
4. Do not apply oil sprays directly to flowers or other ornamental plants which may be damaged by the oil. Fog application will not cause plant injury.

WARNING

May be fatal if swallowed, inhaled, or absorbed through the skin. Rapidly absorbed through the skin. Do not get in eyes, on skin, or on clothing. Do not breathe spray mist. Wash thoroughly with soap and warm water after handling. Wash clothing with soap and hot water before re-use.

Avoid contamination of food or feed. Keep out of reach of children.

ANTIDOTE. Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance.

2-PAM is also antidotal and may be administered with atropine.

FOR EFFECTIVE CONTROL OF MOSQUITOES AND

For use by MOSQUITO ABATEMENT DISTRICTS, PUBLIC HEALTH & PUBLIC MOSQUITO CONTROL OFFICIALS AND COMMERCIAL PEST CONTROL OPERATORS

ACTIVE INGREDIENTS:

O,O-Dimethyl O-[4-(methylthio)phenyl] phosphorothioate † 25%

Aromatic Petroleum Distillate 75%

† U.S. Patent No. 3,042,703
Canadian Patent No. 631,472

WARNING

(See rear panel for warning statements.)


KEEP OUT OF REACH OF CHILDREN.

NET CONTENTS: GALLONS

SUPERIOR CHEMICAL PRODUCTS, Inc.

~~47-14 Second St., Phila., Penna.~~

5942 FAIRFACED AVE PHILA PA



Camerman's Note
Poor Copy