

Do not wear contaminated clothing. Wash thoroughly after handling. Avoid breathing dust or spray particles. Use in well-ventilated areas. Keep away from food, feed and animal feed supplies. Do not let children or pet contact treated areas and do not inhale. Flush contaminated eye with plenty of water for 15 minutes and seek attention.

NOTE TO PHYSICIAN: Dursban Insecticide is a cholinesterase inhibitor. Treat symptomatically. ATROPINE is antidotal.


Keep container closed and away from heat or open flame. COMBUSTIBLE LIQUID

Seller warrants that the product conforms to the general description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

U.S. Patent no. 3,214,586

Net Contents 4 Gallons

SUPERIOR CHEMICAL PRODUCTS, INC.  
3942 Frankford Ave., Phila., Pa.



SUPERIOR TURFBAN 2E  
contains Dursban Insecticide

FOR the Control of Chinch Bugs and Sod Webworms (Lawn Insects)  
on turf

FOR PROFESSIONAL USE ONLY

WARNING: KEEP OUT OF REACH OF CHILDREN  
Read complete Precautions on label packet

ACTIVE INGREDIENTS:

|                                                             |       |
|-------------------------------------------------------------|-------|
| 0,0-diethyl 0-3,5,6-trichloro-2-pyridyl phosphorothioate ** | 22.5% |
| Aromatic petroleum derivative solvent                       | 45.0% |
| INERT INGREDIENTS:                                          | 32.5% |

\*\*Known under the trademark Dursban

USDA Reg. No. 998-\_\_\_

USE DIRECTIONS

Apply Superior Turfban 2E insecticide uniformly over the turf with sprayer according to the rates indicated in the accompanying table. Make the first treatment when the insects first appear and re-treat as needed. The lawn should be moist at the time of application.

| area to be<br>treated | USE RATE AND DILUTION TABLE               |                              |
|-----------------------|-------------------------------------------|------------------------------|
|                       | Amount of Superior<br>Turfban 2E required | Dilute with<br>water to give |
| 1000 sq. feet         | 1½ fl. ounce                              | 30 gals.                     |
| 5000 sq. feet         | 7½ fl. ounces                             | 150 gals.                    |
| 10,700 sq. ft.        | 1 pint                                    | 325 gals.                    |
| one acre              | 2 quarts                                  | 1300 gals.                   |

CAUTION: Keep children and pets off treated areas until the spray has dried.

Fish may be killed if their waters are contaminated with this product. Do not contaminate water by cleaning equipment or disposal of waste. Promptly crush empty containers and bury them in locations isolated from water.

WARNING: KEEP OUT OF REACH OF CHILDREN AND ANIMALS  
MAY BE FATAL IF SWALLOWED. MAY BE ABSORBED  
THROUGH SKIN. MAY BE INJURIOUS TO EYES  
AND SKIN.

Do not get on skin or in eyes. Wash thoroughly after handling. Do not wear contaminated clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs and water supplies. Keep container closed. Keep away from heat and open flame.

Flush contaminated eyes with plenty of water and get medical attention.

NOTE TO PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. ATROPINE is an antidote.