

SUPERIOR DELVE CONCENTRATE

For use by Pest Control Operators Only to Control Resistant and Non-Resistant Cockroaches, ants, crickets, firebrats, silverfish, spiders and brown dog ticks.
Contains: Durban® and Vapona® insecticide

POISON



DANGER

ACTIVE INGREDIENTS:

Aliphatic Solvent	53.00%
Chlorpyrifos (O, O-diethyl O-(3, 5, 6-trichloro-2-pyridyl) phosphorothioate)	17.40%
Aromatic Petroleum Derivative	9.77%
(2,2-Dichlorovinyl dimethyl phosphate)	8.09%
Related Compounds	0.61%
Inert Ingredients	11.13%
Total	100.00%

Contains 1.35 lb. chlorpyrifos and 0.67 lb. D.D.V.P. per gallon.

® Durban™ Trademark of The Dow Chemical Company - U.S. Patent No. 3,244,586

® Vapona™ - Trademark of Shell Chemical Company Equivalent to 8.7% Vapona® insecticide

E.P.A. Reg. No. 998-83

MIXING AND USING DIRECTIONS

Superior Delve Concentrate mixes readily with water or oil. Dilute the required amount in water or in a base oil such as deodorized kerosene.

FOR INSECTICIDE SPRAY - Containing 0.5% Chlorpyrifos and 0.25% DDVP** Mix 4 oz. Superior Delve Concentrate per gallon of water or 3 1/2 oz. Superior Delve Concentrate per gallon of insecticide base oil.

FOR SPRAY - Containing 0.25% Chlorpyrifos and 0.125% DDVP** Mix 2 oz. Superior Delve Concentrate per gallon of water or 1 1/2 oz. Superior Delve Concentrate per gallon of insecticide base oil.

Use the higher concentration to quickly reduce heavy infestations and the lower concentration on light infestations.

Superior Delve Concentrate controls both non-resistant and resistant cockroaches, ants, crickets, firebrats, silverfish, spiders, and brown dog ticks, in and around residential and commercial buildings, including homes, apartment buildings, stores, warehouses and similar structures.

Use as a spot treatment by applying as a coarse spray or with a paint brush, to areas where these insects normally are found. These areas include dark corners of rooms and closets, at the base of walls, in cracks in the wall, behind baseboards, behind and beneath sinks, refrigerators, stoves and cabinets and around drainpipes. Apply in a manner to avoid spray or mist contacting food, feedstuff and water supplies. Dishes and food handling utensils should be thoroughly washed in soap and water if they

have become contaminated by the application of this product. Repeat treatment as needed.

NOTE: Do not use in poultry houses, other animal buildings or in edible products areas of food processing plants, restaurants, or other areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

This product is toxic to fish, wildlife, and birds. Keep out of any body of water. Do not apply where run-off is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Apply this product only as specified on this label. Promptly crush empty containers and bury them in locations isolated from water.

DANGER

KEEP OUT OF REACH OF CHILDREN.

MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN - MAY BE INJURIOUS TO THE EYES AND SKIN

Do not wear contaminated clothing. Do not breathe vapor or spray mist. Handle concentrate in ventilated area. Keep away from food, feedstuffs and water supplies. Do not get on skin or in eyes. Wear natural rubber gloves, protective clothing and goggles. Wear mask or respirator of a type found by the U.S. Bureau of Mines to give adequate protection

NET CONTENTS. . . GALLONS

against this material. Keep all unprotected persons out of operational area. In case of contact wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water after handling and before eating or smoking. Do not apply to area which will be contacted by children.

Flush contaminated eyes and skin with plenty of water and for eyes get medical attention.

NOTE TO PHYSICIAN: Superior Delve Concentrate is a Cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote. Call a physician in all cases of suspected poisonings. Also Antidotal is 2-PAM which can be used in conjunction with atropine.

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin point pupils, salivation, sweating, nausea, vomiting, diarrhea, abdominal cramps. Only if warning symptoms appear administer two 1/100 grain atropine tablets immediately.

Keep container closed and away from heat or open flame.

COMBUSTIBLE: Do not use, pour, spill or store near heat or open flame.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

ACCEPTED
998-83
APR 30 1974
UNDER THE FEDERAL INSECTICIDE ACT
FURNISHED AND REGISTERED FOR ECONOMIC PURPOSES
EPA UNIFORM NO.

SUPERIOR CHEMICAL PRODUCTS INC.

3942 FRANKFORD AVENUE

PHILADELPHIA, PA. 19124