

for use in fogging equipment, hand sprayers or in pressurized tank sprayers that give coarse, wetting particles for contact spray.

ACTIVE INGREDIENTS:

Pyrethrins	.100%
Piperonyl butoxide, technical	.200%
N-octyl bicycloheptene dicarboximide	.333%
Petroleum distillate	99.367%

Equivalent to 16% (butylcarbityl) (6-propylpiperonyl) ether and .04% related compounds, MCK 264, Insecticide Synergist.

Directions For Use

In Fogging Equipment and Hand Sprayers

Flies, Mosquitoes, Gnats, Small Flying Moths:

Close room and discharge mist vigorously in all parts of room, using 1½ to 2 ounces for each 1000 cubic feet of space. Leave room closed for at least ten minutes. Do not remain in treated areas. Ventilate room thoroughly before re-entry. Sweep up and destroy fallen insects. Repeat as needed.

In Pressurized Tank Sprayers for Wetting Contact Sprays

Fleas: (Infesting premises)

Remove and destroy animals' bedding and spray sleeping quarters freely, thoroughly forcing the spray into all cracks and crevices in the floor areas and coverings and about the room. Repeat as necessary.

NET CONTENTS: GALLONS

E.P.A. Reg. No. 933-103

where roaches and waterbugs infest, contacting as many insects as possible. Repeat the operation as often as necessary.

Clothes Moths, Carpet Beetles:

Spray all articles to be protected, giving particular attention to folds and seams. For carpet beetles, thoroughly treat the under sides and edges of carpeting and rugs, along baseboards and under furniture. Interior surfaces of storage containers such as closets, chests and trunks should be sprayed regularly. The treatment should be repeated every 30 days unless the articles are stored in moth-tight containers.

Household Insects:

Granary Weevils, Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Sawtoothed Grain Beetles, Caddis, Grain Mites (Accessible stages), Cigarette Beetles, and Drug Store Beetles.

Wet surfaces thoroughly and treat all infested surface areas, insect runways and hiding places at the rate of 1 gallon of this material to 1000 square feet of area, or to the point of run-off. Repeat when necessary.

General Information

This spray applied per the directions and cautions given herein, conforms with Food Additive Regulations 121.1074, 121.1075 and 121.1205 and the food additive tolerances established thereunder.

Harmful if swallowed. Do not apply directly to food. When space spraying, cover or remove all food and food handling surfaces. Do not apply space sprays while food processing is underway. Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions above. Thoroughly wash with potable water all treated chutes, processing surfaces, etc., that food will come into contact with prior to re-use. In case of impracticability of washing, do not allow food to come in contact with treated surfaces for at least 48 hours.

Remove pets and cover fish bowls before spraying.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not re-use empty container. Destroy when empty and discard in a safe place.

Keep container closed. Do not pour, store or spill near heat or open flame.



SUPERIOR CHEMICAL PRODUCTS INC.

3942 FRANKFORD AVENUE

PHILADELPHIA, PA. 19124