

[998-106]

DIRECTIONS:

FLIES, FRUIT FLIES, GNATS: Close doors and windows to confine spray. Direct spray high into air in all parts of room, thoroughly misting area so the tiny particles in the air will contact the flying insects. Keep room closed for 15 minutes or more after treating. Repeat as required. The above application will also reduce airborne bacteria and dispel animal odors.


ROACHES AND SILVERFISH: Open drawers and cabinets. Thoroughly spray these and similar places, as well as into cracks, crevices and other potential harbourages, in order to activate insects. Spray insects directly when possible. Follow immediately by applying as a space insecticide, thoroughly misting the area. Keep room closed for 30 minutes after treatment. Repeat treatment weekly until infestation is under control and then, every two weeks or as needed.

CAUTION: Do not store in excessively warm or hot places, where the temperature will exceed 110 degrees F. Keep out of reach of children. Avoid direct spraying of food. Remove pets, birds, and cover fish aquariums before spraying. Avoid breathing vapor. Avoid contact with skin. Do not remain in treated areas. Ventilate the areas after treatment is completed.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

OMNICIDE®

PET SPECIAL



KILLS FLEAS TICKS LICE

REMOVES ANIMAL ODORS
REDUCES AIRBORNE BACTERIA

for use on:

DOGS - CATS - HORSES

CAUTION: KEEP OUT OF REACH OF CHILDREN.
SEE ADDITIONAL CAUTIONS ON BACK OF LABEL.



SUPERIOR CHEMICAL PRODUCTS INC.

3942 FRANKFORD AVENUE
Philadelphia, Pa. 19124

This insecticide contains a concentrated Pyrethron formulation and is especially designed for use in Animal Care, Food Processing Plants, Restaurants, Bakeries, Hotels, Institutions, Garages, Factories, Dairies, Stores, Markets.

DIRECTIONS FOR USE ON ANIMALS FOR FLEAS, TICKS AND LICE

Remove caps and nozzle and direct spray toward the animal, keeping container about 15 inches away. Do not spray directly into animal's face or eyes. Spray areas to slightly dampen coat. For long haired animals, ruffle the hair upward while applying the spray, to enable the insecticide to reach the skin and all parts of the hair.

ACCEPTED
Especially for control of ticks, direct the spray so that it will actually wet the insects. Repeat as required. Animal sleeping quarters, bedding and kennel should also be thoroughly sprayed. Where bedding is infested, it should be replaced with fresh bedding. Where animal odor is heavy, also spray lightly into the air after treating the sleeping quarters. On the first application, some animals may become frightened by the sound and cool sensation of the spray. This is a temporary reaction and usually will not happen on subsequent treatments.

ACTIVE INGREDIENTS:

Pyrethrins	0.25%
Technical Piperonyl	
Butoxide**	0.80%
Petroleum Solvent	1.00%
Methylene Glycol	3.00%
Propylene Glycol	3.00%
Isopropyl Alcohol	11.00%

INERT INGREDIENTS: 80.95%
**Equivalent to 0.5% (butylcarbitol) (6-propylpiperonyl) ether and 0.15% related compounds.

NET CONTENTS 14 OUNCES
EPA Reg. No. 998-106
Establishment No. 998-PA 01

ACCEPTED

JUL 1974

UNDER FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
EPA ECONOMIC POISON REGISTRATION
SUBJECT
OMNICIDE PET SPECIAL