

998-116

ACCEPTED  
JUL 10 1975  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under 998-116

SUPERIOR

# FOOD PLANT SPRAY

DESIGNED FOR USE IN EDIBLE PRODUCT AREAS

The insecticidal components piperonyl butoxide and pyrethrins are classified as food additives, and when this product is used as directed allowable tolerance levels will not be exceeded.

Flash point 150 F  
NET CONTENT 1 Gallon

### DIRECTIONS

The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

### SPRAY SYSTEM

For rapid control of Houseflies, Fruit flies, Mosquitoes, Flying moths, and Gnats: Close doors and windows and shut of ventilating systems. Apply using a good sprayer adjusted to deliver a fine mist. Direct spray toward the upper portions of the enclosure, filling the room with mist. Use 1/2 to 1 ounce per 1000 cubic feet of space.

### SPACE SPRAY

To insure maximum control of the crawling insects named below apply as a coarse mist directed toward insects, into crack and crevices, along baseboards around the base of machinery, containers of stored products and other areas where insects may hide. Spray ant trails, nests and points of entry. Spray badly infested areas daily. In other areas, repeat treatment twice weekly or when reinfestation occurs.

To kill exposed stages of roaches, ants, spiders, clover mites, cheese mites, confused flour beetles, saw-toothed grain beetles, red flour beetles, rice weevils, granary weevils, and grain mites: Treat as above using 2 to 3 ounces per 1000 cubic feet of space. Keep area closed for at least 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment when reinfestation occurs.

### CAUTION KEEP OUT OF REACH OF CHILDREN.

Remove pets, birds and cover fish aquariums before spraying.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply only as specified on the label.

Do not reuse can containing this insecticide. Destroy by perforating or crushing and burying in a safe place. Drums may be reused after thorough cleaning.

ACTIVE INGREDIENTS:	100%
Pyrethrins	0.20
*Piperonyl Butoxide Technical	1.00
Petroleum Distillate	98.80
Total	100.00

\*Equivalent to 0.8% Butylcarbitol 16 propylamine ether and 0.2% of related compounds

EPA REG. NO. 998-116

**SUPERIOR CHEMICAL PRODUCTS INC.**

3942 FRANKFORD AVENUE

PHILADELPHIA, PA 19124

