

# SUPERIOR

# WEED AWAY

NET CONTENTS  
GALLONS

## A GRASS AND WEED KILLER

For railroad and industrial use to control annual and perennial weeds and grasses.

### ACTIVE INGREDIENTS:

Disodium methanearsonate anhydrous	0.80%
Lithium salt of bromacil (5-bromo-3-sec-butyl-6-methyluracil)*	0.48%
2,4-Dichlorophenoxyacetic acid, sodium salt anhydrous**	0.39%

### INERT INGREDIENTS

98.33%

Total arsenic expressed as elemental all in water soluble form 0.326%.

\*Equivalent to 2.19% Hyvar-XL.

\*\*Hyvar-XL is a trademark of E. I. duPont de Nemours & Company, Inc., Patent Pending.

\*\*Equivalent to 0.36% 2,4-D Acid.

### CAUTION: Keep Out of Reach of Children

Avoid contact with skin, eyes, or clothing. In case of contact, flush eyes with plenty of water for at least 15 minutes and get medical attention; wash skin with plenty of soap and water. Do NOT allow solution or spray drift to contact desirable plants. Among crops highly susceptible to 2,4-D injury are cotton, tobacco, blackeyed peas, beans, tomatoes, melons, other vegetables, grapes, fruit trees, and some ornamentals. (Coarse sprays are less likely to drift than fine mist sprays.) It is difficult to completely clean 2,4-D from sprayers or other equipment, therefore do NOT use 2,4-D sprayers and other equipment for purposes where even trace amounts of this chemical may cause injury to desirable plants. Do NOT reuse shipping containers; destroy by crushing and burying. Avoid contamination of water intended for irrigation and domestic use. Do NOT transport with or store near seeds, fertilizers, insecticides, or fungicides. Store at temperatures above 32 F. If allowed to freeze, remix before using.

Do NOT apply to areas overlaid by roots of desirable trees and shrubs.

**EXAMPLES OF USES:** WEED AWAY may be used wherever non-cropland weed control is desired, and in any areas where vegetation is not wanted (see CAUTION). Examples are as follows:

**Railroads**—rights-of-way, yards, and trestles.

**Utilities**—pipelines, telephone, telegraph, and electricity power line poles, and power sub stations.

**Do NOT Store with Foodstuffs**

**Avoid Storing in Direct Contact with Ground or Concrete Floors**

**Store in a Cool, Dry Place**

Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

**Highways**—bridges, signposts, roadside markers, road shoulders, and general highway maintenance.

**Industrial Sites**—petroleum and other tank farm areas, pipelines, lumberyards and mills, boundary fences, warehouses, industrial driveways, and industrial parking areas.

**Agricultural**—granaries and elevators, farm buildings, drainage ditches, and farm roads.

**Others**—airfields, runways and landing lights, and outdoor theatres.

### APPLICATION

**HOW TO APPLY:** It is essential that WEED AWAY be sprayed uniformly at rates given. Use water as a carrier. Apply in sufficient quantity to give uniform coverage.

**AMOUNTS TO USE: Annuals or Shallow-Rooted Perennials**—Apply 1½ to 2 pints of WEED AWAY per 100 square feet; use the same rate as a follow-up application if required due to reinfestation.

**Deep Rooted Herbaceous Perennials**—Apply 2 to 3 pints of WEED AWAY per 100 square feet. If an additional application is desired, use 2 to 3 pints per 100 square feet.

**WHEN TO APPLY: For annual weeds and grasses.** It is best to apply in the spring or when weeds are small.

**For perennial weeds and grasses**—In areas of light rainfall (less than 20 inches of rainfall) it is generally better to apply in fall and winter months. In areas with heavy winter rains, spring application usually gives the best results.

Local conditions may affect the use of this chemical. Consult State Agricultural Extension or Experiment Station weed specialists for specific recommendations for local weed problems.


Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

EPA REG. NO. 998-121  
ESTABLISHMENT NO. 998-PA-1



Manufactured by:  
**SUPERIOR CHEMICAL PRODUCTS, INC.**

**3942 Frankford Ave., Philadelphia, Penna.**



# SUPERIOR WEED

A GRASS ANNIHILATOR

For railroad and industrial use to control annual

<b>ACTIVE INGREDIENTS:</b>			
Disodium methanearsonate anhydrous	0.80%	Highly	
Lithium salt of bromacil (5-bromo-3-sec-butyl-6-methyluracil)*	0.48%	maint-	
2,4-Dichlorophenoxyacetic acid, sodium salt anhydrous**	0.39%	Indus-	
		bound	
<b>INERT INGREDIENTS</b>	<b>98.33%</b>		
Total arsenic expressed as elemental all in water soluble form 0.326%.		Agric-	
*Equivalent to 2.19% Hyvar XL		Other	
**Hyvar XL is a trademark of E. I. duPont de Nemours & Company, Inc., Patent Pending.			
**Equivalent to 0.36% 2,4-D Acid.			

### CAUTION: Keep Out of Reach of Children

Avoid contact with skin, eyes, or clothing. In case of contact, flush eyes with plenty of water for at least 15 minutes and get medical attention, wash skin with plenty of soap and water. Do NOT allow solution or spray drift to contact desirable plants. Among crops highly susceptible to 2,4-D injury are cotton, tobacco, black-eyed peas, beans, tomatoes, melons, other vegetables, grapes, fruit trees, and some ornamentals. (Coarse sprays are less likely to drift than fine mist sprays.) It is difficult to completely clean 2,4-D from sprayers or other equipment, therefore do NOT use 2,4-D sprayer; and other equipment for purposes where even trace amounts of this chemical may cause injury to desirable plants. Do NOT reuse shipping containers; destroy by crushing and burying. Avoid contamination of water intended for irrigation and domestic use. Do NOT transport with or store near seeds, fertilizers, insecticides, or fungicides. Store at temperatures above 32 F. If allowed to freeze, remix before using.

Do NOT apply to areas underlaid by roots of desirable trees and shrubs

**EXAMPLES OF USES:** WEED AWAY may be used wherever non-cropland weed control is desired, and in any areas where vegetation is not wanted (see CAUTION). Examples are as follows:

**Railroads**—rights-of-way, yards, and trestles.

**Utilities**—pipelines, telephone, telegraph, and electricity power line poles, and power substations

Do NOT Store with Foodstuffs

Avoid Storing in Direct Contact with Gr

Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Highly  
maint-  
Indus  
bound  
Agric-  
Other

HOW  
Use w

AMOU  
WEED  
due to

Deep  
feet. It

WHEN  
weeds

For pe  
it is a  
spring

Local  
Station

Follow  
with or  
product  
material

EPA  
EST

BEST DOCUMENT AVAILABLE



Manufactured by:  
**SUPERIOR CHEMICAL PRODUCTS, INC.**

# PERIOR

# WEED AWAY

A GRASS AND WEED KILLER

NET CONTENTS  
GALLONS

For railroad and industrial use to control annual and perennial weeds and grasses.

INGREDIENTS	
Sodium methanearsonate anhydrous	0.80%
Sodium salt of bromacil (5-bromo-3-sec-butyl-6-methyluracil)*	0.48%
1-Dichlorophenylacetic acid, sodium salt anhydrous**	0.39%
INGREDIENTS	
arsenic expressed as elemental all in water soluble form 0.326%	
total to 2.19% Hyvar 31	
* "XL" is a trademark of E. I. duPont de Nemours & Company, Inc., Patent Pending	
total to 0.36% 2,4-D Acid	

- Highways** - bridges, signposts, roadside markers, road shoulders, and general highway maintenance.
- Industrial Sites** - petroleum and other tank farm areas, pipelines, lumberyards and mills, boundary fences, warehouses, industrial driveways, and industrial parking areas.
- Agricultural** - granaries and elevators, farm buildings, drainage ditches, and farm roads.
- Others** - airfields, runways and landing lights, and outdoor theatres.

### CAUTION: Keep Out of Reach of Children

Contact with skin, eyes, or clothing. In case of contact, flush eyes with plenty of water for at least 15 minutes and get medical attention; wash skin with plenty of soap and water. Do not allow solution or spray drift to contact desirable plants. Among crops highly susceptible to 2,4-D injury are cotton, tobacco, blackeye peas, beans, tomatoes, melons, other legumes, grapes, fruit trees, and some ornamentals. (Coarse sprays are less likely to drift than mist sprays.) It is difficult to completely clean 2,4-D from sprayers or other equipment; therefore do NOT use 2,4-D sprayers and other equipment for purposes where even small amounts of this chemical may cause injury to desirable plants. Do NOT reuse shipping containers, destroy by crushing and burying. Avoid contamination of water intended for irrigation and domestic use. Do NOT transport with or store near seeds, fertilizers, insecticides, or fungicides. Store at temperatures above 32° F. If allowed to freeze, thaw before use.

### APPLICATION

**HOW TO APPLY** - It is essential that WEED AWAY be sprayed uniformly at rates given. Use water as a carrier. Apply in sufficient quantity to give uniform coverage.

**AMOUNTS TO USE** - **Annuals or Shallow-Rooted Perennials** - Apply 1 1/2 to 2 pints of WEED AWAY per 100 square feet. Use the same rate as a follow-up application if required due to reinfestation.

**Deep Rooted Herbaceous Perennials** - Apply 2 to 3 pints of WEED AWAY per 100 square feet. If an additional application is desired, use 2 to 3 pints per 100 square feet.

**WHEN TO APPLY** - **For annual weeds and grasses** - It is best to apply in the spring or when weeds are small.

**For perennial weeds and grasses** - In areas of light rainfall (less than 20 inches of rainfall) it is generally better to apply in fall and winter months. In areas with heavy winter rains, spring application usually gives the best results.

Do NOT apply to areas unharmed by roots of desirable trees and shrubs.

**EXAMPLES OF USES:** WEED AWAY may be used wherever non-cropland weeds are a problem, and in any areas where vegetation is not wanted (see CAUTION). Examples are as follows:

- Roads** - rights of way, yards, and trestles.
- Utilities** - pipelines, telephone, telegraph, and electricity power line poles and power stations.

Local conditions may affect the use of this chemical. Consult State Agricultural Extension or Experiment Station weed specialists for specific recommendations for local weed problems.

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

**Do NOT Store with Foodstuffs      Avoid Storing in Direct Contact with Ground or Concrete Floors      Store in a Cool, Dry Place**

Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

EPA REG. NO. 998-121  
ESTABLISHMENT NO. 998-PA-1

BEST DOCUMENT AVAILABLE



Manufactured by:  
**SUPERIOR CHEMICAL PRODUCTS, INC.**

3942 Frankford Ave., Philadelphia, Penna.

