

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

WARNING:

May be fatal if swallowed, inhaled or absorbed through the skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through the skin! In case of contact, wash immediately with soap and water. Do not contaminate feed and food-stuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Wear natural rubber gloves, protective clothing and goggles. Keep all unprotected persons out of operational area. While applying the insecticide, or working in treated areas during posted period, wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

ENVIRONMENTAL HAZARDS

Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not use or store in or around the home.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: a) Reseal container and offer for reconditioning, or b) Triple rinse, or equivalent, and offer for recycling, reconditioning or disposal in approved landfill or bury in a safe place.

GENERAL: Consult Federal, state or local disposal authorities for approved alternative procedures.



ACCEPTED
MAR 18 1981



98-726
UL-5D

**5% VAPONA INSECTICIDE
For Use By Certified Pest Control
Operators or Trained Personnel Only**

ACTIVE INGREDIENTS:

2-Dichlorovinyl dimethyl phosphate.....	4.64%
Related Compounds.....	0.34%
Petroleum Distillates.....	95.02%
TOTAL.....	100.00%

EPA REG. NO. 998-126 EPA EST. NO. 998-PA-1

Keep Out of Reach of Children

WARNING

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled — Remove victim to fresh air and apply respiration if indicated.

If on skin — Wash promptly with soap and water. Rinse thoroughly.

If in eyes — Rinse eyes for at least 15 minutes with water and call a physician immediately.

• See Side Panel for Additional Precautionary Statements.

Manufactured by: **Superior Chemical Products, Inc.**
3942 Frankford Avenue
Philadelphia, Pa. 19124



ACCEPTED
MAR 18 1981

UL-5D

5% VAPONA INSECTICIDE For Use By Certified Pest Control Operators or Trained Personnel Only

ACTIVE INGREDIENTS:

2,2-Dichlorovinyl dimethyl phosphate	4.64%
Related Compounds	0.34%
Petroleum Distillates	95.02%
TOTAL	100.00%

EPA REG. NO. 998-126 EPA EST. NO. 998-PA-1

Keep Out of Reach of Children **WARNING**

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled — Remove victim to fresh air and apply respiration if indicated.

If on skin — Wash promptly with soap and water. Rinse thoroughly.

If in eyes — Rinse eyes for at least 15 minutes with water and call a physician immediately.

See Side Panel for Additional Precautionary Statements.

Manufactured by: **Superior Chemical Products, Inc.**
3942 Frankford Avenue
Philadelphia, Pa. 19124

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Treated buildings should be opened and aired prior to re-entry by unprotected workers. Wait at least 8 hours before ventilation. Protective clothing and equipment is required for personnel entering the treated area. After 12-16 hours no ventilation or protective clothing is required.

UL-5D is formulated to control pests in food processing plants, food manufacturing plants, food service operations, food warehouses, tobacco warehouses, trailer trucks, buses, ships, piers, industrial plants. Note — food warehouses should contain only non-perishable, packaged or bagged raw or processed food commodities. Do not fog areas containing eggs, milk, meat, poultry, fresh fruits and vegetables, hermetically sealed foods or manufactured dairy products and other processed foods requiring refrigeration. Raw commodities would include cocoa beans, field-dried beans, field-dried peas, grains, nuts, tobacco and similar items. Processed foods would include flour, sugar, cereals, packaged goods, crackers and similar items.

UL-5D may be used to control pests of stored food products and other common insects including: exposed stages of confused flour beetles, red flour beetles, saw-toothed grain beetles, merchant grain beetles, rice weevils, granary weevils, lesser grain borers, cigarette beetles, drugstore beetles, cadellies, mealworms, carpet beetles, hide beetles, warehouse beetles, Indian meal moths, cocoa moths, tobacco moths, mediterranean flour moths, angoumois grain moths, cockroaches, waterbugs, ticks, fleas, spiders, mites, ants, flies, gnats, mosquitoes, silverfish, firebrats, psocids, centipedes, millipedes, sowbugs, scorpions.

HOW TO APPLY: Use UL-5D in Micro-Gen equipment or other fogging equipment that will produce fog particles 1-30 microns in size. Apply UL-5D at a dosage rate of 1/2 to 1 ounce per 1000 cubic feet. Keep treated area closed for 6 hours.

Close all windows and doors and shut off all ventilation equipment. Lock all entrances and do not allow unprotected workers to enter during treatment. Place Warning Signs on all entrances before beginning treatment.

Remove all exposed food or cover properly. All food contact surfaces and food handling utensils should be covered before treatment or thoroughly cleaned before resuming operations.

Using a dosage rate of 1/2 to 1 ounce per 1000 cubic feet, determine the amount of UL-5D required to treat each area and put only that amount into the reservoir of a fogger.

Before doing the actual application, determine the path to be followed through the treated area when making the treatment. Start at the point farthest from the intended exit and work back along that path to the exit, dispensing the prescribed amount of UL-5D along the way. After dispensing the correct dosage of UL-5D, leave via the intended exit and lock it. Keep the treated area closed for 6 hours after the treatment to insure maximum effectiveness.

Be sure that Warning Signs are posted at all exits and entrances. Warning Signs should read as follows:

WARNING! DO NOT ENTER! INSECTICIDE TREATMENT IN PROCESS.

This building must be opened and aired prior to re-entry by unprotected workers.

DO NOT ENTER BEFORE _____ a.m./p.m. on _____
19____ unless wearing protective clothing and respiratory equipment.

Repeat treatments at weekly intervals during peak season of insect activity.

After each treatment clean the fogger using Micro-Gen Cleaning Solvent or equal, before returning it to the Pesticide Equipment Storage area.

OPERATOR SAFETY & PROTECTION: Personnel applying UL-5D or entering treated areas during the 6 hour exposure, or entering the building to air it out should take the following protective measures: wear protective clothing cover all exposed skin, wear natural rubber gloves, and wear a full face gas mask approved by M.E.S.A. or NIOSH such as MSA Model #448983 with GMP Canister, Model #448972 or equivalent respiratory protection.