METHAR 80

DISODIUM METHANEARSONATE

DIRECTIONS FOR EASY APPLICATION

YOUNG CRABGRASS

(Two and Three-Leaf Stage)

MIX ONE POUND WITH 10 TO 20 GALLONS OF WATER AND COVER, 6,000 SQUARE FEET. TWO TO THREE APPLICATIONS NECESSARY AT SEVEN DAY INTERVALS.

BRANCHED STAGE CRABGRASS

MIX ONE POUND WITH 10 TO 20 GALLONS OF WATER AND COVER 4,000 SQUARE FEET. TWO TO THREE APPLICATIONS NECESSARY AT SEVEN DAY INTERVALS.

W.A. CLEARY CORPORATION
BELLEVILLE, ONT., CANADA NEW BRUNSWICK, N. J.

SELECTIVITY OF METHAR

METHAR is a selective crabgrass killer at recommended rates of application in the presence of Kentucky, Merion Blue, Bermudas, and Zoysia Grasses. Under ideal weather and turf conditions, such as cool days and moist turf it is also selective in the presence of sensitive grasses, such as Fescues and Bents. Discoloration may occur in Fescues and Bent-grass areas, hence the lighter dosage is recommended.

Do not use on St. Augustine or Centipede Grasses.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

NET WEIGHT.....LBS.

W.A. CLEARY CORPORATION

BELLEVILLE, ONT., CANADA NEW BRUNSWICK, N. J.

METHAR

DISODIUM METHANEARSONAT

CRABGRA KILLE

E.P.A. REG. No. 1001-12

CAUTION

KEEP OUT OF REACH OF CHILI
SEE OTHER PRECAUTIONS ON THE BACK/SIDE

FOR GOLF COURSES AND OTH ORNAMENTAL TURF AREAS ON

ACTIVE INGREDIENT:

- Disodium Methanearsonate
 INERT INGREDIENTS
 TOTAL
- · Total Arsenic, all in water soluble form
- Equivalent to 80% Disodium Methanearsonate

W.A. CLEARY CORPORA

BELLEVILLE, ONT., CANADA NEW BRUNSW

HAR

e crabgrass killer of application in ky, Merion Blue, Grasses. Under conditions, such st turf it is also ence of sensitive s and Bents. Dis-Fescues and Bentlighter dosage is

stine or Centipede

drum. Return to destroy by perfoburying in a safe supplies.

....LBS.

RPORATION NEW BRUNSWICK, N. J.

HETHAR

DISODIUM METHANEARSONATE

CRABGRASS KILLER

E.P.A. REG. No. 1001-12

CAUTION

KEEP OUT OF REACH OF CHILDREN. SEE OTHER PRECAUTIONS ON THE BACK/SIDE PANEL.

FOR GOLF COURSES AND OTHER **ORNAMENTAL TURF AREAS ONLY**

ACTIVE INGRÉDIENT:

	Disodium Methanearsonate		
		TOTAL	100.0%
•	Total Arsenic, all in water soluble form	• • • • • • • • • • • • • • • • • • • •	20.5°°
•	Equivalent to 80% Disodium Methane	arsonate	Hexahydrate

W.A. CLEARY CORPORATION

BELLEVILLE, ONT., CANADA NEW BRUNSWICK, N. J.

DO NOT APPLY TO DRY TURF. **DURING HOT DRY SPELLS** RESTORE SOIL MOISTURE BY WATERING TURF WELL FOR A PERIOD OF A FEW DAYS PRIOR TO SPRAYING. ON TURF THAT IS PREDOMINANTLY BENT OR FESCUE USE THE LOWER RATE ONLY. DO NOT APPLY TO NEWLY SEEDED AREAS UNTIL AFTER 2 OR 3 MOWINGS.

CAUTION

Avoid cnower with the skin or inhalation of dust or spray mist. Avoid contamination of Feed and Food Stuffs. Keep a vay from children and domestic animals. Keep children ar d animals off treated areas until washed into soil. Keep I restock off treated areas. Wash hands after using. Harmful if swallowed.

ANTIDOTE

It taken internally induce vomiting and call a physician at once.



·•

W.A. CLEARY CORPORATION

BELLEVILLE, ONT., CANADA NEW BRUNSWICK, N. J.

ACCEPTED

Airquit 24, 1970

FUNGICHE AND RODENTIGIDE ACT FOR ECONOMIC POISON REGISTER. ED UNDER NO. 1001-10