

# P M A S - 3 0

## 30% Phenylmercuric Acetate

To inhibit bacteria and fungus growth and for preservation of oil based paints in the can and the painted surface . . . also for adhesives.

### RECOMMENDED USE PER 100 GALLONS PAINT

Can Preservation	1 Quart
Mildew, mild	2 Quarts
Mildew, severe	3 to 4 Quarts
<b>ACTIVE INGREDIENTS</b>	
Phenylmercuric Acetate	30%
(Mercury as Metal 18%)	
<b>INERT INGREDIENTS</b>	
Weight per gallon	70%
	10.6 Pounds

Net Contents ..... lbs.

**W. A. CLEARY CORPORATION**  
NEW BRUNSWICK, NEW JERSEY

### POISON



**ANTIDOTES:** If swallowed. Give milk or white of egg beaten with water, then a tabiespoon of salt in a glass of warm water, and repeat until vomit fluid is clear. Repeat milk or white of egg beaten with water. Call a Physician Immediately!  
If on skin. Wash immediately with soap and warm water.  
If in eyes. Flush with water for at least 15 minutes, and get medical attention.

**DANGER:** May produce delayed chemical burns! Do not breathe dust or spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling.

**DANGER:** Keep Out of Reach of Children.

Do NOT use in greenhouse paints.

For manufacturing purposes only.

