

DIRECTIONS FOR USE AS A SPRAY

CAD-TRETE will prevent and control Dollar Spot, Copper Spot, Helminthosporium Curvularia, and Brown Patch if mixed at the rate of 4 oz. diluted in 5 gals. water and applied uniformly over 1,000 sq. ft. Applications should be made early Spring and continued once every week during the disease season.


SNOW MOLD APPLICATION: Mix 8 ozs. CAD-TRETE in 3 gals. of water and apply to 1,000 sq. ft. Application should be made during the Fall before a snowfall and again during the winter when a run-off or melting occurs. In early Spring when thawing occurs apply CAD-TRETE at the rate of 4 ozs. in 5 gals. of water per 1,000 sq. ft.

KEEP THE SPRAY SOLUTION WELL AGITATED IN THE SPRAY TANK. ALLOW SPRAY TO DRY ON GRASS BEFORE MOWING OR WATERING.

DIRECTIONS FOR USE AS A DRY MIX

Thoroughly mix 4 ozs. CAD-TRETE with 10 quarts of fine sand or top dressing and apply uniformly to 1,000 sq. ft. Mix thoroughly and evenly. Apply with a mechanical spreader in two directions to insure uniform coverage of turf. Application should be made early Spring and continued at weekly intervals throughout season.

SNOW MOLD APPLICATION: Mix 8 ozs. CAD-TRETE with 10 qt. of fine sand or top dressing and apply to 1,000 sq. ft. Apply early Fall before a snow fall and again once or twice during winter when melting or run-off occurs.



USDA Reg. No. 1001-49

CAD-TRETE
TURF FUNGICIDE
WETTABLE POWDER

For the prevention and control of
DOLLAR SPOT, COPPER SPOT, BROWN PATCH,
HELMINTHOSPORIUM-CURVULARIA
AND SNOW MOLD.

ACTIVE INGREDIENTS:

Thiram (Tetramethyl-thiuram disulfide)	75.0%
Cadmium Chloride	8.5%
(total Cadmium Cd. 4.1%)	
INERT INGREDIENTS:	16.5%

TOTAL

100.0%



CAUTION—KEEP OUT OF REACH OF CHILDREN

SEE OTHER CAUTIONS ON SIDE PANELS

W. A. CLEARY CORPORATION

NEW BRUNSWICK, N. J. 08903

Net Weight

CAUTION: Avoid breathing spray mist. Wear respirator when spraying. This product is toxic to fish. Keep out of any body of water. Apply this product only as specified on this label. Do not graze treated areas. Do not feed clippings to livestock. Consumption of alcoholic beverages increases the possibility of harm.

This product is toxic to fish and wildlife. Keep out of any body of water. Do not contaminate or store near food or feedstuffs.

EXTERNAL: May be harmful or fatal if swallowed. Do not get in eyes or on skin. Wash thoroughly after handling. Keep children and animals off treated areas until washed into soil. If spilled on skin wash off immediately with large volumes of water. WASH contaminated clothing.

ANTIDOTE: If swallowed give raw white of egg. Induce vomiting with a mixture of salt, soap or mustard in warm water. Give a teaspoon of salt in a glass of warm water and repeat until most fluid is clear. Then give two tablespoonsful of Epsom salts or Milk of Magnesia in water and plenty of milk or water. Have victim lie down and keep warm. Call a Physician immediately.

NOTICE: Do not use empty container. Wash container thoroughly with water and detergent. Discard in a safe place.