

PM21 1001-63

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (722-567)
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.
1001-63

DATE OF ISSUANCE
SEP 28 1988

TERM OF ISSUANCE
Conditional

NAME OF PESTICIDE PRODUCT
3336WP Turf and
Ornamental Fungicide

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Mr. James Esposito
W. A. Cleary Chemical Corporation
P. O. Box 10, 1049 Somerset Street
Somerset, New Jersey 08873

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with the provisions of Section 3(c)(7)(A) of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (FIFRA), since you have agreed that:

1. You will submit the data listed below no later than 15 months from the date of registration of your product (Federal register Vol. 49, No. 207, 42856-42905, October 24, 1984):

a. Storage Stability (Guidelines Reference No. 63-17).

2. You will submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

10/5

and provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. Add the phrase, "EPA Registration No. 1001-63".
 - b. Under Environmental Hazards, change "Do not contaminate water by cleaning of equipment or disposal of wastes" to "Do not contaminate water when disposing of equipment washwaters".
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely,



Lois A. Rossi
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosure

TS767C:HFB:RD:LROSSI:ls:Rm229:557-1900:6/7/88

3336WP

ACCEPTED
with COMMENTS
EPA Label #

3

SEP 26 1988

TURF AND ORNAMENTAL FUNGICIDE
IN WATER SOLUBLE BAGS

Under the
Fungicide
as amend
registered

1001-63

For prevention and control of DOLLAR SPOT, COPPER SPOT,
BROWN PATCH, RED THREAD, ANTHRACNOSE, FUSARIUM BLIGHT,
LEAF SPOT, and STRIPE SMUT on fine turf applications.
For disease control on Roses, Flowers, Ornamentals and Shade
Trees.

ACTIVE INGREDIENT

Dimethyl 4,4'-o-phenylenebis - (3-thioallophanate)	50%
Inert Ingredients	50%
	<u>100%</u>

EPA Reg. No. 1001-AG(63)

EPA Est. No. 33967- NJ1

CAUTION

KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS
AND DOMESTIC ANIMALS

Harmful if swallowed. May cause irritation of eyes,
nose, throat and skin. Avoid breathing dust. Wash
thoroughly after handling. Remove and wash contaminated
clothing before reuse. In case of contact with eyes,
flush with plenty of water for 15 minutes. Get medical
attention if irritation persists. In case of contact with
skin, wash with soap and water.
Do not graze animals on treated turf. Do not feed clippings
to livestock or poultry.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands. Do not contaminate
water by cleaning of equipment or disposal of wastes. Do not
apply, allow to drift or drain or flush equipment onto or near
croplands. Application equipment should be thoroughly cleaned
after use.

NOTICE: Read and understand the entire label before using.
Use only according to label directions.



W-CLEARY CHEMICAL

CORPORATION
1049 Somerset St. Somerset, N.J. 08873 (201) 247-8000

OCT 20 1987

NET WT. 2 Pounds (907 grams)
(Four 8 oz. Water Soluble Packets)

3 of 5

TURF AND ORNAMENTAL FUNGICIDE
IN WATER SOLUBLE BAGS

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. 3336 is a wettable powder for use on golf course greens, tees, and fairways of Bentgrasses, Bluegrasses, Bermuda grasses, Fescues, Ryegrasses, St. Augustine grasses or their mixtures. 3336 is not phytotoxic to any of the above mentioned grasses when used in accordance with the label. Apply recommended amounts in sufficient water to obtain thorough coverage, usually five (5) gallons per 1,000 sq. ft. of turf area. DOLLAR SPOT (*Sclerotinia homoeocarpa*), COPPER SPOT (*Gloeocerospora sorghi*) LARGE BROWN PATCH (*Rhizoctonia solani*), RED THREAD (*Corticium fuciforme*). Apply 3336 at 8 oz. (1 packet) per 4000 sq. ft. beginning when the disease first appears and continue at 7-10 day intervals through the season, or as needed.

ANTHRACNOSE (*Colletotricum graminicola*) apply at 8 oz. (1 packet) per 8000 sq. ft. beginning when the disease first appears and continue at 10-14 day intervals as needed. As a curative, use 8 oz. (1 packet) per 4000 sq. ft.

STRIPE SMUT (*Ustilago striiformis*) - FUSARIUM BLIGHT (*Fusarium roseum*) - and LEAF SPOT (*Helminthosporium*) - apply 3336 at 8-16 oz. (1-2 packets) per 2000 sq. ft. Apply two applications at 7-10 day intervals, beginning applications when the disease first appears. IRRIGATE IMMEDIATELY AFTER APPLICATION TO DRENCH 3336 INTO THE ROOT ZONE. TO PREVENT STRIPE SMUT APPLY 3336 IN THE SPRING AND FALL.

DOLLAR SPOT CONTROL IN FAIRWAYS

Dollar Spot is easily controlled with Cleary's 3336. For the prevention and control of this disease on fairways, apply 8 ounces (1 packet) per 8000 sq. ft. at two (2) to four (4) week intervals.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Store in a cool, dry area, in original unopened container. Store in a secured area unavailable to unauthorized persons.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: When all packets are used, then dispose of empty foil package in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

LIMITED WARRANTY AND DISCLAIMER

Seller warrants that the composition of this product conforms to the ingredient statement and is suited to the purposes described when used according to directions. The use of this product being beyond the control of the seller, no guarantee, expressed or implied, is made to the effects or results to be obtained if not used in accordance with directions or established safe practices. Buyer accepts all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

ROSES, FLOWERS, ORNAMENTALS and SHADE TREES

Begin applications when disease first appears, or during suspected periods of disease incidence. Use Suepr Wet (3-4 oz./100 gal.) or equivalent wetting agent at recommended rate, for plants which have leaves that are hard to wet. Use at the recommended rates for the prevention or control of the following diseases:

FOLIAR SPRAY FOR FIELD & GREENHOUSE	LBS./200 GAL.	REMARKS
DISEASES CONTROLLED		
Stem Blight of Juniper (Phomopsis spp.)	3 lb. (6 packets)	Repeat every 7-10 days as needed during disease periods.
Rust of Crabapple (Gymnosporangium spp.)	2 lb. (4 packets)	Repeat every 1-14 days as needed during disease periods.
Ovulinia Blight of Azalea & Rhododendron	1 lb. (2 packets)	Apply as flowers open. Repeat every 4-6 days as needed during disease periods.
Anthracoze, Shade Trees & Woody Ornamentals	1½ lb. (3 packets)	Apply at bud break. Repeat every 7-10 days as needed during disease period. Do not exceed 4 applications per year.
Ascochyta Leaf Blight (Ascochyta spp.)	1½ lb.	Repeat every 7-10 days as needed during disease period.
Black Spot of Rose (Diplocarpon Roshe)	(3 packets)	
Botrytis Flower Blight (Cotrytis spp.)		
Scab of Pyacantha & Flowering Crab (Fusicladium spp. & Venturia spp.)		
Leaf Blight (Curvularia spp.)		
Corynespora Leafspot of Ligustrum (Corynespora spp.)		
Iris Leafspot (Didymellina spp.)		

DRENCH TREATMENT	LBS./200 GAL.	REMARKS
Diseases controlled		
Stem, Crown & Root Rot of Herbaceous Annual, Perennials, & Bedding Plants (Botrytis spp. Fusarium spp. Rhizoctonia spp. & Sclerotinia spp.)	1½ lb. (3 packets)	Apply at rate of 2-3 pints/sq.ft. Apply after transplant to propagation bed or contain.
Cylindrocladium Rot of Azalea, Conifers, Poinettias & Rhododendrons (Cylindrocladium spp.)		Repeat every 14-21 days as needed during disease period.

BULB TREATMENT	LBS./200 GAL.	REMARKS
DISEASES CONTROLLED		
Bulb Rot of Daffodil, Easter Lily, Gladiolus, Iris & Tulip (Fusarium spp. & Penicillin spp.)	1½-2 lb. (3-4 packets)	Soak immediately after digging for 30 minutes in dip (80-85°). Dry well before storing. Heat treat before treatment if bulbs are used for forcing.

W. A. CLEARY CORPORATION
 P. O. Box 10
 1049 Somerset Street
 Somerset, New Jersey 08873
 201-247-8000
 Place your next order by calling
 TOLL FREE:
 1-800-524-1662 East of Mississippi
 1-800-524-1663 West of Mississippi

30/5
10/87