

DIRECTIONS FOR USE

DAIRY AND BEEF CATTLE

For the control of Stable Flies, Horn Flies, Lice, and Ticks, dilute one pint of Pfizer Dairy Spray with 6 gallons of water (1 quart with 12 gallons; or 1 gallon with 48 gallons). Spray animal thoroughly, using two to four quarts of finished solution for adult animals and proportionately less for younger animals. Repeat as necessary to maintain control, but not more often than once weekly.

FACE FLY CONTROL

Wet Spray—For the control of Face Flies, dilute one gallon of Pfizer Dairy Spray with 48 gallons (1 pint per each 6 gallons) of water. Spray cattle thoroughly covering all parts of the body. Do not apply more often than once per week. Three ounces of sugar may be added to each gallon of diluted spray if desired.
Mist Spray—Mix one gallon of Pfizer Dairy Spray with 6 gallons (1 pint with ¾ gallons) of water. Apply as a mist spray to all parts of the body including the legs, using 2 ounces per animal daily. Three ounces of sugar may be added to each gallon of diluted spray if desired.

BACKRUBBER

For the control of Horn Flies on dairy and beef cattle, dilute one gallon of Pfizer Dairy Spray with 16 gallons (1 quart with 4 gallons) of fuel oil or diesel fuel and mix thoroughly. Do not use crankcase oil or lubricating oil. Treat backrubbers or sack or cloth as occasion requires. Retreat backrubber as needed. Do not spray animals with this oil solution.

SHEEP, GOATS AND HOGS

To control Ticks and Lice on sheep and goats, and Lice on hogs, dilute one pint of Pfizer Dairy Spray with 6 gallons of water (1 quart with 12 gallons; or 1 gallon with 48 gallons). Spray animals thoroughly. Repeat as necessary, but not more often than once per week.



Pfizer

DAIRY SPRAY

with **Ciodrin*** Insecticide

Residual Dairy Livestock Spray and Backrubber Concentrate

For use on DAIRY & BEEF CATTLE
SHEEP, GOATS, and HOGS

CONTROLS: Face Flies, Stable Flies,
Horn Flies, Lice, and Ticks.

ACTIVE INGREDIENTS: dimethyl phosphate of alpha-methylbenzyl 3-hydroxy-cis-crotonate 15.4%, aromatic petroleum hydrocarbons 71.9%.

INERT INGREDIENTS: 12.7%

WARNING: Keep out of reach of children.
SEE SIDE PANEL FOR ADDITIONAL WARNINGS.

NET CONTENTS: 1 FL. GAL.

Pfizer

Distributed by
AGRICULTURAL DIVISION
NEW YORK, N.Y. 10017

ACCEPTED

Dec. 8, 1970

FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 107-50
TO ATTACH TO COMMENTS.

HOUSE FLY CONTROL

As an aid in the reduction of House Flies, Face Flies, and Stable Flies both inside and outside dairy barns, animal shelters, hog barns and poultry houses, and other places where flies are a problem, mix 1 gallon of Pfizer Dairy Spray with 14 gallons (1 pint with 1 ¾ gallons) of water. Spray mixture on surfaces where flies alight, using approximately 1 gallon of diluted spray per thousand square feet of surface.

WARNING: Hazardous if swallowed, inhaled or absorbed through skin! Do not get in eyes, on skin, or clothing. Wash with soap and water after using. Avoid contamination of feed, water, and foodstuffs. During commercial or prolonged exposure in spray mixing and loading operations, wear clean synthetic rubber gloves and a mask or respirator of a type found suitable by the U.S. Department of Agriculture for protection against Ciodrin insecticide. Keep away from heat and open flame. Toxic to fish and wild life. Do not contaminate any body of water by direct application, cleaning of equipment or disposal of wastes and containers. Do not apply regularly to calves under six months of age. Brahman cattle should not be treated as they may show hypersensitivity to organic phosphates. Dairy spray may damage finished surfaces and fabrics.

ANTIDOTE: External—in case of spillage on person or clothing, immediately remove clothing and flush skin or eyes with plenty of water; for eyes, get medical attention. Internal—call a physician immediately, give emetic of mustard. Atropine and 2-PAM (2-Pyridine aldoxime methiodide) are antidotal.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Livestock Remedy—

Not for Human Use—Hazardous Remedy

*Reg. U. S. Pat. Off. by Shell Chemical Co.

USDA Reg. No. 1007-50

Made in U.S.A. 4