

1007-79

1043

NOV 20 1990

BEST AVAILABLE COPY

Mr. Edward G. Merritt
Pfizer, Inc.
235 East 42nd Street
New York, NY 10017

Dear Mr. Merritt:

Subject: Revised Labeling and Formula
Oxytetracycline Registration Standard
Terramycin Tree Injection Formula (Pear)
EPA Registration No. 1007-79
Your Submission Dated November 27, 1989

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable provided that you:

1. Make the labeling change listed below before you release the product for shipment bearing the amended labeling:
 - The last sentence under Environmental Hazards should be revised to read "Do not contaminate water when disposing of equipment washwaters."
2. Submit one (1) copy of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Your revised Confidential Statement of Formula providing 3 percent overage of the active ingredient in your formulation is acceptable.

54357:I/C:Stone:L21-3:KENCO:11/14/90:12/13/90:DD:VO:EK:CI.

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

2043

-2-

Please provide this Agency with the storage stability data for this product. Since this product is an antibiotic, we believe it has an expiration date and it should be indicated on the label.

Sincerely yours,



Susan Lewis
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure

PH 21 1007-

DRAFT

TERRAMYCIN TREE INJECTION FORMULA FOR CONTROL OF PEAR DECLINE

ACTIVE INGREDIENT: Oxytetracycline Hydrochloride 21.6%
(Equivalent to 20% Oxytetracycline base)

INERT INGREDIENTS: 78.4%

This material is a non-sterile, suitably denatured antibiotic formulation, intended for agricultural use in the control of pear decline disease. Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

May cause allergic reactions. Avoid contact with skin and eyes. Do not breathe dust. Wear dust mask, chemical goggles and rubber gloves. Wash thoroughly after handling.

ENVIRONMENTAL HAZARD

Do not apply to any body of water. Do not contaminate water by cleaning equipment or disposal of waste.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Storage: Keep tightly closed. Storage should be at a cool temperature when possible, and with minimum exposure to the atmosphere.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Disposal: Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved state and local procedures.

KEEP TIGHTLY CLOSED

LOT

Net Weight: 6.68 ounces (189.38 grams)



CHEMICAL DIVISION
PFIZER INC., NEW YORK, N.Y. 10017

4.88-182-01

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TIMING: A single annual treatment *after harvest* but before leaf fall.

MIXING: To avoid possible pesticide contamination use only clean metal or plastic containers in preparing all solutions.

Add 3 rounded teaspoonfuls of product per 10 gallons of water to obtain recommended use level of 100 ppm oxytetracycline activity.

Use of a stock solution is suggested when fifty or more decline symptom trees are to be treated. Dissolve entire contents of bottle in 10 gallons of water to obtain a stock solution of 1000 ppm oxytetracycline activity. Add one gallon of stock solution to nine gallons of water to reach end use level.

APPLICATION METHOD: Use 6-8 quarts of solution per tree for mature trees. Apply with injection kits through 6-8 holes drilled into the wood of the trunk or main scaffolds. Use only freshly mixed material.


Use of this product is limited to West Coast States only. For further information consult local farm advisor or Agricultural Extension Service. Refer to University of California Bulletin AXT-446 for detailed directions for injecting the product.

EPA Reg. No. 1007- 79

EPA Est. No. 1007-NY-1



BEST



REGISTERED
PESTICIDES
DATE: _____

NOV 20 1990

Pesticide,
Act as
Pesticide
Date: _____