

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling.

Dilute this concentrate with water before using, as follows:

African Swine Fever
1 part to 100 parts of water.

Foot and Mouth Disease
1 part to 200 parts of water

Swine Vesicular Disease
1 part to 200 parts of water

Exotic Newcastle Disease
1 part to 100 parts of water

For use only on buildings, equipment, vehicles and animal pens.

Avoid contact by this product with food, animal feed, livestock, crops and food processing equipment.

For use by trained personnel, such as veterinarians, government officials and others trained in the control of animal diseases.

pfizer

VANODINE*FAM

**IODOPHOR DISINFECTANT
CONCENTRATE**

FOR ANTIVIRAL USE AGAINST

**AFRICAN SWINE FEVER
FOOT AND MOUTH DISEASE
SWINE VESICULAR DISEASE
EXOTIC NEWCASTLE DISEASE**

ACTIVE INGREDIENT:

Nonylphenoxyethoxyethyl iodine complex 19.05%
(Equivalent to 2.05% titratable iodine)

INERT INGREDIENTS:.....80.95%

**READ DIRECTIONS AND PRECAUTIONS
ON SIDE PANELS BEFORE USING**

NET CONTENTS: 5 GALLONS


**PFIZER, S.A.
San Pablo de Heredia, Costa Rica**

WARNING

Avoid contact with eyes, skin or clothing. In the event of contact, flood with cold water. For eyes, give prolonged irrigation with water and seek medical attention at once.

STORAGE AND DISPOSAL

Keep container tightly closed and store in a cool area away from direct sunlight. Do not use at temperatures above 110° F or 44° C. Do not mix with other chemicals. Wash empty container thoroughly and dispose of in a safe place.



Lot No. _____

E.P.A. Reg. No. 1007-83.
E.P.A. Est. No. 1007-CR-1