

1007-90

3/12/2013

1/4

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001



OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

MAR 12 2013

Mr. John B. Baker
Pfizer Inc.
7000 Portage Road KZO 300 -403 SW
Kalamazoo, MI 49001

Subject: Amended Reregistration Label
Product Name: Durasect Long Acting Livestock Pour On
EPA Registration Number: 1007-90
EPA Decision Number(s): 413838

Dear Mr. Baker:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the Permethrin RED(s), and has concluded that your submission is acceptable.

NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

- Basic CSF, dated [Oct. 14, 2011]

A copy of your label stamped "Accepted" is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any questions about this letter, please contact Dani Daniel at (703)305-5409 or via e-mail at daniel.dani@epa.gov

Sincerely,



Richard J. Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504P)

*Enclosures: Label stamped "Accepted," dated
Acute Toxicity Review, dated (May 27, 2010)
Product Chemistry Review, dated (Aug 12, 2010)*

Precautionary Statements
Hazards to Humans and Domestic Animals

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wear long-sleeved shirt and long pants, socks, and shoes, and chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber polyvinyl chloride (PVC), or Viton. Wash thoroughly with soap and water after handling.

First Aid

IF ON SKIN OR CLOTHING

- Take off contaminated clothing
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-888-963-8471

Environmental Hazards

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the area. Apply this product as specified on the label.

Distributed by:

Pfizer Animal Health
Exton, PA 19341, USA
Div. of Pfizer Inc.
NY, NY 10017
EPA Est. No 67517-MO-1
EPA Reg. No. 1007-90

User Safety Requirements

- Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

- User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- User should remove clothing/ PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Durasect Long-Acting Livestock Pour-On

- Ready to use Pour-On for beef cattle, lactating and nonlactating dairy cattle, sheep, and goats
- Patented water repellent formulation
- Does not leave an oily residue
- 4-11-week-control of horn flies+
- Controls face flies for at least 1 month
- Controls lice
- No withdrawal time

Active Ingredients:

*Permethrin (3-phenoxyphenyl) methyl +- cis, trans-3-(2,2-dichloroethyl)-2,2-dimethyl-cyclopropanecarboxylate.....1.0%
INERT INGREDIENTS.....99.0%

*cis/trans ratio: Min 35%(+) cis and max 65% (+) trans

Keep Out of Reach of Children

CAUTION

See Side Panel for Precautionary Statements
Net Contents: 1 gallon

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

- Except when applying to livestock, do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.
 - Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
 - When used in dairy barns or facilities: close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milk utensils before application. Wash teats of animals before milking.
- READY TO USE- No dilution necessary, see table below.

Animal Treatments

Lactating and Nonlactating Dairy Cattle, Beef Cattle, and Calves

Target Insects: Controls Horn Flies, Face Flies, Lice, and aids in the control of Horse Flies, Stable Flies and House Flies
Application: ** Apply along back and down face.
Use ½ fl oz (15mL) per 100 lb of body weight of animal, up to 5 fl oz for any one animal.

Sheep

Target Insects: Sheep Keds, Lice
Application: ** Apply along back. Use ¼ fl oz (7.5 mL) per 50 lb of body weight of animal, up to a maximum of 3 fl oz for any one animal.

Goats

Target Insects: Lice

Application: ** A mL) per 50 lb of one animal.

Repeat treatment as needed control, additional treatment than every 2 weeks.

+Duration of activity for horn environmental conditions a facilities, etc.)

**Durasect Long-Acting Liv Durasect application gun or

Storage and Disposal

Do not contaminate water, Pesticide Storage: Keep container near food or feed.

Pesticide Disposal: Wastes must be disposed of at an a

Container Disposal: Nonrefill Place in trash or offer for re

M
Under the Federal and Rodenticid and Rodenticid pestid

EPA. Reg. No. 1007-90

3/4

4/4

Application: **Apply along back. Use 1/4 fl oz (7.5 mL) per 50 lb of body weight of animal, up to a maximum of 3 fl oz for any one animal.

Repeat treatment as needed, but not more than once every 2 weeks. For optimum lice control, additional treatments at 14 day intervals may be necessary. Do not use more than every 2 weeks.
+Duration of activity for horn fly control many vary due to pyrethroid resistance, environmental conditions and management factors (i.e., sanitation, animal husbandry, facilities, etc.)
**Duraset Long-Acting Livestock Pour-On is to be used in conjunction with the Duraset application gun or dipper. Do not use this product as a spray.

Storage and Disposal
Do not contaminate water, food or feed by storage or disposal.
Pesticide Storage: Keep container sealed when not in use. Do not store near food or feed.
Pesticide Disposal: Wastes resulting from the use of this product must be disposed of at an approved waste disposal facility.
Container Disposal: Nonrefillable container. Do not reuse or refill. Place in trash or offer for recycling if available.

ACCEPTED
MAR 12 2013

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

EPA. Reg. No: 1007-90

Duraset Long-Acting Livestock Pour-On

- Ready to use Pour-On for beef cattle, lactating and nonlactating dairy cattle, sheep, and goats
- Patented water repellent formulation
- Does not leave an oily residue
- 4-11-week-control of horn flies+
- Controls face flies for at least 1 month
- Controls lice
- No withdrawal time

Active Ingredients:

*Permethrin (3-phenoxyphenyl) methyl +- cis, trans-3-(2,2-dichloroethoxy)-2-dimethyl-cyclopropanecarboxylate.....1.0%
INERT INGREDIENTS.....99.0%

* cis/trans ratio: Min 35%(+-) cis and max 65% (+-) trans

Keep Out of Reach of Children

CAUTION

See Side Panel for Precautionary Statements

Net Contents: 1 gallon

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

- Except when applying to livestock, do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- When used in dairy barns or facilities: close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milk utensils before application. Wash teats of animals before milking.

READY TO USE- No dilution necessary, see table below.

Animal Treatments

Lactating and Nonlactating Dairy Cattle, Beef Cattle, and Calves

Target Insects: Controls Horn Flies, Face Flies, Lice, and aids in the control of Horse Flies, Stable Flies and House Flies
Application: **Apply along back and down face.
Use 1/2 fl oz (15mL) per 100 lb of body weight of animal, up to 5 fl oz for any one animal.

Sheep

Target Insects: Sheep Keds, Lice
Application: **Apply along back. Use 1/4 fl oz (7.5 mL) per 50 lb of body weight of animal, up to a maximum of 3 fl oz for any one animal.

Goats

Target Insects: Lice

eyes, or clothing. Wear long-sleeved shirts and pants, and chemical-resistant gloves (such as nitrile or polyvinyl chloride (PVC)), and a respirator if necessary.

avoiding fish and invertebrates. Do not apply to water, or run off into storm drains, or into waterways. This product is highly toxic to bees exposed to it. Do not apply to bees exposed to this product in calm weather to ensure that wind or rain will disperse the product.

Do not apply to blooming crops or weeds while animals are grazing. Do not apply to blooming crops or weeds while animals are grazing. Do not apply to blooming crops or weeds while animals are grazing.

Do not apply to blooming crops or weeds while animals are grazing. Do not apply to blooming crops or weeds while animals are grazing.

Do not apply to blooming crops or weeds while animals are grazing. Do not apply to blooming crops or weeds while animals are grazing.