

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed. Avoid breathing vapors or spray mist. May cause irritation of nose, throat or skin. Avoid contact with eyes, skin and clothing. Do not contaminate food or feed products. Keep out of reach of children.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish and wildlife. Do not apply directly to lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply where weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this label in a manner inconsistent with its labeling.

**STORAGE & DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act. Dispose of empty bags according to approved Federal, State or local procedures under the Resource Conservation and Recovery Act.

**GENERAL INFORMATION**

Apply this product only as specified on this label.

Do not use this product for any uses other than those specified on this label.

**Yellow Jacket Wettable Sulfur II is formulated for use in water as a spray on fruit, vegetable and ornamental crops for the control of certain fungus diseases and mites. It may be combined in the spray tank with most of the commonly used fungicides and insecticides.**

**Pour the specific amount of this product on surface of water in nearly filled spray tank or pre-mix in a bucket before pouring into spray tank. Add balance of water to fill tank. Keep agitator running during filling and spraying operations. Do not allow mixture to stand. Do not use in low volume gear-type spray equipment. Do not combine with emulsifiable liquids unless previous use of the mixture has proven physically compatible and safe to plants.**

**CAUTION:** Do not use sulfur in combination with oil or within two weeks of an oil spray. Do not use sulfur on apples or other sensitive crops when shade temperatures exceed, or are likely to exceed, 90° F. Do not apply or allow sulfur to drift to Cucurbits (cucumber, cantaloupe, melon, squash) or tung. To do so may result in severe fruit and leaf injury.

**Yellow Jacket  
Wettable Sulfur II**

**For Spraying Fruits,  
Vegetables & Ornamentals.**

<b>ACTIVE INGREDIENT:</b>	
Sulfur .....	90.0%
<b>INERT INGREDIENTS:</b>	10.0%
<b>TOTAL</b> .....	100.0%

**FINENESS:** Not less than 93% passing 325 mesh.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

If on skin, wash immediately with soap and water.

If in eyes, immediately flush eyes with plenty of clear water for at least 15 minutes.

If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

See Side Panel For Additional Precautionary Statements.

**GRIFFIN CORPORATION**

VALDOSTA, GEORGIA 31601

EPA REG NO 1812 255

EPA EST. NO. 6325 GA 1

NET CONTENTS 50 lbs

Consumption  
tension  
application  
All doses  
use in  
Sulfur  
IMPOR  
rainfall  
require  
frequen  
Sulfur  
would  
Zinc  
Sulfate  
sulfur  
Applic  
water  
cover  
Cherry  
pink  
Citru  
first si  
trolled  
greasy  
tank s  
Pear  
bloo  
Plum  
in par  
Bear  
water  
need  
Rose  
water  
first  
seed  
techn  
Per  
gal  
tion  
thro  
grow  
GRIF  
cont  
the  
nor  
ties  
dica  
of tr  
or of  
all h