

PREPARE EMPTY BINS Sweep clean. Remove and burn old grain and debris. Check cracks and repair loose areas. Spray ceiling, rafters, beams, walls and floors with "88" IMPROVED FARM BIN SPRAY.

PREPARE FULL BINS FOR FUMIGATION grain surface as much as possible. Gases will not hold fumigant gases. Check cracks and seal aeration ducts. To prevent insect migration at time of fumigation, spray ceiling with "88" IMPROVED FARM BIN SPRAY. Treat grain surface with SPECIAL MILL SPRAY. Bins should remain sealed at least 72 hours after fumigation or preferably one full week if fumigation permits.

Apply TETRAKIL at the rate of 3 gallons per 1,000 bushels. TETRAKIL can be applied two ways: pumped directly from a 53 gallon drum with a fumigant pump and hose attachment, or for best results use fumigant pump, hose attachment and fumigant rake. When using 5 gallon cans or gallon jugs, spread containers in "checkerboard" fashion evenly throughout the bin before opening. Then release TETRAKIL from containers one at a time, dragging back and forth, holding mouth of container under surface of grain.


CAUTION DO NOT spray TETRAKIL or apply with a sprinkling can.

Clean and spray empty bins before using. As bins are being filled apply TETRAKIL at 25 feet of grain at the rate of 2 gallons per 1,000 bushels. Fill bins within 18 inches of top side walls, then rest surface of grain. Make final application of TETRAKIL adding an extra gallon for the top. To prevent insect migration, spray outside of bins with "88" IMPROVED FARM BIN SPRAY and spray grain with SPECIAL MILL SPRAY.

WOOD GRANARY: Prepare bins as outlined above. Line interior with heavy wrapping paper or light roofing paper to prevent excess seepage of gas. Apply 3 gallons per 1,000 bushels. If bins are lined, if not lined, 4 gallons per 1,000 bushels in 2 separate applications of 2 gallons, 24 hours apart.

STEEL ROUND BINS: Prepare bins as outlined above. Apply 3 gallons per 1,000 bushels. TETRAKIL may also be applied in two (2) separate applications of 1 1/2 gallons per 1,000 bushels, 24 hours apart. Do not use fumigated material or feed it to livestock until aeration has eliminated the odor of the fumigant.

DESTROY USED CONTAINERS Do not reuse for any purpose. Destroy container by burning or burying in an isolated area. If burned, keep out of smoke.



WEEVIL KILLER AND GRAIN CONDITIONER

GRAIN FUMIGANT

WHEAT, CORN, MILLS OR GRAIN, SORGHUM, BARLEY, OATS, RYE

- For Farm and Flat Storage
- For Steel and Wooden Bins
- Harmless to Germination
- Leaves No Odor, Taste or Stain

ACTIVE INGREDIENTS:	
Cyfluthrin (Technical)	77.69%
Carbaryl (Technical)	15.41%
Ethion (Technical)	5.00%
Sulphur Dioxide	1.50%
Piperonyl Butoxide	0.40%
Total	100.00%

CLASSIFIED BY UNDERWRITERS LABORATORIES INC. AS TO FIRE HAZARD ONLY

DOUGLAS TETRAKIL CLASSED 1 TO 5

SEE UNCLASSIFIED PRODUCTS INDEX

DANGER —

KEEP OUT OF REACH OF CHILDREN

MAY BE FATAL IF SWALLOWED OR INHALED. ANTIDOTE: CALL PHYSICIAN. OBSERVE PRECAUTIONS ON RIGHT SIDE PANEL. AVOID CONTACT WITH FLAME OR HOT SURFACES. STORE INSIDE IN COOL DRY PLACE. DO NOT SUBJECT TO FREEZING.

U.S. Reg. U.S. Pat. Off. Douglas Chemical Company

Douglas Chemical Company 
LIBERTY, MISSOURI 64068

ALWAYS WEAR PROTECTIVE CLOTHING

DO NOT breathe vapors or mist. Avoid contact of eyes, skin or clothing. Use gas mask suitable for organic vapors and acid gases.

If treated areas must be entered before vapors have dissipated, wear an air-line respirator or a full-face gas mask equipped with an organic vapor and acid gases (yellow) canister. In case of contact, wash with soap and water. Remove and wash clothing before re-use. Do not wear shoes until free of all chemical odor.

Always have someone at hand to help in case of accident. Have him equipped with an air-line respirator or full-face gas mask equipped with an organic vapor and acid gases (yellow) canister. Have him stand out do where he can see man working inside.

ANTIDOTE: If illness results from inhalation, remove to fresh air, keep warm and quiet and CALL PHYSICIAN. Apply artificial respiration only if breathing stops. If swallowed, CALL PHYSICIAN. Induce vomiting immediately, by giving emetic such as 2 tablespoons of salt in a glass of warm water.

Neither Manufacturer nor Seller makes any representation or warranty, express or implied, concerning this product except as stated on the label. Neither shall be held responsible in any manner, for any personal injury or property damage, resulting from failure to follow directions for use and necessary warnings or cautions for the protection of the user as provided on this label.