
09/29/2004





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

SEP 2 9 2004

Mr. James M. Osment Vice President Douglas Products and Packaging 1550 East Old 210 Highway Liberty, MO 64068

Subject: Updated Label and Revised CSF Max Kill Dusta-Cide 6 EPA Reg. No. 1015-69 Your Application of March 30, 2004

Dear Mr. Osment:

The labeling amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, As Amended (FIFRA), is acceptable, provided that you submit two copies of your final printed label incorporating the following corrections before you release the product for shipment.

1. As specified in our previous letter dated September 27, 1995, correct the first and third sentences in the Environmental Hazards section to read as cited below.

This product is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not contaminate water when disposing of equipment washwaters.

2. Reinstate the name malathion as the common name of the active ingredient in the ingredient statement as it appears on the previously submitted label for the product accepted with our letter of September 27, 1995. A copy of that label was included with our letter of March 10, 2004.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended label constitutes acceptance of this condition.

A stamped copy of the label is enclosed for your records.

The revised Confidential Statement of Formula (CSF) dated March 30, 2004 is acceptable and has been incorporated into our records for the product.

Sincerely,

muila & mint

Marilyn A. Mautz Biologist Insecticide-Rodenticide Branch Registration Division (7504C)

ŧ.



AIDS IN CONTROL OF

Rice Weevil, Granary Weevil, Lesser Grain Borer, Saw Toothed Grain Beetle, Cadelle, Black Carpet Beetle, Flat Grain Beetle, Rusty Grain Beetle, Red Flour Beetle, Confused Flour Beetle, Mediterranean Flour Moth, Indian Meal Moth, Angoumous Grain Moth

ACTIVE INGREDIENTS:

Formulated with FyFanon® Technical Insecticide THE PREMIUM GRADE MALATHION



Dated:

	KEEP OUT OF REACH OF CHILDREN CAUTION
	STATEMENT OF PRACTICAL TREATMENT
IF SWALLOWED	CAUTION StateMent of practical treatment advice. Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
F INHALED	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
F ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.
F IN EYES	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rins eye. Call a poison control center or doctor for treatment advice.
lave the product conta reatment.	ainer o label with you when calling a poison control center or doctor, or going for
NOTE TO PHSICIA antidote.	N: This material is a cholinesterase inhibitor. Treat symptomatically. Atropine is a

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.





Net Contents 50 Lbs. DOUGLAS PRODUCTS & PACKAGING; Liberty, Missouri 64068 Phone: 816-781-4250

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Avoid eye and skin contact.

Avoid dust inhalation.

Harmful if swallowed.

Wash thoroughly with soap and water after using.

Wear approved safety equipment for protection of eyes, nose and mouth during application.

Avoid contamination of feed and food.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate natural water by cleaning of equipment or disposal of wastes.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop or weeds blooming in the treated area.

NON-WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by state and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

GENERAL: Consult federal, state and local disposal authorities for approved procedures other than those given above. Approved procedures vary considerably for different types of containers.

DIRECTIONS FOR USE

GENERAL:

The primary function of Dusta-Cide 6 is to protect uninfested grain from insect attack and propagation. In order for it to be an effective protectant it must be uniformly mixed with the commodity since control is achieved as the insects move about feeding. When properly applied. Dusta-Cide 6 will aid in the control of the adults or larvae of listed insects.

To control existing infestations it is best to fumigate the commodity first and then protect the surface against reinfestation with a surface application of Dusta-Cide 6.

Dusta-Cide 6 can be used as directed as a post harvest application to the raw agricultural commodities - wheat, corn, oats, barley and rye.

DOSAGE

During transfer: 10 lbs per 1,000 bushels.

Surface treatment: 5 lbs per 1.000 square feet.

APPLICATION PROCEDURES

DURING TRANSFER:

Calculate the quantity of Dusta-Cide 6 required. Whether by hand or mechanical feeder, apply Dusta-Cide 6 uniformly and continuously as the commodity is transferred. At the end of transfer, protect the surface by applying 5 lbs per 1,000 square feet.

SURFACE TREATMENT:

Surface treatment is designed to protect uninfested commodities from being infested and/or to control existing minor surface infestations. It is especially suited to protect the commodity from attack by Indian meal moth. To be effective, Dusta-Cide 6 should be uniformly applied to the surface and raked in to a depth of approximately 6 inches.

NOTE:

A well established Indian meal moth infestation will be difficult to bring under control short of fumigation. In either case it will be necessary to remove any webbing present and stir the surface of the commodity before applying either Dusta-Cide 6 or fumigating with a suitable fumigant. Any removed webbing should be burned or buried.