9 25 2012



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

SEP 2 5 2012

Ross Gilbert Pyxis Regulatory Consulting, Inc. 4110 136th St. NW Gig Harbor, WA 98332

Subject:

Label Amendment – Revise Label to Comply with Dichlobenil RED and CA Labeling Requirements Sanafoam Roo-Pru EPA Reg. No. 1015-73 Application dated – June 26, 2012

Dear Mr. Gilbert:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

Amended labeling will supercede all previously accepted ones. A stamped copy of labeling is enclosed for your records.

Submit one (1) copy of final printed labeling before you release the product for shipment. If you have any questions regarding this letter, please contact Maggie Rudick at (703) 347-0257 or <u>rudick.maggie@epa.gov</u>.

Sincerely,

Kable Bo Davis Product Manager 25 Herbicide Branch Registration Division (7505P)

[Optional text appears in brackets – the final label may include some or all of the optional text]

SANAFOAM ROO-PRU

A Foaming Fumigant Rids Sewer Lines of Roots Will Not Harm Trees, Non-Systemic

ACTIVE INGREDIENT Dichlobenil (2 6-dichlorobenzonitrile) OTHER INGREDIENTS TOTAL

(

By Weight 50 0% <u>50 0%</u> 100 0%

(

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta busque a alguien para que se la explique a usted en detalle (If you do not understand the label find someone to explain it to you in detail)

	FIRST AID					
If swallowed	 Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by the poison control center or doctor 					
lf on skin or	 Do not give anything by mouth to an unconscious person Take off contaminated clothing 					
clothing	 Rinse skin immediately with plenty of water for 15-20 minutes Call a poison control center or doctor for treatment advice 					
lf in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses if present after the first 5 minutes then continue rinsing eye Call a poison control center or doctor for treatment advice 					
lf inhaled	 Move person to fresh air If person is not breathing call 911 or an ambulance then give artificial respiration preferably mouth-to-mouth if possible Call a poison control center or doctor for further treatment advice 					
<u></u>	HOT LINE NUMBER					
	nformation in case of emergency call toll free (1-800-858-7378) Have tainer or label with you when calling a poison control center or doctor or ent					

See additional PRECAUTIONARY STATEMENTS on side panels

EPA Reg No 1015-73

EPA Est No

- -

Manufactured for Douglas Products and Packaging Company 1550 East Old 210 Highway Liberty MO 64068

Net Weight 1 875 lb (30 oz)

ACCEPTED						
SEP 25 2012						
Under the Federal Insecticide Fungicide and Rodenticide Act as amended for the pesticide registered under EPA Reg No 13.5 - 7.3						

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin Avoid contact with eyes skin or clothing

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Mixers, loaders, applicators and other handlers must wear

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical-resistant gloves made of any waterproof material
- Chemical-resistant apron when mixing and loading

(

User Safety Requirements

Follow manufacturers instructions for cleaning/maintaining PPE If no such instructions for washables exist use detergent and hot water Keep and wash PPE separately from other laundry

User Safety Recommendations

Users should

- Wash hands before eating drinking chewing gum using tobacco or using the toilet
- Remove clothing/PPE immediately if pesticide gets inside Then wash thoroughly and put
 on clean clothing
- Remove PPE immediately after handling this product Wash outside of gloves before removing As soon as possible wash thoroughly and change into clean clothing

ENVIRONMENTAL HAZARDS

Keep out of lakes ponds or streams Toxic to fish and aquatic life Do not apply directly to water to areas where surface water is present or to intertidal areas below the mean high water mark Do not contaminate water when disposing of equipment washwaters Equipment washwaters and wastes resulting from the use of this product may be disposed of on site according to label directions or at an approved waste disposal facility Do not use in potable sewer systems Do not use in storm field or other drains until effluent is treated in a sanitary sewer system Keep off lawns and plants as they may be severely injured Foam should be shoveled off planted areas immediately rather than washing off with water

This chemical has properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable particularly where the water table is shallow may result in ground-water contamination.

USE PRECAUTIONS

When used in inhabited buildings (residences offices hospitals etc.) windows must be open or an exhaust fan must be operating during the application

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flames

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This package contains one-30 oz water soluble bag for direct addition to the equipment mix tank when making foam applications of SANAFOAM ROO-PRU

USE PRECAUTIONS AND RESTRICTIONS

Consideration must be given to all sewer service lines and building elevations and basements for the possibility of foam coming up out of drains Consideration must be given to distance between houses and sewers to be treated depth of sewers compared to drains in buildings line obstructions broken and empty traps Drains which may be subject to backup and flooding must be plugged Follow the directions for measurement and use carefully to avoid using excess foam that may be forced up lateral lines to building drains Do not use in storm field or other drains unless effluent is treated in a sanitary sewer system. Use a squeegee dust pan or wet vacuum and garbage bags for spills or backups and dispose of foam and liquid wash area of spill or back up with water and detergent and flush down drain. If rugs or cloth are contacted take outside and dry before laundering separately

Do not use in confined areas without adequate ventilation Avoid any entry into manholes or confined areas. When absolutely necessary to enter these areas be sure to use all safety protection equipment and procedures as required by law

PRODUCT INFORMATION

SANAFOAM ROO-PRU is surface-active product for dilution in water to be used with a foaming agent [(included with this package)]

SANAFOAM ROO-PRU is a non-systemic chemical for control of roots in sewer mains and drain lines. Only the roots and organic deposits in the sewer lines are affected by SANAFOAM ROO-PRU

SANAFOAM ROO-PRU is not to be used to treat roots in storm sewers or other drains where the wastewater will not be treated or controlled

DIRECTIONS FOR USE OF SANAFOAM ROO PRU WITH TANK MIX OR ON DEMAND/IN LINE MIX

- 1 Determine which of the collection lines have known root problems
- 2 Survey Treatment Area Confirm the line size and length Evaluate slope, flow lateral connections line length outfall line obstructions terrain and other field conditions A thorough evaluation prior to starting will assure safe and accurate application of SANAFOAM ROO-PRU
- 3 Determine Quantity of Foam Needed From Table 1 compute the quantity of foam required to fill the length of pipe (in feet) to be treated

Pipe I D (inches)	Foam Capacities (gal /ft)	Retrieval Rate (sec /10 ft)	
4	07	4 2	
6	15	90	
8	2 5	15 0	
9	33	20 0	
10	4 1	24 0	
12	59	36 0	
15	9 2	55 0	
16	10 4	62 0	
18	13 2	78 0	
21	18 0	108 0	
24	23 5	141 0	
27	29.7	178.0	

TABLE 1 Foam Requirements and Hose Retrieval Rates for SANAFOAM ROO-PRU

(

Example An 8 in pipe requires 2.5 gallons of foam per foot to fill the pipe Therefore 2500 gallons of foam are required to fill an 8 in pipe 1000 feet in length (1000 ft x 2.5 gal/ft = 2500 gal)

4 Measurement Directions to Produce Desired Quantity of Foam

TABLE 2 Mixing Instructions for Dilution with Foaming Agent

Foam Requirement	Total Mix Volume	Water	Foaming Agent	Sanafoam Roo-Pru
2500 gal	125 0 gal	123 82 gal	1 18 gal	30 oz (1 water soluble bag)
5000 gal	250 0 gal	247 63 gal	2 37 gal	60 oz (2 water soluble bags)
7500 gal	375 0 gal	371 46 gal	3 54 gal	90 oz (3 water soluble bags)

Example 123 82 gallons of water plus one 30 oz bag Sanafoam Roo-Pru and 1 18 gallons of foaming agent will produce 2500 gallons of foam

MIXING PROCEDURES TANK MIX

- 1 Fill the Foamaker Equipment mix tank ¼ to ½ full of clean water leaving room in the tank for the rinse water to be used as described below
- 2 Open outer fiberboard container and remove plastic bag containing the SANAFOAM ROO-PRU
- [3] Remove the inner containers containing the foaming agent as needed]

[3 or 4]Remove the SANAFOAM ROO-PRU water soluble inner bag from their labeled protective outer plastic bag DO NOT OPEN THE WATER SOLUBLE BAG

[4 or 5]Place the unopened water soluble bags through the access lid and into the water in the mix tank as needed

[5 or 6]Allow about 7 minutes for the bag to dissolve and the powder to thoroughly mix

[6 or 7]Transfer the liquid from the foaming agent container as necessary into the Foamaker solution mix tank using the suction pump system on the Foamaker

[7 or 8]Triple rinse the foaming agent container (again using the suction pump system to add the rinse water to the mix tank)

(

[8 or 9]Add to the mix tank the remainder of the required water and mix thoroughly

[9 or 10]Dispose of containers in accordance with disposal instructions

MIXING PROCEDURES ON DEMAND/INLINE MIX

1 Fill the Dichlobenil mix tank with five gallons of water

ſ

- 2 Open outer fiberboard container and remove plastic bag containing the SANAFOAM ROO-PRU
- 3 Remove the SANAFOAM ROO-PRU water soluble inner bag from their labeled protective outer plastic bag DO NOT OPEN THE WATER SOLUBLE BAG
- 4 Place the unopened water soluble bag through the access lid and into the water in the Dichlobenil mix tank as needed
- 5 Run the mixer on the Dichlobenil mix tank and allow 7 minutes for the bag to dissolve and the powder to thoroughly mix
- 6 Place 1 18 gallons of foam concentrate in a five gallon container and fill the container with water up to the five gallon mark
- 7 Connect the liquid from the 5 gallon container to the suction pump on the Foamaker
- 8 Dispose of empty containers in accordance with the STORAGE AND DOSPOSAL instructions below

USE SOLUTION PROMPTLY AFTER MIXING Wash and flush all equipment with water after each day s use

KEEP OFF DESIRABLE LAWNS AND PLANTS If spillage occurs on the street or other paved areas near growing plants immediately flush the spill thoroughly with water at moderate pressure into the sewer line

APPLICATION GUIDELINES FOR SANAFOAM ROO-PRU

TO APPLY FOAM TO MAIN LINES Insert foam discharge hose through entire section of line to be treated Start foam generating equipment and withdraw discharge hose at a rate calibrated to fill the pipe line to capacity (as listed in Table 1) until foam appears at input manhole. Use appropriate foam application equipment designed to produce required foam volume

You may multiply the retrieval rates in Table 1 by 1 10 to allow for some treatment of laterals (about 3-6 feet) and to allow more foam to push into cracks and broken joints

IF TREATING A BUILDING LATERAL Be sure foam application discharge hose is also of a specialized type and is securely positioned into and inflated in the clean-out to prevent foam overflow and/or plug blowout. Operate foam generating equipment until required amount of foam has been produced as calculated from information in Table 1.

Do not overfill lateral

FOAMAKER Generators are manufactured for Douglas Products to our specifications and are available from Douglas Products

For additional information on special applications contact sales representative of manufacturer All application procedures must be in accordance with established methods and systems as developed by Douglas Products

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage and disposal

PESTICIDE STORAGE Do not store near food or feed seeds bulbs tubers nursery stock or other vegetative matter Do not store near pet or livestock quarters Store in a cool dry and well ventilated area Do not open the protective bag outer tube until water soluble bag is needed

PESTICIDE DISPOSAL Wastes resulting from the use of this product may be disposed of onsite or at an approved waste disposal facility

CONTAINER DISPOSAL Plastic Bag – Remove the water soluble bag from the outer protective plastic bag before use in application equipment Then offer for recycling if available or dispose of empty outer plastic bag in the trash as long as WSP is unbroken

Outer Fiberboard Container and Other Containers Nonrefillable container Do not reuse or refill this container Completely empty containers into application equipment. Then offer for recycling if available or dispose of in a sanitary landfill or by incineration or by other procedures allowed by state and local authorities.

SPECIAL NOTICE

To the extent consistent with applicable law seller makes no warranty expressed or implied concerning the use of this product other than indicated on the label. To the extent consistent with applicable law buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA acceptance date