

[1016-4]

Camerasman's Note
Poor Copy

Fill Date _____ To be sure the sample you evaluate is representative of the quality of freshly produced material, we suggest you order a new sample if more than 12 months have elapsed.

2-ETHYL-1, 3-HEXANEDIOL

Active Ingredient 100%

NET
WT.

.8

LBS.

This material is intended for use in compounding insect repellent creams and other compositions.

DIRECTIONS FOR CONTAINER DISPOSAL

"Do not reuse empty can. Destroy by perforating or crushing and burying in a safe place away from water supplies".

May damage some painted or varnished surfaces.

EPA Regn. No. 1016-4
UCC-1614G

MADE IN U.S.A.

FOR MANUFACTURING USE ONLY

UNION
CARBIDE

ACCEPTED

DEC 6 - 1972

UNDER THE FEDERAL INSECTICIDE
FUNCTION AND REGISTRATION ACT
FOR
ED
TO ATTACHED SUBJECT

1016-4

PC36770

[1016-1]



STABILENE

FLY REPELLENT

*For Use in
Manufacturing
Pet Animal
and
Horse Sprays*

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid contact with food, feed, water, apparel, skin, and hands. Do not reuse empty container. Return from for use or destroy by crushing or perforating. Bury with waste.

DIRECTIONS FOR FORMULATION

For use in the formulation of fly repellents for use on animals, the following directions are given. The active ingredient, Stabilene, is a powerful fly repellent and is effective against house flies, stable flies, and horn flies. It is also effective against mosquitoes and ticks. The active ingredient is a white, crystalline solid, and is soluble in water. It is stable in water for a period of 6 months. It is also stable in the presence of light and heat. It is not flammable and is not toxic to humans. It is also not toxic to animals. It is a powerful fly repellent and is effective against house flies, stable flies, and horn flies. It is also effective against mosquitoes and ticks. The active ingredient is a white, crystalline solid, and is soluble in water. It is stable in water for a period of 6 months. It is also stable in the presence of light and heat. It is not flammable and is not toxic to humans. It is also not toxic to animals.

WARRANTY

NET WEIGHT
454 LBS.

WT. PER
GALLON
8.26 LBS.

ACCEPTED

UNION CARBIDE CORPORATION • AGRICULTURAL PRODUCTS

U.S. PAT. 2,811,116
U.S. PAT. 2,811,117

Camerasman's Note
Poor Copy


ACCEPTED
12/6/72
UNDER THE FEDERAL INSECTICIDE
AND RODENTICIDE ACT
ECONOMIC POISON REGISTER
ED UNDER NO. 1016-4

HEALTH HAZARD

- 4—Deadly
- 3—Extreme danger
- 2—Hazardous
- 1—Slightly hazardous
- 0—Normal material

FIRE HAZARD

- Flash Points
- 4—Below 73°F
 - 3—Below 100°F
 - 2—Below 200°F
 - 1—Above 200°F
 - 0—Will not burn



SPECIFIC HAZARD

Oxidizer OXY
d ACID
Alkali ALK
Corrosion COR
Use NO WATER

REACTIVITY

- 4—May detonate
- 3—Shock and heat may detonate
- 2—Violent chemical change
- 1—Unstable if heated
- 0—Stable

435

EPA Regn No 1016-4
JUL 16 1974

UNION
CARBIDE

2-ETHYL-1, 3-HEXANEDIOL

Active Ingredient 100%

This material is intended for use in compounding insect repellent creams and other compositions.

DIRECTIONS FOR CONTAINER DISPOSAL

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

FOR MANUFACTURING USE ONLY

UNION CARBIDE CORPORATION

PC36770

MADE IN U

[1016-4]

Camerasman's Note
Poor Copy

2-ETHYL-1, 3-HEXANEDIOL


Active Ingredient 100%

This material is intended for use in compounding insect repellent creams and other compositions.

DIRECTIONS FOR CONTAINER DISPOSAL

"Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies".

May damage some painted or varnished surfaces.



EPA Reg. No. 1016-4
UCC-1614-3

MADE IN U.S.A.

FOR MANUFACTURING USE ONLY

UNION
CARBIDE

ACCEPTED

DEC 6 - 1972

UNDER THE FEDERAL IN-
SECTICIDE ACT OF 1947
FOR
EQUIPMENT
TO ATTEND

1016-4