




**TEMIK<sup>®</sup>**  
ALDICARB PESTICIDE

**FOR CONTROL  
OF CERTAIN  
INSECTS, MITES  
AND NEMATODES**



Active ingredient protected by U.S. Pat. No. 3,217,037  
TEMIK is the registered trademark of  
Union Carbide Corporation for Aldicarb Pesticide

**NET WT. 50 LBS • CONTAINS**

Pa  
Fr  
Oc

**10% GRANULATED**

Active Ingredient: Aldicarb [2-methyl-2-(methylthio) propionaldehyde O-  
Inert Ingredients: .....  
EPA REG. NO. 1016-69



**DANGER POISONOUS**  
KEEP OUT OF REACH OF CHILDREN

POISONOUS IF SWALLOWED. MAY BE FATAL OR HARMFUL BY SKIN OR EYE CONTACT.  
ANTIDOTE IS ATROPINE SULFATE. DO NOT USE 2-PAM. SEE ANTIDOTE STATEMENT  
AND OTHER DETAILED WARNINGS ON TOP PANEL.  
READ THE ENTIRE LABEL BEFORE USING THIS PESTICIDE.

**WARRANTY**

1. The manufacturer guarantees and warrants (a) that the active ingredient content and the total amount of the material that the directions, warnings and other statements on the label are based upon responsible expert opinion of toxicity to laboratory animals and to plants, and of residues on food crops, and upon reports of injury to varieties or in all geographic areas.
2. The manufacturer further warrants that the material herein is reasonably fit for use under normal conditions of use, neither makes nor authorizes any agent or representative to make any other warranties of FITNESS FOR A PARTICULAR PURPOSE, express or implied, concerning this material. This product is sold only on the basis that the user assumes the risk of loss or damage and which are beyond manufacturer's control. No claim of any kind, in whole or in part, greater in amount than the purchase price of the material in respect of which such claim is made, for special, indirect or consequential damages resulting from the use or handling of this material, shall be made against the manufacturer.
3. No modification of this warranty and disclaimer is authorized, except by specific reference to the label.

**UNION CARBIDE CORPORATION • AGRICULTURAL**  
P.O. BOX 1906, SALINAS, CALIFORNIA 93901 USA

**NET WT. 50 LBS • CONTAINS 2/25 LB. BAGS**

Page 1 of 5  
Front Panel  
October 14, 1975

**MARK®**  
ICIDE

# 10% GRANULAR

Active Ingredient: Aldicarb [2-methyl-2-(methylthio) propionaldehyde O-(methylcarbamoyl)oxime] ..... 10%  
Inert Ingredients: ..... 90%  
EPA REG. NO. 1016-69 EPA EST. NO. 33761-GA-1



## **DANGER POISON**



**KEEP OUT OF REACH OF CHILDREN**

POISONOUS IF SWALLOWED. MAY BE FATAL OR HARMFUL BY SKIN OR EYE CONTACT, OR BY BREATHING DUST.  
ANTIDOTE IS ATROPINE SULFATE. DO NOT USE 2-PAM SEE ANTIDOTE STATEMENT, INFORMATION FOR PHYSICIAN  
AND OTHER DETAILED WARNINGS ON TOP PANEL.  
READ THE ENTIRE LABEL BEFORE USING THIS PESTICIDE.

### **WARRANTY**

1. The manufacturer guarantees and warrants (a) that the active ingredient content and the total net weight are as stated within lawful limits and (b) that the directions, warnings and other statements on the label are based upon responsible experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops, and upon reports of field experience. Tests have not been made on all varieties or in all geographic areas.
2. The manufacturer further warrants that the material herein is reasonably fit for use under normal conditions as directed hereon. The manufacturer neither makes nor authorizes any agent or representative to make any other warranties of FITNESS OR OF MERCHANTABILITY, guarantee or representation, express or implied, concerning this material. This product is sold only on the basis that buyer assumes all risks of use or handling which result in loss or damage and which are beyond manufacturer's control. No claim of any kind, and whether or not based on negligence, shall be greater in amount than the purchase price of the material in respect of which such claim is made. In no event shall manufacturer or seller be liable for special, indirect or consequential damages resulting from the use or handling of this material, whether or not based on negligence.
3. No modification of this warranty and disclaimer is authorized, except by specific reference to them in writing by an employee of the manufacturer.

**UNION CARBIDE CORPORATION • AGRICULTURAL PRODUCTS**

P.O. BOX 1906, SALINAS, CALIFORNIA 93901 USA

MADE IN U.S.A.

ROL  
N  
MITES  
ATODES

U.S. Pat. No. 3,217,037  
Mark of  
Aldicarb Pesticide

**DISPOSAL OF SPILLED OR EXCESS TEMIK 10G ALDICARB PESTICIDE  
AND EMPTY CONTAINERS**

**IF CARTON IS BROKEN, HANDLE WITH RUBBER GLOVES. DO NOT GET DUST OR GRANULES ON SKIN OR IN EYES. DO NOT BREATHE DUST. SWEEP UP AND BURY ANY SPILLED OR EXCESS TEMIK AT LEAST 18 INCHES DEEP IN SOIL ISOLATED FROM WATER SUPPLIES AND FOOD CROPS. NEVER REUSE BAGS OR BOXES. BURN EMPTY BAGS AND BOXES IMMEDIATELY. STAY AWAY FROM AND DO NOT BREATHE OR CONTACT SMOKE.**

**KEEP DRY**  
**Moisture can increase  
handling hazards**

**FOR DISTRIBUTION  
AND SALE ONLY  
IN THIS CARTON**



**DANGER POISON**  
**KEEP OUT OF REACH OF CHILDREN AND ANIMALS**



**HARMFUL OR FATAL BY SKIN OR EYE CONTACT,  
BY BREATHING DUST OR BY SWALLOWING GRANULES.  
RAPIDLY ABSORBED THROUGH SKIN AND EYES.  
DO NOT GET ON SKIN OR IN EYES.  
DO NOT BREATHE DUST.**

**Wear long-sleeved clothing and protective gloves when handling. Wash hands and face before eating or smoking. Bathe at the end of work day, washing entire body and hair with soap and water. Change contaminated clothing daily and wash in strong washing soda solution and rinse thoroughly before reusing.**

**SYMPTOMS OF POISONING**

may be one or more of the following:

Weakness	Vomiting	Pinpoint Eye Pupils
Headache	Diarrhea	Abnormal Flow of Saliva
Sweating	Tightness in Chest	Abdominal Cramps
Nausea	Blurred Vision	Unconsciousness

**CONTACT A PHYSICIAN IMMEDIATELY IN ALL CASES OF  
SUSPECTED POISONING**

**ANTIDOTE**

**ANTIDOTE is atropine sulfate. Consult a physician for antidote tablets and instructions before using this pesticide. DO NOT USE 2-PAM AS AN ANTIDOTE.**

**FIRST AID TREATMENT**

**If symptoms are apparent, give atropine sulfate tablets as directed by the physician. Do not give antidote unless symptoms of poisoning have occurred. Transport patient to a physician or hospital, whichever is faster. Keep patient warm and quiet. If breathing is difficult, give oxygen. Start artificial respiration immediately if breathing stops. SHOW A COPY OF THIS LABEL TO THE PHYSICIAN**

**IN CASE OF SKIN OR EYE CONTACT, wash skin immediately and thoroughly with soap and water and rinse well; flush eyes with plenty of water for 15 minutes. Remove contaminated clothing and wash before reuse.**

**IN CASE OF SWALLOWING, induce vomiting immediately by putting finger down throat or drinking strong salty or soapy water. Then drink plain water and repeat until vomit is clear**

**INFORMATION FOR**


**This product contains 2-methyl-4-chlorophenyl oxime. It is a spontaneous sympathetic nerve stimulation. sulfate in 1.2 mg doses given fully atropinized. Dosage for should be maintained for 12 h lower doses given at appropriate or cholinesterase inhibiting drug. sary. Observe patient continuously to any cholinesterase inhibitor**

**TOXIC TO FISH, BIRDS**

**Birds feeding on treated areas contaminate water when clean product only as specified on the**

**DISPOSAL OF SPILLED OR EXCESS TEMIK 10G ALDICARB PESTICIDE  
AND EMPTY CONTAINERS**

**IF CONTAINER IS BROKEN, HANDLE WITH RUBBER GLOVES. DO NOT GET DUST OR GRANULES ON SKIN OR IN EYES. DO NOT BREATHE DUST. SWEEP UP AND BURY ANY SPILLED OR EXCESS TEMIK AT LEAST 18 INCHES DEEP IN SOIL ISOLATED FROM WATER SUPPLIES AND FOOD CROPS. NEVER REUSE BAGS OR BOXES. BURN EXCESS TEMIK IN BURNING TYRE BAGS AND BOXES IMMEDIATELY. STAY AWAY FROM AND DO NOT BREATHE OR CONTACT SMOKE.**



Dept. of Transportation shipping name. Insecticide, dry.

 **DANGER POISON**   
**KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

**ANTIDOTE**

ANTIDOTE is atropine sulfate. Consult a physician for antidote tablets and instructions before using this pesticide. DO NOT USE 2-PAM AS AN ANTIDOTE.

**FIRST AID TREATMENT**

If symptoms are apparent, give atropine sulfate tablets as directed by the physician. Do not give antidote unless symptoms of poisoning have occurred. Transport patient to a physician or hospital, whichever is faster. Keep patient warm and quiet. If breathing is difficult, give oxygen. Start artificial respiration immediately if breathing stops. SHOW A COPY OF THIS LABEL TO THE PHYSICIAN.

IN CASE OF SKIN OR EYE CONTACT, wash skin immediately and thoroughly with soap and water and rinse well; flush eyes with plenty of water for 15 minutes. Remove contaminated clothing and wash before reuse.

IN CASE OF SWALLOWING, induce vomiting immediately by putting finger down throat or drinking strong salty or soapy water. Then drink plain water and repeat until vomit is clear.

**INFORMATION FOR PHYSICIAN**

This product contains 2-methyl-2(methylthio) propionaldehyde O-(methylcarbamoyl)oxime. It is a spontaneously reversible cholinesterase inhibitor causing parasympathetic nerve stimulation. Preferred treatment of poisoning in adults is atropine sulfate in 1.2 mg doses given intravenously every 10 to 12 minutes until patient is fully atropinized. Dosage for children is appropriately reduced. Atropinization should be maintained for 12 hours by intramuscular administration of atropine in lower doses given at appropriate time intervals. Do not administer 2-PAM, opiates or cholinesterase inhibiting drugs. Artificial respiration or oxygen may be necessary. Observe patient continuously for at least 24 hours. Allow no further exposure to any cholinesterase inhibitors until cholinesterase level is normal by blood test.

**TOXIC TO FISH, BIRDS, AND WILDLIFE**

Birds feeding on treated areas may be killed. Keep out of any body of water. Do not contaminate water when cleaning equipment or disposing of wastes. Apply this product only as specified on this label.

ES.

ig. Wash hands and  
washing entire body  
daily and wash in  
ing.

Pupils  
ow of Saliva  
ramps  
iness



# TEMIK<sup>®</sup> 10% GRANULAR

ALDICARB PESTICIDE

Page 3 of 5  
Side Panel  
October 14, 1975

## GENERAL DIRECTIONS FOR USE

(See Back Panel For Crop Use Directions)

### GENERAL INFORMATION

TEMIK 10G controls certain insects, mites and nematodes. When applied into moist soil at-planting and/or post-emergence the active ingredient is rapidly absorbed by roots and translocated throughout all parts of the plant. Control often lasts more than six weeks varying with growing conditions, rate of use and pests. Crop yields are usually increased with treatments of TEMIK.

### GENERAL CAUTIONS

Use TEMIK 10G Aldicarb Pesticide only in accordance with label directions, warnings and cautions. Do not use on any crop not listed on this label, as any residues remaining may be illegal or harmful. DO NOT STORE OR USE IN OR AROUND THE HOME OR HOME GARDEN.

Use high rate on heavy organic or clay soils. Do not overapply. Treatments in excess of 10 pounds per acre made directly in the seed furrow of cotton or sugar beets may delay emergence and reduce plant stand.

Make side-dress applications close enough to plants to allow good uptake by the roots without injury to the plants from root pruning. In irrigated areas, follow application with irrigation within one week. If alternate furrows are irrigated after side-dress application, the TEMIK and water must be on the same side of the plant row.

Calibrate and adjust application equipment to insure proper rate and accurate placement. Clean application equipment thoroughly after use. Bury any excess material in soil (see instructions on TOP PANEL of this carton for DISPOSAL OF SPILLED OR EXCESS TEMIK and EMPTY CONTAINERS).

Deep disc any spills at row ends immediately to prevent birds from feeding on exposed granules.

### COMPATIBILITY

Pesticide activity of TEMIK 10G Aldicarb Pesticide is not affected by normal applications of fertilizers or other pesticides. It may be reduced or lost if applied with alkaline materials such as lime.

### PRE-HARVEST AND GRAZING USE INFORMATION AND LIMITATIONS

To avoid illegal residues in or on:

#### COTTONSEED

- Do not make more than one at-planting application and one post-emergence application per crop.
- Do not apply withing 90 days of harvest.

#### PEANUTS

- Do not make more than one application per crop.
- Do not harvest within 90 days of application.
- Do not hog off treated fields.
- Do not feed hay or vines to livestock.

#### POTATOES

- Do not make more than one application per crop.
- Do not harvest within 90 days of an at-planting application.
- Do not apply a post-emergence application within 50 days of harvest.

#### SUGAR BEETS

- Do not make more than one at-planting application and two post-emergence applications per crop.
- Do not exceed a total of 60 pounds per acre.
- Do not apply within 90 days of harvest.
- If tops are to be fed to livestock, do not apply within 120 days of harvest.
- Do not use tops as food for humans.

#### SUGARCANE AND SWEET POTATOES

- Do not make more than one application per crop.
- Do not harvest within 120 days of application

#### OTHER CROPS

- Do not plant any crop not listed on this label in soil treated with TEMIK 10G within 100 days after last application

#### MEAT AND MILK

- Do not allow livestock to graze in treated areas before harvest.



# TEMIK<sup>10</sup>% GRANULAR

ALDICARB PESTICIDE

## FOR CONTROL OF CERTAIN MITES AND NEMATODES

(SEE END PANEL FOR ADDITIONAL USE DIRECTIONS)

### DIRECTIONS FOR USE AND RECOMMENDED APPLICATIONS

Granules should be worked into the soil to a depth of at least 2 inches, or covered with soil to a depth of at least 2 inches to provide maximum performance and to minimize hazard to birds.

Crop & Time of Application	Pests Controlled	Pounds/Acre	Ounces/1000 feet of row	Recommended Application
<b>COTTON</b> At-planting	Aphids, Thrips Fleahoppers, Leafminers, Mites, Overwintering boll weevil, Plant bugs, including Lygus	40-inch row spacing		Drill granules just below seed line or place in seed furrow and cover with soil. If seeds and TEMIK are hill-dropped, TEMIK rates may be reduced by one-half.
		3 to 5	4 to 6	
	6 to 10	8 to 12		
	Nematodes	5 to 15 (Except Far West)	6 to 18	
20 to 40 (Far West Only)		24 to 48		
At first squaring	Leafhoppers, Fleahoppers	10 to 20	12 to 24	Apply granules in a 4 to 6-inch band 3 to 6 inches below seed line or cover with 3 to 6 inches of soil. Plant seed above treated zone.
	Mites, Boll weevil, Plant bugs, including Lygus	20 to 30	24 to 36	
From squaring through early bloom	Cotton leaf perforator	20	24	Side-dress granules 8 to 16 inches to one side of the plant row and 2 to 6 inches deep (usually at or below bottom of water furrow).
	Whiteflies	20 to 30	24 to 36	
<b>PEANUTS</b> At-planting	Thrips Nematodes	36-inch row spacing		Apply granules in seed furrow and cover with soil. In Southwest use high rate only.
		10 to 20	11 to 22	
		20 to 30	22 to 33	Apply granules in a 6 to 12-inch band and work into the soil or cover with soil to a depth of 2 to 4 inches. Plant seed in treated zone.
<b>POTATOES</b> At-planting	Aphids Flea beetles Aphids Colorado potato beetle, Leafhoppers Nematodes (Golden nematode is suppressed Verticillium wilt has been suppressed where nematode populations have been reduced)	34-inch row spacing		Apply granules with seed pieces in planting furrow and cover with soil.
		(Maine only)		
		10	10.5	
		30	31	
		20	21	
Colorado potato beetle, Leafhoppers	20 to 30	21 to 31	Apply as above OR, drill granules 2 to 4 inches on both sides of seed row and 3 to 8 inches deep (usually 1 to 2 inches below seed pieces).	
	30	31		
Post-emergence (from 75% emergence up to 5 weeks after emergence)	Aphids, Colorado potato beetle	34-inch row spacing		Apply as above OR, apply granules in an 8-inch band and work into the soil or cover with soil to a depth of 4 inches. Plant seed pieces in treated zone.
		20 to 30 (Washington only)	21 to 31	
		20 to 30	21 to 31	Side-dress granules 4 to 5 inches on both sides of plant row and 4 inches deep. Apply to early crop only. Do not apply if an at-planting treatment was made.

Crop & Time of Application	Pests Controlled	Pounds/Acre	Ounces/1000 feet of row	Recommended Application
<b>SUGAR BEETS</b> At-planting or within one week before planting	Nematodes	22-inch row spacing		Apply granules just below seed line or place in seed furrow and cover with soil. If rate exceeds 10 pounds per acre apply granules in a 4 to 6-inch band and work into the soil or cover with soil; plant seed in or above treated zone.
		40 to 50	26 to 33	
At-planting	Aphids Leafminers, Leafhoppers	10 to 20	6.5 to 13	Drill granules in a 4 to 6-inch band 3 to 6 inches below seed line or cover with 3 to 6 inches of soil. Plant seed above treated zone.
		20 to 30	13 to 20	
At-planting plus post-emergence (split application)	Nematodes	15 to 20	10 to 13	Apply granules in a 4 to 6-inch band 3 to 6 inches below seed line or cover with 3 to 6 inches of soil. Plant seed above treated zone.
		20 at-planting and 20 post-emergence	13 at-planting and 13 post-emergence	
Post-emergence  (Do not make any post-emergence application if 40 to 50 lbs/acre were used for nematode control at planting or 1 week before planting)	Sugar beet root maggot	10 to 20	6.5 to 13	Apply granules immediately.
	Aphids Leafminers, Leafhoppers	10 to 20 20 to 30	6.5 to 13 13 to 20	Side-dress plant row and cover with soil to a depth of 2 to 4 inches after planting.
	Nematodes	40	26	Side-dress plant row. Apply 40 lbs/acre.
<b>SUGAR CANE</b> At-planting	Nematodes	60-inch row spacing		Apply granules with seed pieces in planting furrow and cover with soil.
		20 to 30 (Louisiana only)	37 to 55	
<b>SWEET POTATOES</b> At-planting	Nematodes	48-inch row spacing		Apply granules with seed pieces in planting furrow and cover with soil.
		20 to 30 (Louisiana only)	30 to 44	

# ANULAR

## FOR CONTROL OF CERTAIN INSECTS, MITES AND NEMATODES

(SEE END PANEL FOR ADDITIONAL USE DIRECTIONS AND LIMITATIONS)

Page 4 of 5  
Back Panel  
October 14, 1975

### RECOMMENDED APPLICATIONS

Granules should be worked into the soil to a depth of at least 2 inches, or covered with soil to a depth of at least 2 inches to provide maximum performance and to minimize hazard to birds.

Apply granules below seed line or place in seed furrow with soil. If seeds and TEMIK are mixed, TEMIK rates may be reduced by one-half.

Apply granules below seed line or place in seed furrow with soil. If rate exceeds 10 lbs/acre, apply granules in a 4 to 6-inch band to the soil or cover with soil; plant in treated zone.

Apply granules in a 4 to 6-inch band 3 to 6 inches deep or cover with 3 to 6 inches of soil in treated zone.

Apply granules 8 to 16 inches to one side of seed row and 2 to 6 inches deep (usually at or near water furrow).

Apply granules in seed furrow and cover with soil. Use high rate only.

Apply granules in a 6 to 12-inch band and work into soil or cover with soil to a depth of 2 to 4 inches in treated zone.


Apply granules with seed pieces in planting furrow.

OR, drill granules 2 to 4 inches on one side of seed row and 3 to 6 inches deep (below seed pieces).

OR, apply granules in an 8-inch band into the soil or cover with soil to a depth of 2 to 4 inches. Plant seed pieces in treated zone.

Apply granules 4 to 5 inches on both sides of seed row and 2 to 6 inches deep. Apply to early crop if an at-planting treatment was

Crop & Time of Application	Pests Controlled	Pounds/Acre	Ounces/1000 feet of row	Recommended Application
<b>SUGAR BEETS</b>				
22-inch row spacing				
At-planting or within one week before planting	Nematodes	40 to 50	26 to 33	Apply granules in a 4 to 6-inch band and immediately work into the soil or cover with soil to a depth of 2 to 4 inches. Plant seed in or above treated zone OR, drill granules 1.5 to 3 inches to one side of seed row and 2 to 4 inches deep.
At planting	Aphids	10 to 20	6.5 to 13	Drill granules 1 to 3 inches below seed line. Granules can be placed in seed furrow if rate does not exceed 10 pounds per acre.
	Leafminers, Leafhoppers	20 to 30	13 to 20	
At-planting plus post-emergence (split application)	Sugar beet root maggot	15 to 20	10 to 13	Apply granules in a 2 to 4-inch band over seed row and immediately work into the soil or cover with soil.
	Nematodes	20 at-planting and 20 post-emergence	13 at-planting and 13 post-emergence	
Post-emergence  (Do not make any post-emergence application if 40 to 50 lbs/acre were used for nematode control at planting or 1 week before planting)	Sugar beet root maggot	10 to 20	6.5 to 13	Apply granules to both sides of plant row and immediately work into the soil or cover with soil.
	Aphids	10 to 20	6.5 to 13	Side-dress granules 2 to 8 inches to one side of plant row and 2 to 6 inches deep. A repeat application may be required for continued protection against virus vectors (aphids, leafhoppers).
	Leafminers, Leafhoppers	20 to 30	13 to 20	
	Nematodes	40	26	Side-dress granules 2 to 4 inches to one side of plant row and 3 to 6 inches deep (furrow depth). Apply 40 to 60 days after planting and before soil temperature at 6-inch depth reaches 55 F.
<b>SUGAR CANE</b>				
At-planting	Nematodes	20 to 30 (Louisiana only)	37 to 55	Apply granules in open row on top of newly planted cane and cover immediately with at least 6 inches of soil.
<b>SWEET POTATOES</b>				
At-planting	Nematodes	20 to 30 (Louisiana only)	30 to 44	Apply granules in a 12-inch band in opened row. Cover immediately with soil by hitting up 6 to 10 inches. Plant in center of treated zone.



**NET WT.  
25 LBS.**

Page 5 of 5  
Bag Text  
October 14, 1975

*FOR CONTROL  
OF CERTAIN  
INSECTS, MITES  
AND NEMATODES*

# 10% GRANULAR

Active Ingredient: Aldicarb [2-methyl-2-(methylthio) propionaldehyde O-(methylcarbamoyl)oxime] 10%  
Inert Ingredients: 90%

EPA REG. NO. 1016-69

EPA EST. 33761-GA-1

**SEE DIRECTIONS FOR USE ON THE CARTON IN WHICH THIS BAG WAS PACKED.  
THIS BAG NOT FOR DISTRIBUTION AND RESALE SEPARATELY.**



## **DANGER POISON**



### **KEEP OUT OF REACH OF CHILDREN**

**POISONOUS IF SWALLOWED. MAY BE FATAL OR HARMFUL BY SKIN OR EYE CONTACT OR BY BREATHING DUST. RAPIDLY ABSORBED THROUGH SKIN OR EYES. DO NOT GET ON SKIN OR EYES. DO NOT BREATHE DUST. ANTIDOTE IS ATROPINE SULFATE. DO NOT USE 2-PAM. SEE ANTIDOTE STATEMENT, INFORMATION FOR PHYSICIAN, AND OTHER DETAILED WARNINGS ON THIS PACKAGE. READ THE ENTIRE LABEL BEFORE USING THIS PESTICIDE.**

**WEAR LONG-SLEEVED CLOTHING AND PROTECTIVE GLOVES WHEN HANDLING. WASH HANDS AND FACE BEFORE EATING OR SMOKING. BATHE AT THE END OF WORK DAY, WASHING ENTIRE BODY AND HAIR WITH SOAP AND WATER.**





# DANGER POISON



## KEEP OUT OF REACH OF CHILDREN

**POISONOUS IF SWALLOWED. MAY BE FATAL OR HARMFUL BY SKIN OR EYE CONTACT OR BY BREATHING DUST. RAPIDLY ABSORBED THROUGH SKIN OR EYES. DO NOT GET ON SKIN OR EYES. DO NOT BREATHE DUST. ANTIDOTE IS ATROPINE SULFATE. DO NOT USE 2-PAM. SEE ANTIDOTE STATEMENT, INFORMATION FOR PHYSICIAN, AND OTHER DETAILED WARNINGS ON THIS PACKAGE. READ THE ENTIRE LABEL BEFORE USING THIS PESTICIDE.**

**WEAR LONG-SLEEVED CLOTHING AND PROTECTIVE GLOVES WHEN HANDLING. WASH HANDS AND FACE BEFORE EATING OR SMOKING. BATHE AT THE END OF WORK DAY, WASHING ENTIRE BODY AND HAIR WITH SOAP AND WATER. CHANGE CONTAMINATED CLOTHING DAILY AND WASH IN STRONG WASHING SODA SOLUTION AND RINSE THOROUGHLY BEFORE REUSING.**

### SYMPTOMS OF POISONING

may be one or more of the following:

Weakness	Vomiting	Pinpoint Eye Pupils
Headache	Diarrhea	Abnormal Flow of Saliva
Sweating	Tightness in Chest	Abdominal Cramps
Nausea	Blurred Vision	Unconsciousness

**CONTACT A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING**

### ANTIDOTE

Antidote is atropine sulfate. Consult a physician for antidote tablets and instructions before using this pesticide. **DO NOT USE 2-PAM AS AN ANTIDOTE.**

**FIRST AID TREATMENT.** If symptoms are apparent, give atropine sulfate tablets as directed by the physician. Do not give antidote unless symptoms of poisoning have occurred. Transport patient to a physician or hospital, whichever is faster. Keep patient warm and quiet. If breathing is difficult, give oxygen. Start artificial respiration immediately if breathing stops. **SHOW A COPY OF THIS LABEL TO THE PHYSICIAN.**

**IN CASE OF SKIN OR EYE CONTACT,** wash skin immediately and thoroughly with soap and water and rinse well; flush eyes with plenty of water for 15 minutes. Remove contaminated clothing and wash before reuse.

**IN CASE OF SWALLOWING,** induce vomiting immediately by putting finger down throat or drinking strong salty or soapy water. Then drink plain water and repeat until vomit is clear.

### INFORMATION FOR PHYSICIAN.

This product contains 2-methyl-2-(methylthio) propionaldehyde O-(methylcarbamoyl)oxime. It is a spontaneously reversible cholinesterase inhibitor causing parasympathetic nerve stimulation. Preferred treatment of poisoning in adults is atropine sulfate in 1-2 mg doses given intravenously every 10 or 12 minutes until patient is fully atropinized. Dosage for children is appropriately reduced. Atropinization should be maintained for 12 hours by intramuscular administration of atropine in lower doses given at appropriate time intervals. Do not administer 2-PAM, opiates or cholinesterase inhibiting drugs. Artificial respiration or oxygen may be necessary. Observe patient continuously for at least 24 hours. Allow no further exposure to any cholinesterase inhibitors until cholinesterase level is normal by blood test.

### TOXIC TO FISH, BIRDS, AND WILDLIFE.

Birds feeding on treated areas may be killed. Keep out of any body of water. Do not contaminate water when cleaning equipment or disposing of wastes. Apply this product only as specified for use on the carton in which this bag was packed.

### DISPOSAL OF SPILLED OR EXCESS TEMIK 10G ALDICARB PESTICIDE AND EMPTY CONTAINERS.

If bag is broken, handle with rubber gloves. Do not get dust or granules on skin or in eyes. Do not breathe dust. Sweep up and bury any spilled or excess TEMIK at least 18 inches deep in soil isolated from water supplies and food crops. Never reuse bags or cartons. Burn empty bags and cartons immediately. Stay away from and do not breathe or contact smoke.

### WARRANTY

1. The manufacturer guarantees and warrants that the active ingredient content and the total net weight are as stated within lawful limits and that the directions, warnings and other statements on the label are based upon responsible experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops, and upon reports of field experience. Tests have not been made on all varieties or in all geographic areas.

2. The manufacturer further warrants that the material herein is reasonably fit for use under normal conditions as directed hereon. The manufacturer neither makes nor authorizes any agent or representative to make any other warranties of FITNESS OR OF MERCHANTABILITY, guarantee or representation, express or implied, concerning this material. This product is sold only on the basis that buyer assumes all risks of use or handling which may result in loss or damage and which are beyond manufacturer's control. No claim of any kind, and whether or not based on negligence, shall be greater in amount than the purchase price of the material in respect of which such claim is made. In no event shall manufacturer or seller be liable for special, indirect, or consequential damages resulting from the use or handling of this material, whether or not based on negligence.

3. No modification of this warranty and disclaimer is authorized, except by specific reference to them in writing by an employee of the manufacturer.

**UNION CARBIDE CORPORATION • AGRICULTURAL PRODUCTS**

P.O. BOX 1906, SALINAS, CALIFORNIA 93901 USA

MADE IN USA