


**FOR CONTROL
OF CERTAIN
INSECTS, MITES
AND NEMATODES**

Active ingredient protected by U.S. Pat. No. 3,217,000
TEMK is the registered trademark of
Union Carbide Corporation for Aldicarb Pesticide



NET WT. 50 LBS • CONTAINS 2/25 LB. BAGS

FRONT PANEL
Page 1 of 5
September 23, 1975

15% GRANULAR

Active Ingredient: Aldicarb [2-methyl-2-(methylthio) propionaldehyde O-(methylcarbamoyl)oxime] 15%
Inert Ingredients: 85%
EPA REG. NO. 1016-78 EPA EST. NO. 33761-GA-1

DANGER POISON
KEEP OUT OF REACH OF CHILDREN

POISONOUS IF SWALLOWED. MAY BE FATAL OR HARMFUL BY SKIN OR EYE CONTACT, OR BY BREATHING DUST.
ANTIDOTE IS ATROPINE SULFATE. DO NOT USE 2-PAM. SEE ANTIDOTE STATEMENT, INFORMATION FOR PHYSICIAN
AND OTHER DETAILED WARNINGS ON TOP PANEL.
READ THE ENTIRE LABEL BEFORE USING THIS PESTICIDE.

WARRANTY

1. The manufacturer guarantees and warrants (a) that the active ingredient content and the total net weight are as stated within lawful limits and (b) that the directions, warnings and other statements on the label are based upon responsible experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops, and upon reports of field experience. Tests have not been made on all varieties or in all geographic areas.
2. The manufacturer further warrants that the material herein is reasonably fit for use under normal conditions as directed hereon. The manufacturer neither makes nor authorizes any agent or representative to make any other warranties of FITNESS OR OF MERCHANTABILITY, guarantee or representation, express or implied, concerning this material. This product is sold only on the basis that buyer assumes all risks of use or handling which result in loss or damage and which are beyond manufacturer's control. No claim of any kind, and whether or not based on negligence, shall be greater in amount than the purchase price of the material in respect of which such claim is made. In no event shall manufacturer or seller be liable for special, indirect or consequential damages resulting from the use or handling of this material, whether or not based on negligence.
3. No modification of this warranty and disclaimer is authorized, except by specific reference to them in writing by an employee of the manufacturer.

UNION CARBIDE CORPORATION • AGRICULTURAL PRODUCTS
P.O. BOX 1906, SALINAS, CALIFORNIA 93901 USA
MADE IN U.S.A.
UCC-2413D9/75

DISPOSAL OF SPILLED OR EXCESS TEMIK 15G ALDICARB PESTICIDE AND EMPTY CONTAINERS



IF CARTON IS BROKEN, HANDLE WITH RUBBER GLOVES. DO NOT GET DUST OR GRANULES ON SKIN OR IN EYES. DO NOT BREATHE DUST. SWEEP UP AND BURY ANY SPILLED OR EXCESS TEMIK AT LEAST 18 INCHES DEEP IN SOIL, ISOLATED FROM WATER COURSES AND FOOD CROPS. NEVER REUSE BAGS OR BONES. BURN EMPTY BAGS AND BONES IN A BURNING BARREL OR PILE OF WASTE. DO NOT BREATHE OR CONTACT SMOKE.

TOP FLAPS
Page 2 of 5
September 23, 1975

KEEP DRY
Moisture can increase handling hazards

FOR DISTRIBUTION AND SALE ONLY IN THIS CARTON

ACCEPTED
1016-78
10-30-75
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO.



DANGER POISON
KEEP OUT OF REACH OF CHILDREN AND ANIMALS

Dept. of Transportation shipping name: Insecticide, dry.

HARMFUL OR FATAL BY SKIN OR EYE CONTACT, BY BREATHING DUST OR BY SWALLOWING GRANULES. RAPIDLY ABSORBED THROUGH SKIN AND EYES. DO NOT GET ON SKIN OR IN EYES. DO NOT BREATHE DUST.

Wear long-sleeved clothing and protective gloves when handling. Wash hands and face before eating or smoking. Bathe at the end of work day, washing entire body and hair with soap and water. Change contaminated clothing daily and wash in strong washing soda solution and rinse thoroughly before reusing.

SYMPTOMS OF POISONING

may be one or more of the following:

- | | | |
|----------|--------------------|-------------------------|
| Weakness | Vomiting | Pinpoint Eye Pupils |
| Headache | Diarrhea | Abnormal Flow of Saliva |
| Sweating | Tightness in Chest | Abdominal Cramps |
| Nausea | Blurred Vision | Unconsciousness |

CONTACT A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

ANTIDOTE

ANTIDOTE is atropine sulfate. Consult a physician for antidote tablets and instructions before using this pesticide. DO NOT USE 2-PAM AS AN ANTIDOTE.

FIRST AID TREATMENT

If symptoms are apparent, give atropine sulfate tablets as directed by the physician. Do not give antidote unless symptoms of poisoning have occurred. Transport patient to a physician or hospital, whichever is faster. Keep patient warm and quiet. If breathing is difficult, give oxygen. Start artificial respiration immediately if breathing stops. SHOW A COPY OF THIS LABEL TO THE PHYSICIAN.

IN CASE OF SKIN OR EYE CONTACT, wash skin immediately and thoroughly with soap and water and rinse well; flush eyes with plenty of water for 15 minutes. Remove contaminated clothing and wash before reuse.

IN CASE OF SWALLOWING, induce vomiting immediately by putting finger down throat or drinking strong salty or soapy water. Then drink plain water and repeat until vomit is clear.

INFORMATION FOR PHYSICIAN

This product contains 2-methyl-2(methylthio) propionaldehyde O-(methylcarbamoyl)oxime. It is a spontaneously reversible cholinesterase inhibitor causing parasympathetic nerve stimulation. Preferred treatment of poisoning in adults is atropine sulfate in 1.2 mg doses given intravenously every 10 to 12 minutes until patient is fully atropinized. Dosage for children is appropriately reduced. Atropinization should be maintained for 12 hours by intramuscular administration of atropine in lower doses given at appropriate time intervals. Do not administer 2-PAM, opiates or cholinesterase inhibiting drugs. Artificial respiration or oxygen may be necessary. Observe patient continuously for at least 24 hours. Allow no further exposure to any cholinesterase inhibitors until cholinesterase level is normal by blood test.

TOXIC TO FISH, BIRDS, AND WILDLIFE

Birds feeding on treated areas may be killed. Keep out of any body of water. Do not contaminate water when cleaning equipment or disposing of wastes. Apply this product only as specified on this label.

TEMK 15% GRANULAR Aldicarb Pesticide

SIDE PANELS
Page 3 of 5
September 23, 1975

GENERAL DIRECTIONS FOR USE

(See Back Panel For Crop Use Directions)

GENERAL INFORMATION

TEMK 15G controls certain insects, mites and nematodes. When applied into moist soil at-planting and/or post-emergence the active ingredient is rapidly absorbed by roots and translocated throughout all parts of the plant. Control often lasts more than six weeks varying with growing conditions, rate of use and pests. Crop yields are usually increased with treatments of TEMK 15G.

GENERAL CAUTIONS

Use TEMK 15G Aldicarb Pesticide only in accordance with label directions, warnings and cautions. Do not use on any crop not listed on this label, as any residues remaining may be illegal or harmful. **DO NOT STORE OR USE IN OR AROUND THE HOME OR HOME GARDEN.**

Use high rate on heavy organic or clay soils. Do not overapply. Treatments in excess of 7 pounds per acre made directly in the seed furrow of cotton or sugar beets may delay emergence and reduce plant stand.

Make side-dress applications close enough to plants to allow good uptake by the roots without injury to the plants from root pruning. In irrigated areas, follow application with irrigation within one week. If alternate furrows are irrigated after side-dress application, the TEMK and water must be on the same side of the plant row.

Calibrate and adjust application equipment to insure proper rate and accurate placement. Clean application equipment thoroughly after use. Bury any excess material in soil (see instructions on TOP PANEL of this carton for DISPOSAL OF SPILLED OR EXCESS TEMK and EMPTY CONTAINERS).

Deep disc any spits at row ends immediately to prevent birds from feeding on exposed granules.

COMPATIBILITY

Pesticidal activity of TEMK 15G is not affected by normal applications of fertilizers or other pesticides. It may be reduced or lost if applied with alkaline materials such as lime.

PRE-HARVEST AND GRAZING USE INFORMATION AND LIMITATIONS

To avoid illegal residues in or on:

COTTONSEED

- Do not make more than one at-planting application and one post-emergence application per crop.
- Do not apply within 90 days of harvest.

PEANUTS

- Do not make more than one application per crop.
- Do not harvest within 90 days of application.
- Do not hog off treated fields.
- Do not feed hay or vines to livestock.

POTATOES

- Do not make more than one application per crop.
- Do not harvest within 90 days of an at-planting application.
- Do not apply a post-emergence application within 50 days of harvest.

SUGAR BEETS

- Do not make more than one at-planting application and two post-emergence applications per crop.
- Do not exceed a total of 40 pounds per acre.
- Do not apply within 90 days of harvest.
- If tops are to be fed to livestock, do not apply within 120 days of harvest.
- Do not use tops as food for humans.

SUGARCANE AND SWEET POTATOES

- Do not make more than one application per crop.
- Do not harvest within 120 days of application.



OTHER CROPS

- Do not plant any crop not listed on this label in soil treated with TEMK 15G within 100 days after last application.

MEAT AND MILK

- Do not allow livestock to graze in treated areas before harvest.

UCC-24130 9/75





TETRA 19 GRANULAR

FOR CONTROL OF CERTAIN INSECTS, MITES AND NEMATODES

September 23, 1975

(SEE END PANEL FOR ADDITIONAL USE DIRECTIONS AND LIMITATIONS)

DIRECTIONS FOR USE AND RECOMMENDED APPLICATIONS

Granules should be worked into the soil to a depth of at least 2 inches, or covered with soil to a depth of at least 2 inches to provide maximum performance and to minimize hazard to birds.

Crop & Time of Application	Pests Controlled	Pounds/Acre	Ounces/1000 feet of row	Recommended Application
COTTON At-planting	Aphids, Thrips Flea hoppers, Leafminers, Beetles, Overwintering boll weevil, Plant bugs, including Lygus	48-inch row spacing		Drill granules just below seed line or place in seed furrow and cover with soil. If seeds and TETRA are both dropped, TETRA should be broadcast by one fall.
		2 to 3.5 4 to 7	2.5 to 4.5 6 to 8.5	
	Nematodes	3.5 to 10 (Except Far West)	4.5 to 12	Drill granules just below seed line or place in seed furrow and cover with soil. If rate exceeds 7 pounds per acre apply granules in a 4 to 6-inch band and work into the soil or cover with soil; plant seed in or above treated zone.
	Nematodes	14 to 27 (Far West only)	17 to 33	Apply granules in a 4 to 6-inch band 3 to 6 inches below seed line or cover with 3 to 6 inches of soil. Plant seed above treated zone.
	All first squaring	Leafhoppers, Flea hoppers Mites, Boll weevil, Plant bugs, including Lygus	7 to 14 14 to 20	8.5 to 17 17 to 24.5
From squaring through early bloom	Cotton leaf perforator Whiteflies	14 14 to 20	17 17 to 24.5	
PEANUTS At-planting	Thrips Nematodes	36-inch row spacing		Apply granules in seed furrow and cover with soil. In Southwest use high rate only. Apply granules in a 6 to 12-inch band and work into the soil or cover with soil to a depth of 2 to 4 inches. Plant seed in treated zone.
		7 to 14 14 to 20	7.5 to 15 15 to 22	
POTATOES At-planting	Aphids	34-inch row spacing		Apply granules with seed pieces in planting furrow and cover with soil.
		7 (Maine only)	7	
	Flea beetles	20	21	Apply as above OR, drill granules 2 to 4 inches on both sides of seed row and 3 to 6 inches deep (usually 1 to 2 inches below seed pieces).
	Aphids Colorado potato beetle, Leafhoppers	14 14 to 20	14.5 14.5 to 21	
	Nematodes (Golden nematode is suppressed. Verticillium wilt has been suppressed where nematode populations have been reduced)	20	21	
Post-emergence (from 75% emergence up to 6 weeks after emergence)	Aphids, Colorado potato beetle	14 to 20 (Washington only)	14.5 to 21	Side-dress granules 4 to 6 inches on both sides of plant row and 4 inches deep. Apply to early crop only. Do not apply if an at-planting treatment was made.


Crop & Time of Application	Pests Controlled	Pounds/Acre	Ounces/1000 feet of row	Recommended Application
SUGAR BEETS At-planting or within one week before planting	Nematodes	22-inch row spacing		Apply granules in a 4 to 6-inch band and immediately work into the soil or cover with soil to a depth of 2 to 4 inches. Plant seed in or above treated zone OR, drill granules 1.5 to 3 inches to one side of seed row and 2 to 4 inches deep.
		27 to 30	10 to 22	
At-planting	Aphids Leafminers, Leafhoppers	7 to 14 14 to 20	4.5 to 9.5 9.5 to 13.5	Drill granules 1 to 3 inches below seed line. Granules can be placed in seed furrow if rate does not exceed 7 pounds per acre.
	Sugar beet root maggot	10 to 14	6.5 to 9.5	
At-planting plus post-emergence (split application)	Nematodes	14 at-planting and 14 post-emergence	9.5 at-planting and 9.5 post-emergence	AT-PLANTING: Apply granules in a 4 to 6-inch band and immediately work into the soil or cover with soil to a depth of 2 to 4 inches. Plant seed in or above treated zone OR, drill granules 1.5 to 3 inches to one side of seed row and 2 to 4 inches deep. POST-EMERGENCE: Side-dress granules 2 to 4 inches to one side of plant row and 3 to 6 inches deep (farrow depth). Apply 40 to 60 days after planting.
Post-emergence	Sugar beet root maggot	7 to 14	4.5 to 9.5	Apply granules to both sides of plant row and immediately work into the soil or cover with soil.
(Do not make any post-emergence application if 27 to 33 lbs./acre were used for nematode control at planting or 1 week before planting).	Aphids Leafminers, Leafhoppers	7 to 14 14 to 20	4.5 to 9.5 9.5 to 13.5	Side-dress granules 2 to 6 inches to one side of plant row and 2 to 6 inches deep. A repeat application may be required for continued protection against virus vectors (aphids, leafhoppers).
	Nematodes	27	18	
	Sugar cane	7 to 14	4.5 to 9.5	
SUGAR CANE At-planting	Nematodes	60-inch row spacing		Apply granules in open row on top of newly planted cane and cover immediately with at least 6 inches of soil.
		14 to 20 (Louisiana only)	25 to 37	
SWEET POTATOES At-planting	Nematodes	48-inch row spacing		Apply granules in a 12-inch band in opened row. Cover immediately with soil by hilling up 6 to 10 inches. Plant in center of treated zone.
		14 to 20 (Louisiana only)	21 to 30	

ACCEPTED

1016-78

10-30-75

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC PROTECTION
UNDER NO.



UCC-2413D 9/75



**NET WT.
25 LBS.**

**FOR CONTROL
OF CERTAIN
INSECTS, MITES
AND NEMATODES**

15% GRANULAR

Active Ingredient: Aldicarb [2-methyl-2-(methylthio) propionaldehyde O-(methylcarbamoyl)oxime] 15%
Inert Ingredients: 85%

EPA REG. NO. 1016-78

EPA EST. 33761-GA-1

**SEE DIRECTIONS FOR USE ON THE CARTON IN WHICH THIS BAG WAS PACKED.
THIS BAG NOT FOR DISTRIBUTION AND RESALE SEPARATELY.**



DANGER POISON

KEEP OUT OF REACH OF CHILDREN



POISONOUS IF SWALLOWED. MAY BE FATAL OR HARMFUL BY SKIN OR EYE CONTACT OR BY BREATHING DUST. RAPIDLY ABSORBED THROUGH SKIN OR EYES. DO NOT GET ON SKIN OR EYES. DO NOT BREATHE DUST. ANTIDOTE IS ATROPINE SULFATE. DO NOT USE 2-PAM. SEE ANTIDOTE STATEMENT, INFORMATION FOR PHYSICIAN, AND OTHER DETAILED WARNINGS ON THIS PACKAGE. READ THE ENTIRE LABEL BEFORE USING THIS PESTICIDE.

WEAR LONG-SLEEVED CLOTHING AND PROTECTIVE GLOVES WHEN HANDLING. WASH HANDS AND FACE BEFORE EATING OR SMOKING. BATHE AT THE END OF WORK DAY, WASHING ENTIRE BODY AND HAIR WITH SOAP AND WATER. CHANGE CONTAMINATED CLOTHING DAILY AND WASH IN STRONG WASHING SODA SOLUTION AND RINSE THOROUGHLY BEFORE REUSING.

SYMPTOMS OF POISONING

may be one or more of the following:

Weakness	Vomiting	Pinpoint Eye Pupils
Headache	Diarrhea	Abnormal Flow of Saliva
Sweating	Tightness in Chest	Abdominal Cramps
Nausea	Blurred Vision	Unconsciousness

CONTACT A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

ANTIDOTE

Antidote is atropine sulfate. Carry a syringe for antidote tablets and

INFORMATION FOR PHYSICIAN. This product contains 2-methyl-2-(methylthio) propionaldehyde O-(methylcarbamoyl)oxime. It is a spontaneously reversible cholinesterase inhibitor causing parasympathetic nerve stimulation. Preferred treatment of poisoning in adults is atropine sulfate in 1.2 mg doses given intravenously every 10 or 12 minutes until patient is fully atropinized. Dosage for children is appropriately reduced. Atropinization should be maintained for 12 hours by intramuscular administration of atropine in lower doses given at appropriate time intervals. Do not administer 2-PAM, opiates or cholinesterase inhibiting drugs. Artificial respiration or oxygen may be necessary. Observe patient continuously for at least 24 hours. Allow no further exposure to any cholinesterase inhibitors until cholinesterase level is

ACCEPTED
10/16-18
10 30 75
UNDER THE FEDERAL INSECTICIDE
AND RODENTICIDE ACT
EPA REG. NO. 1016-78

RECALL

Active ingredient: Aldicarb [2-methyl-2-(methylthio) propionaldehyde O-(methylcarbamoyl)oxime] 15%
Inert ingredients: 85%

EPA REG. NO. 1916-78

EPA EST. 33761-GA-1

SEE DIRECTIONS FOR USE ON THE CARTON IN WHICH THIS BAG WAS PACKED.
THIS BAG NOT FOR DISTRIBUTION AND RESALE SEPARATELY.



100% DANGER POISON
KEEP OUT OF REACH OF CHILDREN



ACCEPTED
10/16/75
10 30 75
UNDER THE FEDERAL INSECTICIDE ACT AND FEDERAL FOOD, DRUG AND COSMETIC ACT

POISONOUS IF SWALLOWED. MAY BE FATAL OR HARMFUL BY SKIN OR EYE CONTACT OR BY BREATHING DUST. RAPIDLY ABSORBED THROUGH SKIN OR EYES. DO NOT GET ON SKIN OR EYES. DO NOT BREATHE DUST. ANTIDOTE IS ATROPINE SULFATE. DO NOT USE 2-PAM. SEE ANTIDOTE STATEMENT, INFORMATION FOR PHYSICIAN, AND OTHER DETAILED WARNINGS ON THIS PACKAGE. READ THE ENTIRE LABEL BEFORE USING THIS PESTICIDE.

WEAR LONG-SLEEVED CLOTHING AND PROTECTIVE GLOVES WHEN HANDLING. WASH HANDS AND FACE BEFORE EATING OR SMOOKING. BATH AT THE END OF WORK DAY. WASHING ENTIRE BODY AND HAIR WITH SOAP AND WATER. CHANGE CONTAMINATED CLOTHING DAILY AND WASH IN STRONG WASHING SODA SOLUTION AND RINSE THOROUGHLY BEFORE REUSING.

SYMPTOMS OF POISONING

may be one or more of the following:

Weakness	Vomiting	Pinpoint Eye Pupils
Headache	Diarrhea	Abnormal Flow of Saliva
Sweating	Tightness in Chest	Abdominal Cramps
Nausea	Blurred Vision	Unconsciousness

CONTACT A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

ANTIDOTE

Antidote is atropine sulfate. Consult a physician for antidote tablets and instructions before using this pesticide. DO NOT USE 2-PAM AS AN ANTIDOTE.

FIRST AID TREATMENT. If symptoms are apparent, give atropine sulfate tablets as directed by the physician. Do not give antidote unless symptoms of poisoning have occurred. Transport patient to a physician or hospital, whichever is faster. Keep patient warm and quiet. If breathing is difficult, give oxygen. Start artificial respiration immediately if breathing stops. SHOW A COPY OF THIS LABEL TO THE PHYSICIAN.

IN CASE OF SKIN OR EYE CONTACT, wash skin immediately and thoroughly with soap and water and rinse well; flush eyes with plenty of water for 15 minutes. Remove contaminated clothing and wash before reuse.

IN CASE OF SWALLOWING, induce vomiting immediately by putting finger down throat or drinking strong salty or soapy water. Then drink plain water and repeat until vomit is clear.

INFORMATION FOR PHYSICIAN

This product contains 2-methyl-2-(methylthio) propionaldehyde O-(methylcarbamoyl)oxime. It is a spontaneously reversible cholinesterase inhibitor causing parasympathetic nerve stimulation. Preferred treatment of poisoning in adults is atropine sulfate in 1.2 mg doses given intravenously every 10 or 12 minutes until patient is fully atropinized. Dosage for children is appropriately reduced. Atropinization should be maintained for 12 hours by intramuscular administration of atropine in lower doses given at appropriate time intervals. Do not administer 2-PAM, opiates or cholinesterase inhibiting drugs. Artificial respiration or oxygen may be necessary. Observe patient continuously for at least 24 hours. Allow no further exposure to any cholinesterase inhibitors until cholinesterase level is normal by blood test.

TOXIC TO FISH, BIRDS, AND WILDLIFE. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not contaminate water when cleaning equipment or disposing of wastes. Apply this product only as specified for use on the carton in which this bag was packed.

DISPOSAL OF SPILLED OR EXCESS TEMK 15G ALDICARB PESTICIDE AND EMPTY CONTAINERS. If bag is broken, handle with rubber gloves. Do not get dust or granules on skin or in eyes. Do not breathe dust. Sweep up and bury any spilled or excess TEMK at least 18 inches deep in soil isolated from water supplies and food crops. Never reuse bags or cartons. Burn empty bags and cartons immediately. Stay away from and do not breathe or contact smoke.

RECEIVED
SEP 29 1975
UNION CARBIDE CORPORATION

WARRANTY

- The manufacturer guarantees and warrants (a) that the active ingredient content and the total net weight are as stated within lawful limits and (b) that the directions, warnings and other statements on the label are based upon responsible experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops, and upon reports of field experience. Tests have not been made on all varieties or in all geographic areas.
- The manufacturer further warrants that the material herein is reasonably fit for use under normal conditions as directed herein. The manufacturer neither makes nor authorizes any agent or representative to make any other warranties of FITNESS OR OF MERCHANTABILITY, guarantee or representation, express or implied, concerning this material. This product is sold only on the basis that buyer assumes all risks of use or handling which may result in loss or damage and which are beyond manufacturer's control. No claim of any kind, and whether or not based on negligence, shall be greater in amount than the purchase price of the material in respect of which such claim is made. In no event shall manufacturer or seller be liable for special, indirect or consequential damages resulting from the use or handling of this material, whether or not based on negligence.
- No modification of this warranty and disclaimer is authorized, except by specific reference to them in writing by an employee of the manufacturer.

UNION CARBIDE CORPORATION • AGRICULTURAL PRODUCTS
P.O. BOX 1988, SALINAS, CALIFORNIA 93801 USA

MADE IN USA

Active ingredient protected by U.S. Pat. No. 3,217,037

TEMK is the registered trademark of Union Carbide Corporation for Aldicarb Pesticide

UCC-1716D 9/75

BAG TEXT
Page 5 of 5
September 23, 1975

MC LAUGHLIN
GORMLEY
Company

PYROCIDE® INTERMEDIATE

7007
ACCEPTED
4-30-71
1021-1121
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROBOTICIDE ACT
FOR ECONOMIC POISON REGISTRATION
ED UNDER NO. 1021-1121
TO ATTACHED CONTENTS.

1715 S.E. Fifth Street / Minneapolis, Minnesota

ACTIVE INGREDIENTS:

Pyrethrins	1.00%
*Piperonyl butoxide, technical	2.00%
†N-octyl bicycloheptene dicarboximide	3.34%
**o-Isopropoxyphenyl methylcarbamate	3.35%
Petroleum distillate	10.30%
INERT INGREDIENTS:	80.01%
Total	100.00%

*Consists of 1.60% (butylcarbityl) (6-propylpiperonyl) ether and
.40% other related compounds.

†MGK 264, Insecticide Synergist.

**Baygon®. U.S. Pat. No. 3,111,539. Chemagro Corporation.

DIRECTIONS FOR USE

FOR MANUFACTURING USE ONLY

Designed to be used at the rate of 15% (wt.) with approved solvents and propellents in the preparation of pressurized wasp and hornet sprays.

WARNING
KEEP OUT OF REACH OF CHILDREN

May be poisonous if swallowed. Harmful if inhaled or absorbed through the skin. Do not get in eyes or on skin. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before re-use. Do not contaminate feed or foodstuffs. Wash hands, arms, and face with soap and water after handling and before eating or smoking. In case of prolonged exposure, wear natural rubber gloves, protective clothing and goggles.

If poisoning occurs, obtain prompt medical aid. Prolonged exposure will result in cholinesterase depression. Atropine sulfate is antidotal.

FLAMMABLE KEEP AWAY FROM HEAT OR OPEN FLAME. Keep containers closed when not in use.

This product is toxic to fish, wildlife and birds. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

Manufactured by

MC LAUGHLIN GORMLEY KING COMPANY
MINNEAPOLIS, MINN., U.S.A. 55414



PYROCIDE® Intermediate 7084

1715 S.E. Fifth Street / Minneapolis, Minnesota 55414

ACTIVE INGREDIENTS:

Pyrethrins	.834%
*Piperonyl butoxide, technical	1.670%
¹ N-octyl bicycloheptene dicarboximide	2.770%
** _o -Isopropoxyphenyl methylcarbamate	16.690%
Petroleum distillate	3.336%

INERT INGREDIENTS:

Total	<u>74.700%</u> 100.000%
-------	----------------------------

*Consists of 1.336% (butylcarbityl)(6-propylpiperonyl) ether and .334% related compounds.

¹MGK 264, Insecticide Synergist.

**Baygon® U.S. Pat. No. 3,111,539.

**DIRECTIONS
FOR MANUFACTURING USE ONLY**

Use PYROCIDE® INTERMEDIATE 7084 at the rate of 6% with approved solvents (or approved solvents and propellents) to produce residual sprays for roaches and ants.

WARNING

KEEP OUT OF REACH OF CHILDREN

May be poisonous if swallowed. Harmful if inhaled or absorbed through the skin. Do not get in eyes or on skin. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before re-use. Do not contaminate feed or food.

If poisoning occurs, obtain prompt medical aid. Prolonged exposure will result in cholinesterase depression. Atropine sulfate is antidotal.

This Intermediate is toxic to fish, birds, and other wildlife. Do not contaminate any body of water by cleaning of equipment or disposal of wastes.

Do not re-use this drum. Dispose of drum through commercial drum reconditioning service or by puncturing or crushing and burying in a safe place.

If received in cool weather allow to warm to room temperature (do not apply heat). Before use agitate thoroughly.

Manufactured by

MC LAUGHLIN GORMLEY KING COMPANY
MINNEAPOLIS, MINN., U.S.A. 55414


EPA Reg. No. 1021-1189

ACCEPTED

Nov 26, 1971

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROUENICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 1021-1189 SUBJECT
TO ATTACHED COMMENTS.

1021-1189



D-TRANS^o Intermediate 1940 1021-1196

1715 S.E. Fifth Street / Minneapolis, Minnesota 55414

ACTIVE INGREDIENTS:

d-trans Allethrin (allyl homolog of Cinerin I)	.30%
*Piperonyl butoxide, technical	.59%
¹ N-octyl bicycloheptene dicarboximide	.98%
**o-Isopropoxyphenyl methylcarbamate	5.88%
Petroleum distillate	3.38%

INERT INGREDIENTS:

Total 86.87%
100.00%

*Consists of .47% (butylcarbityl)(6-propylpiperonyl) ether and .12% related compounds.

¹MGK 264, Insecticide Synergist.

**U.S. Pat. No. 3,111,539.

DIRECTIONS

FOR MANUFACTURING USE ONLY

Use D-TRANS^o Intermediate 1940 at the rate of 17% with approved solvents (or approved solvents and propellents) to produce residual sprays for roaches and ants.

CAUTION

KEEP OUT OF REACH OF CHILDREN

May be poisonous if swallowed. Harmful if inhaled or absorbed through the skin. Do not get in eyes or on skin. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before re-use. Do not contaminate feed or food. Avoid breathing vapors.

If poisoning occurs, obtain prompt medical aid. Prolonged exposure will result in cholinesterase depression. Atropine sulfate is antidotal.

This product is toxic to fish. Do not contaminate any body of water with spillage, wastage, or equipment cleaning solutions.


Do not re-use this drum. Dispose of drum through commercial drum reconditioning service, or destroy by perforation or crushing and burying in a safe place.

FLAMMABLE! Keep away from heat or open flame. Keep containers closed when not in use. Mix well in drum before sampling and each use.

Manufactured by


MC LAUGHLIN CORMLEY KING COMPANY
MINNEAPOLIS, MINN., U.S.A. 55414

EPA Reg. No. 1021-1196



FOR CONTROL
OF CERTAIN
INSECTS, MITES
AND NEMATODES

Active ingredient protected by U.S. Pat. No. 3,211,222
TEMIK is the registered trademark of
Union Carbide Corporation for Aldicarb Pesticide



NET WT. 50 LBS • CONTAINS 2/25 LB. BAGS

FRONT PANEL
Page 1 of 5
September 23, 1975

15% GRANULAR

Active Ingredient: Aldicarb [2-methyl-2-(methylthio) propionaldehyde O-(methylcarbamoyl)oxime] 15%
Inert Ingredients: 85%
EPA REG. NO. 1016-78 EPA EST. NO. 33761-GA-1

DANGER POISON
KEEP OUT OF REACH OF CHILDREN

POISONOUS IF SWALLOWED, MAY BE FATAL OR HARMFUL BY SKIN OR EYE CONTACT, OR BY BREATHING DUST.
ANTIDOTE IS ATROPINE SULFATE. DO NOT USE 2 PAM. SEE ANTIDOTE STATEMENT, INFORMATION FOR PHYSICIAN
AND OTHER DETAILED WARNINGS ON TOP PANEL.
READ THE ENTIRE LABEL BEFORE USING THIS PESTICIDE

WARRANTY

- The manufacturer guarantees and warrants (a) that the active ingredient content and the total net weight are as stated within listed limits and (b) that the directions, warnings and other statements on the label are based upon responsible experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops, and upon reports of field experience. Tests have not been made in all regions or in all geographic areas.
- The manufacturer further warrants that the material herein is reasonably fit for use under normal conditions as directed hereon. The manufacturer neither makes nor authorizes any agent or representative to make any other warranties of FITNESS OR MERCHANTABILITY, guaranteed or representation, express or implied, concerning this material. This product is sold only on the basis that buyer assumes all risks of use or handling which result in loss or damage and which are beyond manufacturer's control. No claim of any kind, and whether or not based on negligence, shall be greater in amount than the purchase price of the material in respect of which such claim is made. In no event shall manufacturer or seller be liable for special, indirect or consequential damages resulting from the use or handling of this material, whether or not based on negligence.
- No modification of this warranty and disclaimer is authorized, except by specific reference to them in writing by an employee of the manufacturer.

UNION CARBIDE CORPORATION • AGRICULTURAL PRODUCTS
P.O. BOX 1008, SALINAS, CALIFORNIA 93901 USA
MADE IN U.S.A.
UCC 24130 8/78

DISPOSAL OF SPILLED OR EXCESS TEMIK 15G ALDICARB PESTICIDE AND EMPTY CONTAINERS

IF CARTON IS BROKEN, HANDLE WITH RUBBER GLOVES. DO NOT GET DUST OR GRANULES ON SKIN OR IN EYES. DO NOT BREATHE DUST. SWEEP UP AND BURY ANY SPILLED OR EXCESS TEMIK AT LEAST 18 INCHES DEEP IN SOIL ISOLATED FROM WATER SUPPLIES AND FOOD CROPS. NEVER REUSE BAGS OR BOXES. BURN EMPTY BAGS AND BOXES IMMEDIATELY. STAY AWAY FROM AND DO NOT BREATHE OR CONTACT SMOKE.

TOP FLAPS
Page 2 of 5
September 23, 1975



KEEP DRY
Moisture can increase handling hazards

FOR DISTRIBUTION AND SALE ONLY IN THIS CARTON

ACCEPTED

1016-78
10-30-75

UNDER THE FEDERAL INSECTICIDE ACT AND REGULATIONS NOT FOR ECONOMIC PESTS REGISTERED UNDER NO.



DANGER POISON
KEEP OUT OF REACH OF CHILDREN AND ANIMALS



Dept. of Transportation shipping name: Insecticide, dry.

HARMFUL OR FATAL BY SKIN OR EYE CONTACT, BY BREATHING DUST OR BY SWALLOWING GRANULES. RAPIDLY ABSORBED THROUGH SKIN AND EYES. DO NOT GET ON SKIN OR IN EYES. DO NOT BREATHE DUST.

Wear long-sleeved clothing and protective gloves when handling. Wash hands and face before eating or smoking. Bathe at the end of work day, washing entire body and hair with soap and water. Change contaminated clothing daily and wash in strong washing soda solution and rinse thoroughly before reusing.

SYMPTOMS OF POISONING

may be one or more of the following:

- | | | |
|----------|--------------------|-------------------------|
| Weakness | Vomiting | Pinpoint Eye Pupils |
| Headache | Diarrhea | Abnormal Flow of Saliva |
| Sweating | Tightness in Chest | Abdominal Cramps |
| Nausea | Blurred Vision | Unconsciousness |

CONTACT A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

ANTIDOTE

ANTIDOTE is atropine sulfate. Consult a physician for antidote tablets and instructions before using this pesticide. DO NOT USE 2-PAM AS AN ANTIDOTE.

FIRST AID TREATMENT

If symptoms are apparent, give atropine sulfate tablets as directed by the physician. Do not give antidote unless symptoms of poisoning have occurred. Transport patient to a physician or hospital, whichever is faster. Keep patient warm and quiet. If breathing is difficult, give oxygen. Start artificial respiration immediately if breathing stops. SHOW A COPY OF THIS LABEL TO THE PHYSICIAN.

IN CASE OF SKIN OR EYE CONTACT, wash skin immediately and thoroughly with soap and water and rinse well; flush eyes with plenty of water for 15 minutes. Remove contaminated clothing and wash before reuse.

IN CASE OF SWALLOWING, induce vomiting immediately by pulling finger down throat or drinking strong salty or soapy water. Then drink plain water and repeat until vomit is clear.

INFORMATION FOR PHYSICIAN

This product contains 2-methyl-2(methylthio) propionaldehyde O-(methylcarbamoyl)oxime. It is a spontaneously reversible cholinesterase inhibitor causing parasympathetic nerve stimulation. Preferred treatment of poisoning in adults is atropine sulfate in 1.2 mg doses given intravenously every 10 to 12 minutes until patient is fully atropinized. Dosage for children is appropriately reduced. Atropinization should be maintained for 12 hours by intramuscular administration of atropine in lower doses given at appropriate time intervals. Do not administer 2-PAM, opiates or cholinesterase inhibiting drugs. Artificial respiration or oxygen may be necessary. Observe patient continuously for at least 24 hours. Allow no further exposure to any cholinesterase inhibitors until cholinesterase level is normal by blood test.

TOXIC TO FISH, BIRDS, AND WILDLIFE

Birds feeding on treated areas may be killed. Keep out of any body of water. Do not contaminate water when cleaning equipment or disposing of wastes. Apply this product only as specified on this label.



TEMIK 15% GRANULAR

ALDICARB PESTICIDE

SIDE PANELS
Page 3 of 5
September 23, 1975

GENERAL DIRECTIONS FOR USE

(See Back Panel For Crop Use Directions)

ACCEPTED
10/16-78
10-30-75
BY THE FEDERAL GOVERNMENT
FOR THE PURPOSES OF THE FEDERAL INSECTICIDE ACT
AND THE FEDERAL FERTILIZER ACT

GENERAL INFORMATION

TEMIK 15G controls certain insects, mites and nematodes. When applied into moist soil at planting and/or post-emergence the active ingredient is rapidly absorbed by roots and translocated throughout all parts of the plant. Control often lasts more than six weeks varying with growing conditions, rate of use and pests. Crop yields are usually increased with treatments of TEMIK 15G.

GENERAL CAUTIONS

Use TEMIK 15G Aldicarb Pesticide only in accordance with label directions, warnings and cautions. Do not use on any crop not listed on this label, as any residues remaining may be illegal or harmful. DO NOT STORE OR USE IN OR AROUND THE HOME OR HOME GARDEN.

Use high rate on heavy organic or clay soils. Do not overapply. Treatments in excess of 7 pounds per acre made directly in the seed furrow of cotton or sugar beets may delay emergence and reduce plant stand.

Make side-dress applications close enough to plants to allow good uptake by the roots without injury to the plants from root pruning. In irrigated areas, follow application with irrigation within one week. If alternate furrows are irrigated after side-dress application, the TEMIK and water must be on the same side of the plant row.

Calibrate and adjust application equipment to insure proper rate and accurate placement. Clean application equipment thoroughly after use. Bury any excess material in soil (see instructions on TOP PANEL of this carton for DISPOSAL OF SPILLED OR EXCESS TEMIK and EMPTY CONTAINERS).

Deep disc any spills at row ends immediately to prevent birds from feeding on exposed granules.

COMPATIBILITY

Pesticidal activity of TEMIK 15G is not affected by normal applications of fertilizers or other pesticides. It may be reduced or lost if applied with alkaline materials such as lime.

PRE-HARVEST AND GRAZING USE INFORMATION AND LIMITATIONS

To avoid illegal residues in or on:

COTTONSEED

- Do not make more than one at-planting application and one post-emergence application per crop.
- Do not apply within 90 days of harvest.

PEANUTS

- Do not make more than one application per crop.
- Do not harvest within 90 days of application.
- Do not hog off treated fields.
- Do not feed hay or vines to livestock.

POTATOES

- Do not make more than one application per crop.
- Do not harvest within 90 days of an at-planting application.
- Do not apply a post-emergence application within 90 days of harvest.

SUGAR BEETS

- Do not make more than one at-planting application and two post-emergence applications per crop.
- Do not exceed a total of 40 pounds per acre.
- Do not apply within 90 days of harvest.
- If tops are to be fed to livestock, do not apply within 120 days of harvest.
- Do not use tops as food for humans.

SUGARCANE AND SWEET POTATOES

- Do not make more than one application per crop.
- Do not harvest within 120 days of application.


OTHER CROPS

- Do not plant any crop not listed on this label in soil treated with TEMIK 15G within 100 days after last application.

MEAT AND MILK

- Do not allow livestock to graze in treated areas before harvest.

UCC-94130 6/75



UNION CARBIDE **TEMIK 15% GRANULAR**
ALDICARB PESTICIDE

FOR CONTROL OF CERTAIN INSECTS, MITES AND NEMATODES
September 23, 1975
(SEE END PANEL FOR ADDITIONAL USE DIRECTIONS AND LIMITATIONS)


DIRECTIONS FOR USE AND RECOMMENDED APPLICATIONS

Granules should be worked into the soil to a depth of at least 2 inches, or covered with soil to a depth of at least 2 inches to provide maximum performance and to minimize hazard to birds.

Crop & Time of Application	Pests Controlled	Pounds/Acre	Ounces/1000 feet of row	Recommended Application
COTTON	At planting Aphids, Thrips, Fleahoppers, Leafminers, Mites, Overwintering boll weevil, Plant bugs, including Lygus	48 inch row spacing		Drill granules just below seed line or place in seed furrow and cover with soil. If side dress 7 pounds per acre apply granules in a 4 to 6 inch band and work into the soil or cover with soil; plant seed in or above treated zone.
		2 to 3.5	2.5 to 4.5	
	Nematodes	3.5 to 10 (Except For Weeds)	4.5 to 12	Drill granules just below seed line or place in seed furrow and cover with soil. If side dress 7 pounds per acre apply granules in a 4 to 6 inch band and work into the soil or cover with soil; plant seed in or above treated zone.
		14 to 27 (For Weeds only)	17 to 30	Apply granules in a 4 to 6 inch band 3 to 6 inches below or cover with soil to 6 inches of soil. Plant seed above treated zone.
At leaf opening	Lygus, Fleahoppers, Mites, Boll weevil, Plant bugs, including Lygus	7 to 14	9.5 to 17	Side dress granules 2 to 4 inches to one side of the plant row and 2 to 3 inches deep (usually 2 to 3 inches below of outer leaves).
	14 to 20	17 to 24.5		
From squaring through early bloom	Cotton leaf perforator	14	17	Side dress granules 2 to 4 inches to one side of the plant row and 2 to 3 inches deep (usually 2 to 3 inches below of outer leaves).
	Whitefly	14 to 20	17 to 24.5	
PEANUTS	At planting Thrips	36 inch row spacing		Apply granules in seed furrow and cover with soil. In Southwestern use high rate only.
		7 to 14	7.5 to 16	
Nematodes	14 to 20	16 to 22	Apply granules in a 6 to 12 inch band and work into the soil or cover with soil to a depth of 2 to 4 inches. Plant seed in treated zone.	
	POTATOES			
At planting	Aphids	34 inch row spacing		Apply granules with seed pieces in planting furrow and cover with soil.
		7	7	
	Flea beetles	20	21	Apply as above OR, drill granules 2 to 4 inches on both sides of seed row and 2 to 3 inches deep (usually 1 to 2 inches below seed pieces).
	Aphids, Colorado potato beetle, Fleahoppers	14	14.5	
Nematodes	14 to 20	14.5 to 21	Apply as above OR, apply granules in an 8 inch band and work into the soil or cover with soil to a depth of 4 inches. Plant seed pieces in treated zone.	
(Golden roset plants in suppressed Verticillium will have been suppressed when a nematode population has been reduced)	20	21		
Post emergence (from 15% emergence up to 8 weeks after emergence)	Aphids, Colorado potato beetle	14 to 20 (Washington only)	14.5 to 21	Side dress granules 4 to 6 inches on both sides of plant row and 4 inches deep. Apply to early crop only. Do not apply if an at-planting treatment was made.

Crop & Time of Application	Pests Controlled	Pounds/Acre	Ounces/1000 feet of row	Recommended Application
SUGAR BEETS	At planting or within one week before planting Nematodes	22 inch row spacing		Apply granules in a 4 to 6 inch band and immediately work into the soil or cover with soil to a depth of 2 to 4 inches. Plant seed in or above treated zone OR, drill granules 1.5 to 3 inches to one side of seed row and 2 to 4 inches deep.
		27 to 35	16 to 22	
	At planting Aphids, Leafminers, Fleahoppers	7 to 14	4.5 to 9.5	Drill granules 1 to 3 inches below seed line. Granules can be placed in seed furrow if side dress not exceed 7 pounds per acre.
		14 to 20	9.5 to 15.5	
Sugar beet root maggot	16 to 14	6.5 to 8.5	Apply granules in a 2 to 4 inch band over seed row and immediately work into the soil or cover with soil.	
	At planting plus post-emergence (split application)			
Nematodes	14 at planting and 14 post-emergence	9.5 at planting and 9.5 post-emergence	AT-PLANTING: Apply granules in a 4 to 6 inch band and immediately work into the soil or cover with soil to a depth of 2 to 4 inches. Plant seed in or above treated zone OR, drill granules 1.5 to 3 inches to one side of seed row and 2 to 4 inches deep. POST-EMERGENCE: Side dress granules 2 to 4 inches to one side of plant row and 3 to 5 inches deep (furrow depth). Apply 40 to 60 days after planting.	
	Post emergence			
Sugar beet root maggot	Aphids, Leafminers, Fleahoppers	7 to 14	4.5 to 9.5	Apply granules to both sides of plant row and immediately work into the soil or cover with soil.
		14 to 20	9.5 to 15.5	
		27	16	
Nematodes	27	16	Side dress granules 2 to 4 inches to one side of plant row and 3 to 5 inches deep (furrow depth). Apply 40 to 60 days after planting and before soil temperature at 8 inch depth reaches 55°F.	
	SUGAR CANE			
At planting	Nematodes	60 inch row spacing 14 to 20 (outside only)		Apply granules in open row on top of newly planted cane and cover immediately with soil to a depth of 2 inches of soil.
SWEET POTATOES				
At planting	Nematodes	48 inch row spacing 14 to 20 (outside only)		Apply granules in a 12 inch band in opened row. Cover immediately with soil by hilling up 8 to 10 inches. Plant in center of treated zone.

1016-78
10-20-75
ACCEPTED
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND MOLLUSCICIDE ACT
FOR ECONOMIC PEST CONTROL
EPA REG. NO. 1016-78
REGISTRATION DIVISION
WASHINGTON, D.C. 20541
MCO-1130 B75



NET WT.
25 LBS.

FOR CONTROL
OF CERTAIN
INSECTS, MITES
AND NEMATODES

15% GRANULAR

Active ingredient: Aldicarb [2-methyl-2-(methylthio) propionaldehyde O-(methylcarbamoyl)oxime] 15%
Inert ingredients: 85%

EPA REG. NO. 1016-78

EPA EST. 33761-GA-1

SEE DIRECTIONS FOR USE ON THE CARTON IN WHICH THIS BAG WAS PACKED.
THIS BAG NOT FOR DISTRIBUTION AND RESALE SEPARATELY.



DANGER POISON

KEEP OUT OF REACH OF CHILDREN



POISONOUS IF SWALLOWED. MAY BE FATAL OR HARMFUL BY SKIN OR EYE CONTACT OR BY BREATHING DUST. RAPIDLY ABSORBED THROUGH SKIN OR EYES. DO NOT GET ON SKIN OR EYES. DO NOT BREATHE DUST. ANTIDOTE IS ATROPINE SULFATE. DO NOT USE 2-PAM. SEE ANTIDOTE STATEMENT, INFORMATION FOR PHYSICIAN, AND OTHER DETAILED WARNINGS ON THIS PACKAGE. READ THE ENTIRE LABEL BEFORE USING THIS PESTICIDE.

WEAR LONG-SLEEVED CLOTHING AND PROTECTIVE GLOVES WHEN HANDLING. WASH HANDS AND FACE BEFORE EATING OR SMOKING. BATHE AT THE END OF WORK DAY, WASHING ENTIRE BODY AND HAIR WITH SOAP AND WATER. CHANGE CONTAMINATED CLOTHING DAILY AND WASH IN STRONG WASHING SODA SOLUTION AND RINSE THOROUGHLY BEFORE REUSING.

SYMPTOMS OF POISONING

May be one or more of the following:

Weakness	Vomiting	Irritated Eye Pupils
Headache	Diarrhea	Abnormal Flow of Saliva
Sweating	Tightness in Chest	Abdominal Cramps
Nausea	Blurred Vision	Unconsciousness

CONTACT A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

ANTIDOTE

Antidote is atropine sulfate. Consult a physician for antidote tablets and instructions before using the pesticide. DO NOT USE 2-PAM AS AN ANTIDOTE.

FIRST AID TREATMENT. If symptoms are apparent, give atropine sulfate tablets as directed by the physician. Do not give antidote unless symptoms of poisoning have occurred. Transport patient to a physician or hospital, whichever is faster. Keep patient warm and quiet. If breathing is difficult, give oxygen. Stop artificial respiration immediately if breathing starts. SHOW A COPY OF THIS LABEL TO THE PHYSICIAN.

IN CASE OF SKIN OR EYE CONTACT, wash skin immediately and thoroughly with soap and water and rinse well. Flush eyes with plenty of water for 15 minutes. Remove contaminated clothing and wash before reuse.

IN CASE OF SWALLOWING, induce vomiting immediately by pulling finger down throat or drinking strong salty or soapy water. Then drink plain water and repeat until vomit is clear.

INFORMATION FOR PHYSICIAN. This product contains 2-methyl-2-(methylthio) propionaldehyde O-(methylcarbamoyl)oxime. It is a spontaneously reversible cholinesterase inhibitor causing parasympathetic nerve stimulation. Preferred treatment of poisoning in adults is atropine sulfate in 1.2 mg doses given intravenously every 15 or 12 minutes until patient is fully aroused. Dosage for children is approximately reduced. Atropinization should be maintained for 12 hours by intramuscular administration of atropine in lower doses given at appropriate time intervals. Do not administer 2-PAM, oximes or cholinesterase inhibitor drugs. Artificial respiration or oxygen may be necessary. Observe patient continuously for at least 24 hours. Allow no further exposure to any cholinesterase inhibitors until cholinesterase level is normal by blood test.

TOXIC TO FISH, BIRDS, AND WILDLIFE. Avoid feeding on treated areas may be toxic. Keep out of any body of water. Do not contaminate water when cleaning equipment or disposing of wastes. Apply this product only as specified for use on the carton in which this bag was packed.

DISPOSAL OF SPILLED OR EXCESS TEMIK 15G ALL-CARB PESTICIDE AND EMPTY CONTAINERS. If bag is broken, handle with rubber gloves. Do not get dust or granules on skin or in eyes. Do not breathe dust. Sweep up and bury any spilled or excess TEMIK at least 18 inches deep in soil distant from water sources and food crops. Never reuse bags or cartons. Burn empty bags and cartons immediately. Stay away from and do not breathe or contact smoke.

WARRANTY

- The manufacturer guarantees and warrants (a) that the active ingredient content and the total net weight are as stated within lawful limits and (b) that the directions, warnings and other statements on the label are based upon reasonable experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops, and upon reports of field experience. Tests have not been made on all varieties or in all geographic areas.
- The manufacturer further warrants that the material herein is reasonably fit for use under normal conditions as directed herein. The manufacturer neither makes nor authorizes any agent or representative to make any other warranties of FITNESS OR OF MERCHANTABILITY, guarantee or representation, express or implied, concerning the material. This product is sold only on the basis that buyer assumes all risks of use or handling which may result in loss or damage and which are beyond manufacturer's control. No claim of any kind, any amount or not based on negligence shall be greater in amount than the purchase price of the material in which such claim is made, in no event shall manufacturer or seller be liable for special, indirect or consequential damages resulting from the use or handling of this material, whether or not based on negligence.
- No modification of this warranty and disclaimer is authorized, except by specific reference to them in writing by an employee of the manufacturer.

UNION CARBIDE CORPORATION • AGRICULTURAL PRODUCTS

P.O. BOX 1906, SALINAS, CALIFORNIA 93901 USA

MADE IN USA

Active ingredients protected by U.S. Pat. No. 3,217,687

TEMIK is the registered trademark of Union Carbide Corporation for Aldicarb Pesticide

UCC-1760 9-75

ACCEPTED
10-30-75
10-30-75

RECEIVED
SEP 29 1975
REGISTRATION DIVISION
PESTICIDES, EPA

BAG TEXT
Page 5 of 5
September 23, 1975