
## LeGear

## **USE DIRECTIONS**

**ACTIVE INGREDIENTS:** Benzvi Benzoata.. ......35.94% Gamma Isomer of Benzene Hexachioride (from Lindane)...... TOTAL INERT INGREDIENTS: ..... 64.00%

AVOID FREEZING

**CAUTION** Avoid contamination of food and foodstuffs. Do not allow to get into eyes of enimals. Use only as directed. May be absorbed through the skin. Wash hands thoroughly after using on dog. Harmful if swallowed. Avoid contact with skin. Do not apply to nursing bitches or pupples under 3 months of age. Do not use on sick or convalescing animals. Do not reuse container. Destroy when empty.



## **CURE**

FOR TREATMENT OF SARCOPTIC AND **DEMODECTIC (RED)** MANGE OF DOGS

CAUTION KEEP OUT OF REACH OF CHILDREN. SEE SIDE PANEL FOR OTHER CAUTIONS AND LIST OF INGREDIENTS.

FOR EXTERNAL USE ONLY

SARCOPTIC MANGE: Apply Mange Cure with a swab and rub in thoroughly. Apply once a week until condition clears up

DEMODECTIC (Red) MANGE: Causes gradually DEMODECTIC (Rod) MANGE: Causes gradually spreading bald patches, a copper, colored skin, and sometimes pimples. Apply Mange Cure with a swab and rub in thoroughly. Apply once a week until condition clears up. Since Demodectic Mange (red mange, follicular mange) is difficult to diagnose and often requires prolonged treatment, if no improvement is noted within 10 days consult a verteringtion. a veterinarian.

Provide clean disinfected sleeping quarters by using a disinfectant such as LeGear Multi-Purpose Disinfectant according to label directions.

Do not apply to areas equivalent to more than 1/3 of the body at one time. Treat such areas on alternate days.

DO NOT USE ON CATS OR RABBITS EPA REG. NO. 1019-30 EPA EST. NO. 3997-QH-1

口

16 197

Under the Federal Insecticide, Fungicide, and Rodenliche Act as amended, for the posticide registered under

200

CHAND MINES

CHANGE CHANGE TO THE