

1020-1

07-20-2010

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

Ms. Cynthia G. Gordon
Safety Specialist
Oakite Products Inc.
675 Central Avenue
New Providence, NJ 07974

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

JUL 20 2010

Subject: Oakite Sanitizer 1
EPA Registration 1020-1
Amendment Dated: April 04, 2010
EPA Received Date: April 04, 2010

Dear Ms. Cynthia G. Gordon

The following amendment submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) as amended, is acceptable.

Proposed Amendment

- Revise Storage and Disposal per PR Notice 2007-4

General Comments

A stamped copy of the accepted label is enclosed for your records. Submit (3) copies of your final printed label before distributing or selling the product bearing the revised labeling.

Should you have any questions or comments concerning this letter, please contact Velma Noble at (703) 308-6233.

Sincerely,

A handwritten signature in black ink, appearing to read "Velma Noble".

Velma Noble
Product Manager (31)
Regulatory Management
Branch1
Antimicrobial Division (7510c)

2
5

MATERIAL NO. **5080022**

LOT NO.

OAKITE® SANITIZER 1

EPA REG. NO. 1020-1

EPA EST. NO. 1020-MI-1

QUATERNARY AMMONIUM TYPE GERMICIDE-DISINFECTANT

Active Ingredients:	Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₈ , 5% C ₁₂)	
	Dimethyl Benzyl Ammonium Chloride	20%
Inert Ingredients		80%
	Total	100%

CONTENTS: 208 LITERS/55 GALLONS

KEEP OUT OF REACH OF CHILDREN

DANGER!

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.


**POISON CONTROL CENTER
1-800-222-1222**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the usage or gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

See side panel for additional precautionary statements and use directions.



DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

AREAS OF USE: Oakite Sanitizer 1 is designed for use in hospitals, food and bottling plants, dairy farms and milk plants, egg product processing plants and institutions where positive disinfection is required and a high order of cleanliness must be maintained.

DIRECTIONS: Thoroughly clean and rinse all surfaces before applying this solution for sanitizing or germicidal treatment. Prepare a fresh solution daily or when use solution becomes visibly dirty.

GENERAL DISINFECTION (Not for use in California): For walls, floors, equipment, other hard nonporous inanimate surfaces. Mix 1fl. oz per gallon of water. Thoroughly apply solution to hard nonporous surfaces with a mop, brush, cloth or sponge. Treated surfaces must remain wet for 10 minutes. Allow surfaces to air dry. For Heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or more often if it becomes visibly soiled or dirty. When used in food and bottling processing plants, food products and packaging materials must be removed from room or carefully protected. A potable rinse is required.

MOLD AND MILDEW CONTROL: For general control of mold and mildew in bakeries, food and bottling plants use 1oz. per 1 gallon of water, mold and mildew are effectively inhibit the growth of mold and mildew and the odors caused by them on hard nonporous surfaces. Follow disinfection directions. Allow surfaces to air dry. Repeat every 7 days or more often when growth returns.

FOOD CONTACT SANITIZING: For sanitizing hard nonporous surfaces of food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops, counters, refrigerated storage and display equipment, and other food contact hard nonporous surfaces. Prior to application, remove gross food particles and soil by pre-flush, pre-scrape, and when necessary pre-soak. Then thoroughly wash or flush objects with a good detergent or compatible cleaner followed by a potable water rinse before application of sanitizing solution. Apply use solution of 1/2 oz. per 4 gallons of water. (200 ppm active) to pre-cleaned hard nonporous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge, sprayer, or by immersion. Surfaces must remain wet for 60 seconds (one minute). Do not rinse surfaces with water. Allow surfaces to drain thoroughly and air dry before reuse. Prepare a fresh solution daily or more often if solution becomes visibly diluted or soiled.

SANITIZING FOOD EGGS: To sanitize previously cleaned food grade eggs in shell egg and egg product processing plants, spray with 1 1/4 ounce Oakite Sanitizer 1 in 10 gallons of water (200 ppm active). The solution must be warmer than the eggs, but not to exceed 130°F. Wet eggs thoroughly and allow to drain. Eggs sanitized with this product shall be subjected to a potable water rinse only if they are to be immediately broken for use in the manufacture of egg products. Eggs must be reasonably dry before casing or breaking. The solution must not be reused for sanitizing eggs.

5
5

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER!

CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing, and rubber gloves. Harmful if swallowed or absorbed through the skin. Wash hands with soap and water after handling, and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE STORAGE

Keep product dry in tightly closed containers when not in use. Store in a cool dry, well-ventilated area away from heat or open flame. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Nonrefillable container. Do not reuse or refill this container.

For plastic containers: Triple rinse container (or equivalent) promptly after emptying; Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.