

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER!**

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact your regional office of EPA.

**PHYSICAL AND CHEMICAL HAZARDS**

Strong oxidizing agent. Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire explosion. In case of contamination or decomposition do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Keep product dry in tightly closed containers when not in use. Store in cool, dry, well-ventilated area away from heat or open flame. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner. Do not contaminate water, food or feed by storage or disposal.

CODE NO. 3480

LOT NO.

**OAKITE®  
CHLOR-TERGENT**

EPA REG. No. 1020-4 EPA Est. 1020-NJ-1  
THE MODERN CHLORINATED DETERGENT  
CLEANS • SANITIZES • DEODORIZES...  
IN ONE OPERATION

Active Ingredient: Trichloro-s-triazinetriene	5.0%
(Available Chlorine 4.25%)	
Inert Ingredients	95.0%
	100.0%

**NET: lbs**

**DANGER!**

**KEEP OUT OF REACH OF CHILDREN  
PRACTICAL TREATMENT FIRST AID**

If **SWALLOWED**: Drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol. Call a physician immediately.  
If on **SKIN**: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists get medical attention.  
If in **EYES**: Flush with cold water for at least 15 minutes. Get medical attention.

**SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL**

Manufactured By:  
**OAKITE PRODUCTS, INC.**  
50 VALLEY ROAD, BERKELEY HEIGHTS, N.J. 07922

**OAKITE PRODUCTS OF CANADA, LTD.**  
115 EAST DRIVE, BRAMALEA, ONT. L6T 1B7

Tel. (201) 464-6900 in Canada (416) 791-1622  
Distributors and Licensees Worldwide

**Oakite**

**ACCEPTED**  
JUN 29 1988  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, amended for the pesticide registered under F.F.A. Reg. No. 1030-4

**DIRECTIONS FOR USE (CONTINUED)**

**CLEANING**

Apply 1 ounce per gallon solution by circulation for CIP cleaning, by brushing, swabbing or soaking for manual operations. For stubborn soils, use a stronger solution. Following washing, rinse all surfaces thoroughly with potable water.

**Where Oakite Chlor-Tergent may be used**

- Breweries
- Bottlers
- Canners
- Food Processors
- Poultry Plants
- Dairies
- Milk Producers
- Restaurants
- Meat Plants
- For use wherever sanitizing and deodorizing is required for food, beverage and dairy equipment

**SANITIZING**

1 ounce of Oakite Chlor-Tergent per 3 gallons of water (1/3 oz/ gallon of water) provides 100 ppm of available chlorine. For sanitizing CIP equipment the solution should be discarded when the available chlorine drops to 75 ppm and a fresh solution made up. It is not recommended to add upkeep to spent solutions.

Solutions of Oakite Chlor-Tergent containing 100 ppm available chlorine applied by either CIP methods, brushing, swabbing or soaking should be allowed to contact equipment surfaces for at least 2 minutes. Equipment should then be allowed to drain thoroughly before use.

**SHELL EGG DESTAINING AND SHELL EGG WASHING**

Use Oakite Chlor-Tergent at 1 to 2 ounces per gallon of water and a maximum temperature of 120°F (49°C) to destain shell eggs and/or shell egg washing. Following use of this product, eggs must be thoroughly rinsed with potable water.

**SHELL EGG SANITIZING**

Use Oakite Chlor-Tergent at 1/3 ounce per gallon of water (provides 100 ppm available chlorine) and maximum solution temperature of 120°F (49°C) to sanitize shell eggs. When used at recommended levels, eggs need not be followed by a potable water rinse.

1061  
PM B2  
1020-4