

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS**

**DANGER!**

Corrosive Material. Causes skin and eye damage. Harmful if swallowed. Do not get in eyes, or skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling. Avoid breathing mist. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not discharge into lakes, streams, ponds or public water unless in accordance with an NPDES permit. For guidance contact your regional office of EPA.

**PHYSICAL AND CHEMICAL HAZARDS**

Avoid contact or mixing with chlorine-releasing materials. Before opening drum, loosen closure slowly to relieve any pressure buildup. Keep container closed when not in use.

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Keep product in tightly closed container when not in use. Store at moderate temperatures in a well ventilated area. Do not add this product to chlorine releasing materials. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Triple rinse container (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Do not contaminate water, food, or feed by storage or disposal.

CODE  
NO. 3901

LOT  
NO.

**OAKITE.  
DETERGENT-  
SANITIZER**

EPA REG. NO. 1020-13 EPA. 1020-NJ-1

**A GERMICIDE - ACID DETERGENT**  
•CLEANS • SANITIZES

**OAKITE**

Active Ingredients:

Orthophosphoric Acid .....	21.00%
Sodium Dodecyl benzene .....	
Sulfonate (Mixed isomers) .....	2.75%
Inert Ingredients .....	76.25%
<b>NET:</b>	<b>100.00%</b>

**DANGER! KEEP OUT OF REACH OF CHILDREN**

**Practical Treatment FIRST AID**

**IF SWALLOWED:** Wash out mouth thoroughly with water. Give several glasses of water to drink. **DO NOT INDUCE VOMITING.** Get prompt medical attention.

**IF ON SKIN:** Immediately wash thoroughly with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes and wash before reuse.

**IF IN EYES:** Immediately flush with large quantities of cool water for at least 15 minutes. Get medical attention.

**SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL**

Manufactured by: OAKITE PRODUCTS, INC., 50 VALLEY ROAD,  
BERKELEY HEIGHTS, N.J. 07922  
OAKITE PRODUCTS OF CANADA, LTD., BRANFLEX, ONT. L8T 1A7  
Offices and Warehouses in Principal Cities, Please, Montreal, N.J.;  
City of Industry, Cal.; Houston, Tex.; Toronto, Mich.; Brampton, Ont.

1020-MI-1

**DIRECTIONS FOR USE**



**Preparation of Oakite Detergent-Sanitizer Solutions**  
For most purposes use 2 fluid ounces per gallon of water - 1 part of Oakite Detergent-Sanitizer to 64 parts of water. This solution will provide ample disinfection or germicidal activity and adequate detergency to remove light or normal soils. It contains 400 ppm of sodium dodecylbenzene sulfonate and its cleaning activity is retained until used. Use of hot water will also improve action.  
A 2 fluid ounce per gallon of water solution is allowed to remain on food processing equipment, utensils, and other food contact surfaces if such surfaces are adequately drained prior to use and allowed to air dry. Contact time must be at least one minute for sanitization. Re-use of solutions for sanitizing mechanical operations is prohibited. Preparing fresh sanitizing solution at least daily or more often if the solution becomes diluted or soiled is required. Stronger concentrations than 2 fluid ounces/gallon should be followed by a rinse with a solution of 1 fluid ounce of Oakite Detergent Sanitizer per gallon of water.

**APPLICATION**  
**Manual Cleaning and Sanitizing**

A 5% solution of Oakite Detergent-Sanitizer, applied by brush or spray and then rinsed, will remove most soils including hard water and mineral (milkstone, etc.) deposits. Surfaces may then be sanitized with approved chlorine solutions or a solution of 1 fluid ounce of Detergent-Sanitizer per gallon of water. This solution may remain on surfaces and in lines to inhibit organism growth until equipment is thoroughly drained before use and allowed to air dry. Contact time must be at least one minute for sanitization. Re-use of solutions for sanitizing mechanical operations is prohibited. Preparing fresh sanitizing solution at least daily or more often if the solution becomes diluted or soiled is required.

**Circulation Cleaning and Sanitizing**  
Oakite Detergent-Sanitizer solutions can be used for CIP cleaning on all types of stainless steel food processing equipment. Solution concentration and circulation time will vary depending on soils to be removed and equipment. Follow above recommendations for sanitizing. Where use solution exceeds 400 ppm of sodium dodecylbenzene sulfonate (greater than 2 fluid ounces of Oakite Detergent-Sanitizer per gallon of water), follow with a rinse, with a solution of 1 fluid ounce of Oakite Detergent Sanitizer per gallon of water.

Authorized by USDA for use in federally inspected Meat and Poultry Plants.



1020-13

06/28/1988

1/1

