



ACCEPTED  
 MAY 1 1975  
 UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC POISON REGISTERED  
 EST. NO. 1020-21

# OAKITE<sup>®</sup> MICROBIOCIDICIDE 400

EPA REG. No. 1020-21

EPA Est. 1020-NJ 1

|   |               |
|---|---------------|
| <b>Active ingredients</b> .....               | 17.5 percent  |
| Disodium cyanodithioimidocarbonate .....      | 7.35 percent  |
| Potassium N methyl dithiocarbamate .....      | 10.15 percent |
| <b>Inert ingredients</b> .....                | 82.5 percent  |
| Weight per gallon .....                       | 9.31 lb.      |
| Weight of active ingredients per gallon ..... | 1.63 lb.      |

**APPLICATION:** MICROBIOCIDICIDE 400 is used to inhibit the growth of algae, bacteria and fungi in recirculating commercial and industrial cooling water systems. Before treatment with MICROBIOCIDICIDE 400 systems must be cleaned to remove algal growth, microbiological slime, and other deposits. Then the system should be treated with an initial slug addition of 3.3 to 6.6 fluid ounces of MICROBIOCIDICIDE 400 per 1,000 gallons of water in the system. Repeat the initial dosage until control is evident. Subsequent slug additions of 1.1 to 6.6 fluid ounces of MICROBIOCIDICIDE 400 per 1,000 gallons of water should be made every 1 to 5 days or as needed. The required frequency of treatment depends on the relative amount of bleedoff and the severity of the microbiological problem. Slug additions of MICROBIOCIDICIDE 400 should be made to the sump of water cooling towers.

**WARNING!** KEEP OUT OF REACH OF CHILDREN.  
 Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.  
**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.  
 If swallowed, give patient doses of powdered charcoal immediately or all he can swallow of raw egg white, milk, gruel, or flour and water. Then induce vomiting with salt, soap, or mustard in warm water. Call a physician immediately.  
 Do not reuse empty drum. Return to drum conditioner or destroy by perforating or crushing and burying in a safe place.  
 This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.


**NET CONTENTS: 15 GALLONS/56.78 LITERS**




EST. 1909



MANUFACTURED AND SOLD BY OAKITE PRODUCTS, INC., 50 Valley Road, Berkeley Heights, N.J. 07922



ENVIRONMENTAL  
PRODUCTS DIVISION



# OAKITE<sup>®</sup> MICROBIOCIDAL 400

EPA REG No. 1020-21

EPA Est. 1020-NJ-1

|   |               |
|---|---------------|
| <b>Active ingredients</b> .....               | 17.5 percent  |
| Disodium cyanodithioimidocarbonate .....      | 7.35 percent  |
| Potassium N-methyldithiocarbamate .....       | 10.15 percent |
| <b>Inert ingredients</b> .....                | 82.5 percent  |
| Weight per gallon .....                       | 9.31 lb.      |
| Weight of active ingredients per gallon ..... | 1.63 lb.      |

**APPLICATION:** MICROBIOCIDAL 400 is used to inhibit the growth of algae, bacteria, and fungi in recirculating commercial and industrial cooling water systems. Before treatment with MICROBIOCIDAL 400 systems must be cleaned to remove algal growth, microbiological slime, and other deposits. Then the system should be treated with an initial slug addition of 3.3 to 6.6 fluid ounces of MICROBIOCIDAL 400 per 1,000 gallons of water in the system. Repeat the initial dosage until control is evident. Subsequent slug additions of 1.1 to 6.6 fluid ounces of MICROBIOCIDAL 400 per 1,000 gallons of water should be made every 1 to 5 days or as needed. The required frequency of treatment depends on the relative amount of biofilm and the severity of the microbiological problem. Slug additions of MICROBIOCIDAL 400 should be made to the sump of water cooling towers.

## WARNING! KEEP OUT OF REACH OF CHILDREN.

Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, give patient doses of powdered charcoal immediately or all he can swallow of raw egg white, milk, gruel, or flour and water. Then induce vomiting with salt, soap, or mustard in warm water. Call a physician immediately.

Do not reuse empty drum. Return to drum conditioner or destroy by perforating, crushing and burying in a safe place.


This product is toxic to fish. Treated effluent should not be discharged directly into lakes, streams, ponds, or public water. Do not contaminate water by cleaning, maintenance or disposal of wastes. Apply this product only as specified on this label.

NET CONTENTS: 15 GALLONS / 56.78 LITERS



MANUFACTURED BY OAKITE PRODUCTS, INC., 50 Valley Road, Berkeley Heights, N.J. 07922

EST. 1909



ENVIRONMENTAL  
PRODUCTS DIVISION

# **OAKITE MICROBIOCIDES 400**

WARNING!

**OAKITE.**